

AI-Enabled Conversational Commerce: A Smart Chatbot Framework for E-Commerce Websites

Shruti Sandip Gajare¹, Mr. S. N. Shinde², Prof. J. R. Mahajan³

Student, Department of Artificial Intelligence and Data Science¹

Guide, Department of Artificial Intelligence and Data Science²

Co-Guide, Department of Artificial Intelligence and Data Science³

Adsul Technical Campus, Chas, Ahilyanagar, India

Abstract: Artificial intelligence is increasingly being used to make e-commerce interactions faster, more personalized, and less dependent on conventional customer-support channels. This paper proposes a smart conversational framework for an e-commerce website in which an AI chatbot acts as an interactive layer between the customer, product catalogue, order services, recommendation engine, and feedback analytics. Unlike a basic FAQ chatbot, the proposed framework is designed to understand customer intent, retrieve product information, support product discovery, assist with cart and order-related queries, collect feedback, and use interaction signals to improve future responses. The design combines natural language processing, intent classification, entity extraction, catalogue search, recommendation logic, and sentiment analysis in a modular architecture. A conversation-to-commerce feedback loop is introduced so that chatbot interactions can generate useful non-sensitive service signals for improving product recommendations and support quality. The paper presents the system architecture, functional modules, processing workflow, database requirements, evaluation metrics, security considerations, and implementation roadmap. The work is positioned as a practical and extensible framework for small and medium e-commerce platforms. It does not claim experimental performance without a real deployment; instead, it defines measurable indicators such as intent accuracy, response relevance, task completion rate, response time, customer satisfaction, and recommendation acceptance. The proposed approach provides a foundation for developing an e-commerce chatbot that supports both customer experience and data-informed business improvement.

Keywords: Artificial Intelligence, E-Commerce, Chatbot, Natural Language Processing, Recommendation System, Customer Experience, Sentiment Analysis.

I. INTRODUCTION

E-commerce has changed the way customers search for products, compare alternatives, place orders, and request support. Although websites provide product pages and automated services, customers may still face difficulty when they do not know the exact product name, need a comparison, want to track an order, or require assistance during purchase. Conventional support channels can introduce delays and may not be available continuously. Conversational artificial intelligence provides an alternative interface through which users can communicate with an online store using natural language.

Earlier work has shown that AI-driven chatbots can support product suggestions, customer service, and transaction-related interactions in e-commerce environments [1]. Other research has combined chatbot functionality with sales analysis, demand forecasting, and price prediction [2]. A recent paper ASIA study investigated response time, information quality, perceived usefulness, and perceived ease of use as factors associated with customer satisfaction and loyalty [3]. These studies provide important foundations, but they also leave room for an integrated website-level architecture in which conversation, product discovery, order assistance, and feedback analytics are treated as one connected service.



This paper proposes such an architecture. The main idea is to treat the chatbot not only as a customer-service window but also as an intelligent navigation and assistance layer. The system receives a customer message, determines its intent, extracts useful entities such as product category, brand, price range, order number, or delivery request, and then selects an appropriate backend service. The response is generated from verified catalogue or order data instead of relying only on free-form text generation.

II. PROBLEM STATEMENT

Many e-commerce websites separate product search, recommendations, customer support, order tracking, and feedback into different interfaces. This fragmentation can increase the effort required from customers. A chatbot that only answers fixed questions also becomes ineffective when the customer expresses the same request using different wording. The research problem is therefore to design a conversational e-commerce framework that can understand varied customer requests, connect them to reliable website services, and continuously use interaction feedback to improve the customer experience.

III. OBJECTIVES

- To design an AI chatbot architecture specifically for an e-commerce website.
- To support natural-language product search, product comparison, cart assistance, order tracking, and frequently asked questions.
- To combine intent classification and entity extraction with catalogue and order-service retrieval.
- To introduce a conversation-to-commerce feedback loop using customer feedback and sentiment signals.
- To define measurable evaluation criteria for accuracy, response quality, speed, usability, and customer satisfaction.
- To identify security, privacy, fallback, and human-handover requirements for practical deployment.

IV. SCOPE OF THE STUDY

The proposed work focuses on an online retail website and its conversational assistant. It covers product information, recommendations, shopping assistance, order-related queries, feedback collection, and basic analytics. Dynamic price optimization is deliberately not treated as the central function; the framework instead emphasizes customer assistance and decision support. Payment execution, financial authorization, and autonomous business decisions remain outside the chatbot's control and are handled by secure existing services.

V. LITERATURE REVIEW

Baloska, Mechkaroska, and Domazet discussed AI-driven chatbots in e-commerce and highlighted the role of artificial intelligence, machine learning, and natural language understanding in improving customer interaction and personalization [1]. Their discussion of rule-based and AI-based chatbot approaches establishes the technical foundation for conversational systems.

Joshi and colleagues presented an e-commerce website combining a chatbot with sales analysis, demand forecasting, and price prediction [2]. This work demonstrates how a chatbot can be connected with analytical components rather than being isolated from the rest of an online store. The proposed paper adopts the integration principle but changes the research emphasis toward conversational product discovery, customer assistance, and feedback-driven improvement.

Vebrianti et al. studied the relationship between chatbot service attributes, customer satisfaction, and customer loyalty using survey data and structural equation modelling [3]. Their work indicates that response time, information quality, perceived usefulness, and perceived ease of use are important factors in chatbot-supported e-commerce service. The proposed framework translates these service-quality ideas into system requirements and measurable evaluation metrics. Recent research also indicates that chatbot interaction quality depends on factors such as visibility, interactivity, trust, and customer satisfaction. These findings reinforce the need for a system that is not merely conversational but also reliable, transparent, and connected to actual e-commerce services [4].




VI. RESEARCH GAP

Study	Main Focus	Useful Contribution	Gap Addressed by This Paper
Baloska et al. [1]	AI chatbots in e-commerce	AI/NLP-based customer interaction	Adds a complete website-level service architecture and feedback loop
Joshi et al. [2]	Chatbot + sales analysis + price prediction	Integration of chatbot with business analytics	Emphasizes conversational shopping and support rather than price optimization
Vebrianti et al. [3]	Satisfaction and loyalty factors	Response time, information quality, usefulness, ease of use	Maps service-quality factors to technical modules and evaluation metrics
Proposed framework	Conversational e-commerce assistant	Intent, entity, catalogue, orders, recommendations, feedback	Unified customer-facing architecture with measurable service and learning signals

VII. PROPOSED SYSTEM

The proposed system is a modular AI chatbot embedded in an e-commerce website. It is designed around five principles: (1) understand the customer's intention, (2) use verified store data, (3) provide personalized but explainable assistance, (4) offer a human fallback for unresolved cases, and (5) capture service feedback for improvement.

VIII. SYSTEM ARCHITECTURE



IX. MAJOR MODULES

• User Interface:

Provides the web-based chat window, suggested prompts, product cards, buttons, and links to relevant website pages.



• **Natural Language Processing:**

Cleans the message, identifies language-related patterns, classifies intent, and extracts entities such as product type, brand, price range, order ID, and delivery request.

• **Conversation Orchestrator:**

Routes each request to the correct service and maintains the context required for multi-turn conversations.

• **Product Catalogue Service:**

Retrieves current product name, category, stock status, attributes, specifications, and approved price information.

• **Recommendation Engine:**

Ranks products using customer-provided requirements and available catalogue features. Personalization can be added when consented data is available.

• **Order Assistance Service:**

Handles permitted requests such as order status, shipping information, cancellation guidance, return policy, and escalation.

• **Feedback and Sentiment Module:**

Captures explicit ratings and optional feedback and classifies sentiment to identify recurring service problems.

• **Human Handover Module:**

Transfers unresolved, sensitive, or high-risk conversations to a human support agent with the relevant conversation context.

• **Analytics Dashboard:**

Summarizes chatbot usage, intent distribution, unresolved queries, response time, task completion, and satisfaction indicators.

X. METHODOLOGY

The methodology follows a design-and-evaluation approach. First, e-commerce use cases are identified and converted into intents and entities. Second, a structured product and support knowledge base is prepared. Third, the conversational pipeline is implemented using an NLP model and backend APIs. Fourth, the chatbot is evaluated using controlled test conversations. Finally, feedback and error cases are analyzed to refine intents, responses, and fallback rules.

XI. INTENT MODEL

Intent	Example User Request	System Action
Product Search	Show black running shoes under ₹3000	Filter catalogue and return matching products
Product Comparison	Which phone has better battery life?	Compare verified product attributes
Recommendation	Suggest a laptop for coding	Rank products against stated requirements
Product Information	Does this shirt have a large size?	Retrieve size/stock attributes
Order Tracking	Where is my order?	Query order/shipping service after authentication
Return/Refund	How can I return this item?	Provide policy and next-step guidance
General Support	How do I create an account?	Retrieve support information
Complaint/Escalation	I received the wrong product	Collect details and route to support

XII. CONVERSATION PROCESSING ALGORITHM

- Step 1. Receive the customer's message from the e-commerce chat interface.
- Step 2. Normalize the input and identify the conversation language and basic text features.
- Step 3. Predict the user's intent and extract relevant entities.
- Step 4. Check whether the request requires catalogue data, order data, support information, or human intervention.
- Step 5. Retrieve only the required verified data from the corresponding service.



- Step 6. Apply recommendation or ranking logic when the request involves product selection.
- Step 7. Construct a concise response and attach product cards, links, or actions where appropriate.
- Step 8. Validate the response against available data and predefined safety/business rules.
- Step 9. Return the response to the customer and record permitted service metrics.
- Step 10. If confidence is low or the issue is unresolved, ask a clarifying question or initiate human handover.
- Step 11. Use explicit feedback and aggregate error patterns to improve the intent and response system.

XIII. RECOMMENDATION LOGIC

For product recommendations, the system can convert the user's requirements into a preference vector containing attributes such as category, budget, brand preference, required features, and availability. A simple weighted score can then rank candidate products:

$$\text{Score}(p) = w1 \cdot \text{CategoryMatch} + w2 \cdot \text{BudgetFit} + w3 \cdot \text{FeatureMatch} + w4 \cdot \text{Availability} + w5 \cdot \text{PreferenceMatch}$$

The weights should be determined using validation data rather than arbitrary claims. The system should explain why a product was recommended, for example by identifying matching features or budget compatibility.

XIV. IMPLEMENTATION CONSIDERATONS

A practical implementation can use a web frontend such as HTML/CSS/JavaScript or a modern web framework, a backend API layer, a relational or document database for catalogue and order data, and an NLP service for intent and entity processing. The chatbot should not directly modify sensitive order or payment information without authenticated backend authorization.

XV. SUGGESTED TECHNOLOGY STACK

1. Frontend: HTML, CSS, JavaScript or React-based e-commerce interface.
2. Backend: Python Flask/FastAPI, Node.js, or another REST API framework.
3. NLP: Python with spaCy, NLTK, transformer-based models, or a suitable hosted language model.
4. Database: MySQL, PostgreSQL, MongoDB, or another database appropriate for catalogue and order data.
5. Analytics: Python, SQL, Excel/Power BI, or a web dashboard for service metrics.
6. Deployment: Cloud or institutional server with HTTPS, authentication, logging, and access control.

XVI. DATA FLOW

The customer message enters the chatbot interface and is forwarded to the backend. NLP processing identifies intent and entities. The orchestrator then calls the appropriate service. Product-related requests use catalogue and recommendation services, while order-related requests use authenticated order APIs. The resulting data is formatted into a response. Feedback is separated from transactional data so that analytics can be performed without exposing unnecessary personal information.

XVII. EVALUATION FRAMEWORK

Because this paper proposes a system architecture rather than reporting a completed deployment, performance values are not fabricated. A future prototype should be evaluated with a labelled test set and representative e-commerce conversations.

Metric	Meaning	Preferred Direction
Intent Accuracy	Percentage of user queries assigned to the correct intent.	Higher is better
Entity F1-score	Balance of precision and recall for extracting product/order-related entities.	Higher is better
Response Relevance	Human or rubric-based assessment of whether the answer addresses the request.	Higher is better



Task Completion Rate	Percentage of conversations that complete the intended shopping/support task.	Higher is better
Response Time	Time between customer message and chatbot response.	Lower is better
Fallback Rate	Percentage of conversations requiring clarification or human handover.	Lower is generally better
Customer Satisfaction	Post-interaction rating or validated questionnaire score.	Higher is better
Recommendation Acceptance	Percentage of recommendation sessions leading to meaningful product interaction.	Higher is better

XVIII. EXPERIMENTAL PLAN

- Prepare a labelled dataset of common e-commerce intents using original examples.
- Split the dataset into training, validation, and test sets where machine learning is used.
- Measure intent and entity extraction performance.
- Create scripted end-to-end scenarios for product search, comparison, recommendation, order support, and escalation.
- Measure response time and task completion for each scenario.
- Collect user satisfaction ratings after controlled interactions.
- Analyze failure cases and update the intent taxonomy, retrieval rules, and fallback responses.
- Compare chatbot-assisted task completion with a conventional website navigation baseline if a real user study is conducted.

XIX. SECURITY, PRIVACY AND ETHICAL CONSIDERATIONS

An e-commerce chatbot may process personal, order, address, and behavioral information. The system should therefore follow data minimization and access-control principles. Order details should be displayed only after appropriate authentication. Payment credentials should never be collected or stored by the chatbot unless the payment provider explicitly supports a secure and compliant flow. Logs should avoid unnecessary personal information.

- Use HTTPS for all communication.
- Apply authentication and authorization before accessing order-specific information.
- Store only the minimum information needed for the requested service.
- Provide a clear mechanism for human assistance.
- Identify uncertainty instead of presenting unsupported information as fact.
- Use explicit consent where personalized data or feedback is retained for improvement.

XX. EXPECTED CONTRIBUTION AND DISCUSSION

The main contribution of the proposed work is a practical architecture that connects conversational AI with core e-commerce functions without making the chatbot responsible for every business decision. The architecture separates language understanding from data retrieval and business services. This separation improves maintainability because product data, order services, and chatbot models can be updated independently.

A second contribution is the conversation-to-commerce feedback loop. Instead of treating every chat as an isolated customer service event, the framework uses permitted aggregate signals—such as unresolved intents, repeated questions, satisfaction ratings, and recommendation interactions—to identify service improvements. This can help an e-commerce operator discover poorly described products, confusing policies, frequently requested features, or gaps in the support knowledge base.

The framework also recognizes that speed alone does not define chatbot quality. A fast but inaccurate response can reduce trust. Therefore, response time should be evaluated together with information quality, task completion, usefulness, usability, and satisfaction. This perspective is consistent with the service-quality factors examined in prior e-commerce chatbot research [3].



XXI. LIMITATIONS

- The proposed architecture has not been presented as a completed production deployment.
- No numerical performance results are claimed because no original experimental dataset was supplied.
- Recommendation quality depends on catalogue completeness and the quality of product attributes.
- Intent classification can degrade when customers use mixed languages, slang, spelling errors, or very short messages.
- Human handover remains necessary for complex complaints, policy exceptions, and sensitive account issues.
- Personalization requires careful handling of consent, privacy, and data retention.

XXII. CONCLUSION

This paper presented a distinct AI-enabled conversational framework for e-commerce websites. The proposed system combines natural language understanding, intent classification, entity extraction, product retrieval, recommendation, order assistance, feedback analysis, and human escalation within one modular architecture. The design differs from a simple FAQ chatbot by connecting conversation directly with verified e-commerce services and by introducing a feedback loop for continuous service improvement.

The framework provides a practical foundation for small and medium online retailers that want to introduce conversational shopping assistance without replacing their existing catalogue, order, or payment infrastructure. Future implementation should evaluate the system using real customer scenarios and report intent accuracy, entity extraction performance, response time, task completion, recommendation acceptance, and customer satisfaction. Future extensions may include multilingual support, voice-based shopping assistance, stronger personalization with consent, explainable recommendations, and robust human-AI collaboration.

REFERENCES

1. S. Baloska, D. Mechkaroska, and E. Domazet. AI-driven Chatbot in E-Commerce. Journal of UIST, Volume 3, Issue 1, 2022, Pages 30-40.
2. S. Joshi, K. Gupta, I. Pardikar, and A. Kadu. E-Commerce Website with Chatbot, Sales Analysis and Price Optimization. International Journal of Novel Research and Development, Volume 8, Issue 4, 2023, Pages c607-c610.
3. R. Vebrianti, M. Aras, M. S. S. Putri, and I. A. Swandewi. AI Chatbots in E-Commerce: Enhancing Customer Engagement, Satisfaction and Loyalty. Paper Asia, Volume 41, Issue 2b, 2025, Pages 248-260.
4. P. Kalupahana, O. Rathnayake, N. J. and N. RathnayakeMudiyanselage. Evaluating customer engagement with AI-driven chatbot affordances in e-commerce: A multi-method analysis. Journal article, 2026.
5. G. Singh and J. Singh. Enhancing Customer Experience and Engagement on E-Commerce Platforms Through AI-Integrated Chatbot Solutions. Proceedings of the KILBY 100 7th International Conference on Computing Sciences, 2023.
6. D. L. B. Alwitigala, C. L. Jayathilake, and M. M. M. Mirshad. A Machine Learning-Driven Framework for Optimizing AI Chatbot Personalization in E-commerce: A Comprehensive Empirical Analysis of Customer Satisfaction Determinants. Working paper, 2026.
7. D. L. B. Alwitigala, M. M. M. Munawwer, and C. L. Jayathilake. A Machine Learning-Driven Framework for Optimizing AI Chatbot Personalization in E-commerce. Working paper, 2025

