IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 7, October 2026
Impact Factor: 8.2

An Analytical Evaluation of Agnimandya: Concepts, Modern Correlates, and Holistic Management – A Literary Review

Vd. Milind Aware[1], Vd. Bhavana Dande[2], Vd. Latesh Chaudhari[3]
Guide, Principal of Shree Saptashrungi Ayurved Mahavidyalaya
and Professor of Samhita and Siddhanta Department Nashik[1]
HOD and Professor of Samhita and Siddhanta Department of Shree Saptashrungi Ayurved Mahavidyalaya, Nashik[2]
PG scholar of Samhita and Siddhanta Department of Shree Saptashrungi Ayurved College, Nashik[3]

Abstract: *Agnimandya, characterized by the dampening or dysfunction of metabolic fire, serves as a cardinal antecedent in Ayurvedic disease etiology. Central to this framework is Jatharagni, which directs primary digestion, nutrient extraction, and bodily equilibrium. When Jatharagni operates optimally, it sustains life, physical stamina, tissue vigor, and natural immunity; conversely, its impairment leads to incomplete metabolic conversion and the buildup of Ama (endogenous toxins). This comprehensive review investigates Agnimandya through its core classifications, causative influences (Nidana), symptomatic expressions (Lakshana), and underlying pathogenesis (Samprapti) with exhaustive elaboration. Additionally, it connects these classical concepts with contemporary medical paradigms including functional dyspepsia, hypochlorhydria, intestinal motility dysregulation, and gut microbiome dysbiosis. Management approaches center on eliminating root triggers (Nidana Parivarjana), digestive fire stimulation (Deepana-Pachana), targeted purification (Shodhana), and tailored lifestyle-dietary modifications (Ahara-Vihara). Re-establishing digestive efficacy through balanced routines and therapeutic interventions is fundamental to maintaining optimal health and averting systemic disease progression.*

Keywords: *Agnimandya*

I. INTRODUCTION

Within Ayurvedic philosophy and physiological science, Agni represents the active biological force behind all transformation, catabolism, digestion, and systemic metabolism. It governs food breakdown, cellular assimilation, tissue nourishment, and the clearance of physiological waste products. Jatharagni—the principal digestive fire located in the upper gastrointestinal tract—functions as the foundation and master controller for all secondary metabolic fires within the human organism (1). When operating in an optimal state of normalcy, Jatharagni maintains longevity, robust immunity, physical strength, enthusiasm for daily tasks, skin radiance, sensory sharpness, and overall tissue integrity (2). If Jatharagni ceases to function entirely, life cannot be sustained; when compromised, it acts as the primary origin point for virtually all pathological conditions.

In contemporary modern lifestyles, societal patterns have transformed radically, exposing individuals to chronic stressors, irregular eating schedules, inadequate sleep hygiene, sedentary habits, and the frequent ingestion of processed, ultra-refined, or fried items. Ayurvedic classical doctrines mandate that wholesome foods (Pathya) must be consumed in harmony with individual constitution and mental balance, whereas unwholesome dietary habits (Apathya) must be strictly avoided regardless of habituation (2). Consuming even healthy meals while experiencing acute emotional distress, anxiety, or rushing through meals disrupts gastrointestinal secretion and motor function, leading directly to Agnimandya, abdominal bloating, and heaviness. Conversely, regular consumption of processed, heavy, or

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429 Volume 6, Issue 7, October 2026 Impact Factor: 8.2

reheated foods disturbs metabolic rhythm, weakening enzymatic efficiency and promoting the accumulation of toxic intermediate metabolites known as Ama, thereby initiating diverse disease pathways (3).

The continuous practice of unwholesome behaviors disrupts the natural biological rhythms of digestion, compromises tissue metabolism, and fosters chronic toxicity. Maintaining a balanced Agni is therefore essential for preserving long-term health and preventing disease onset. Proper digestive efficiency ensures adequate nourishment, supports immune defense, sustains energy levels, and maintains mental clarity. Ayurvedic principles emphasize the integration of balanced dietary regimens (Ahara), appropriate lifestyle routines (Vihara), and seasonal adaptations (Ritucharya) to sustain optimal Agni and achieve ultimate physical and mental harmony.

II. OBJECTIVES

- To perform an exhaustive synthesis of classical Ayurvedic literature concerning Agnimandya, its clinical typology, and underlying etiopathogenesis.
- To analyze Agnimandya through contemporary medical concepts including gut microbiome dysbiosis, gastrointestinal motility disorders, and functional dyspepsia.
- To establish a robust comparative synthesis connecting traditional Ayurvedic principles with modern clinical science.

III. MATERIALS AND METHODS

This exhaustive review integrates information derived from classical Ayurvedic treatises and contemporary medical literature. Traditional knowledge regarding Agni, Agnimandya, Ajirna, Ama, and gastrointestinal physiology was collected from authoritative texts including the Charaka Samhita, Sushruta Samhita, Ashtanga Hridaya, Madhava Nidana, and Bhavaprakasha. Relevant data regarding causative factors (Nidana), clinical features (Lakshana), and disease progression (Samprapti) were thoroughly compiled and analyzed. For modern physiological comparison, published studies on gastrointestinal motility disorders, gut microflora eubiosis/dysbiosis, and functional dyspepsia were reviewed from peer-reviewed databases such as PubMed and Google Scholar. The collected data were critically synthesized to establish a robust conceptual bridge between classical Ayurvedic principles and modern scientific understanding.

IV. REVIEW OF LITERATURE

Although Agnimandya (digestive insufficiency) is described as an independent disease entity in Madhava Nidana, the Charaka Samhita primarily discusses it within the context of Grahani disorders (4). Across virtually all systemic diseases, Agnimandya is recognized as a fundamental causative precursor. This creates a longstanding academic discussion regarding whether Agnimandya should be classified as an independent disease or a prodromal state. Furthermore, classical texts do not provide a separate, isolated description of general Agnimandya symptoms, which overlap significantly with Ajirna (indigestion). However, a vital clinical distinction exists: Ajirna is acute in presentation and resolves quickly, whereas Agnimandya is chronic, developing gradually over prolonged exposure to causative factors and requiring long-term management (4).

According to Acharya Charaka, Agnimandya represents the initial functional stage preceding structural organ pathology of Grahani (the duodenum and small intestine) (4,5). When structural and functional impairment of the Grahani organ occurs simultaneously, it is termed Grahani disease; the earlier phase characterized purely by functional digestive disturbance is termed Agnimandya. In this condition, the disturbance of Agni is paramount, and all clinical manifestations arise directly from this enzymatic and metabolic failure. Among all bodily fires, Jatharagni is paramount because it controls and nourishes all secondary metabolic fires. When Jatharagni is robust, all subordinate fires function efficiently; when it weakens, secondary fires fail accordingly. Therefore, Jatharagni must be protected through wholesome, properly prepared food and beverages (6,10).

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429 Volume 6, Issue 7, October 2026 Impact Factor: 8.2

Physiological Framework of Agni and Doshic Interactions

Ayurvedic physiology notes that Pitta possesses intrinsic heat, transformation, and digestive qualities akin to Agni, which is why Pitta is frequently equated with biological fire. When Pitta decreases, it is treated with substances of hot potency; when elevated, it is managed with cooling therapies. Kapha possesses qualities opposite to Pitta and Agni, thereby dampening and suppressing digestive fire. Vata, acting as a catalytic and mobile force (Yogavahi), introduces irregularity into Agni. Depending on whether Vata associates with cold Kapha or hot Pitta, it can either diminish or intensify digestive fire. A balanced equilibrium of Vata, Pitta, and Kapha yields Samagni (11-13,18).

Acharya Charaka outlines thirteen distinct types of Agni: one central Jatharagni, five elemental fires (Bhutagni: Parthiva, Apya, Teja, Vayavya, Akashagni), and seven tissue metabolic fires (Dhatvagni: Rasa, Rakta, Mansa, Meda, Asthi, Majja, Shukra). Food elements are processed sequentially: after initial gastric digestion, the five Bhutagnis break down specific elemental components to nourish corresponding bodily tissues. Similarly, the seven Dhatvagnis metabolize respective tissue substrates into useful essence (Prasada) and metabolic waste (Kitta), ensuring continuous nutrition and elimination (10).

Based on Doshic dominance, digestive fire assumes four functional forms (11-13):

- **Samagni (Balanced Fire):** Equilibrium of all three Doshas. Digests food properly when taken at the right time, ensuring optimal nutrient assimilation and smooth waste elimination.
- **Vishamagni (Irregular Fire):** Driven by Vata dominance. Causes erratic digestion, colicky abdominal pain (Shoola), abdominal heaviness, gurgling noises, and irregular bowel movements.
- **Tikshnagni (Intense Fire):** Driven by Pitta dominance. Rapidly digests even excessive quantities of food, frequently leading to hyperacidity and burning sensations.
- **Mandagni (Sluggish Fire):** Driven by Kapha excess. Processes even small quantities of food slowly, causing heaviness in the head and abdomen, excess salivation, nausea, and lethargy.

Agnivikriti (digestive dysfunction) directly precipitates Ajirna (indigestion). When Agnimandya prevents complete food breakdown, the unprocessed residue is termed Ajirna (14). Madhava Nidana categorizes Ajirna into four clinical types: Amajirna (kapha dominance, unproccessed food), Vidagdhajirna (excess acidic pitta, partial digestion), Vishtabdhajirna (vata aggravation, delayed digestion), and Rasasheshajirna (incomplete transformation into nutrient essence) (15).

Etiology of Indigestion (Samanya Hetu)

Traditional treatises outline extensive dietary, lifestyle, and psychological factors precipitating Agnimandya and Ajirna. Table 1 provides a comprehensive comparative breakdown across major classical texts:

Etiological Domain	Vagbhata (16)	Sushruta (17)	Charaka (18,19)	Bhavaprakasha (20)
Dietary Causes	• Atimatraahara (Overeating) • Atyambupaana (Excess water intake) • Abhojana (Fasting) • Ruksha (dry), Vishtambhi (constipating), Dagdha (burnt), Guru (heavy), Sheeta (cold),	• Atyambupaana (Excess water) • Vishamashana (Irregular quantity) • Atibhojana (Overeating) • Ajeernabhojana (Eating on undigested food) • Guru, Heema (very cold), Dooshita (impure) food	• Apriyaahara (Unpleasant food) • Vishamashana (Irregular quantities) • Vishamaahara (Incompatible patterns)	• Vishamashana (Irregular diet quantities) • Guru (Heavy food items) • Dooshita (Impure or spoiled food)

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 7, October 2026
Impact Factor: 8.2

	Ashuchi (stale) food			
Lifestyle Factors	• Vidahi (Irritating/acidic food) • Excessively watery diet (Atyambupaana)	• Vegavidharana (Suppression of natural physiological urges)	• Vegavidharana (Suppression of urges) • Irregular sleep schedules • Disturbed daily routines	• Anidra / Atinidra (Irregular sleep habits and sleep deprivation)
Psychological Factors	• Shoka (Grief) • Krodha (Anger) • Kshudha (Hunger stress)	• Chinta (Stress) • Irshya (Jealousy) • Bhaya (Fear) • Lobha (Greed), Matsarya, Roga, Deenata (debility)	• Improperly administered Panchakarma • Seasonal & time discordance • Anxiety, fear, grief, and anger	• Trushna (Excessive thirst) • Chinta, Shoka, Bhaya, Krodha, Dukkha • Eating while suffering from emotional distress
Pathological Outcome	Food is not digested properly	Even wholesome food fails to undergo digestion	Jatharagni is severely vitiated; cannot digest light food	Stronger etiological factors make food progressively harder to process

Clinical Features of Indigestion (Samanya Lakshana)

The clinical features associated with indigestion and impaired digestive fire across classical treatises are compared in Table 2, indicating presence (✓) or non-description (✗) in each authoritative text:

Clinical Manifestation	Vagbhata (21)	Bhavaprakasha (22)	Charaka (23)	Madhava Nidana (24)
Vibandha / Vishtambha (Abdominal retention / constipation)	✓	✓	✓	✓
Maruta moodhata (Flatulence / trapped intestinal gas)	✓	✓	✗	✓
Mala atipravrutti (Increased stool frequency)	✓	✓	✗	✓
Mutra-Purishavarodha (Obstruction of urine and faeces)	✗	✗	✓	✗

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429 Volume 6, Issue 7, October 2026 Impact Factor: 8.2

Sadan (Weakness and bodily lethargy)	✗	✗	✓	✗
Gaurava (Heaviness in the body)	✓	✓	✗	✓
Shirahshoola (Headache)	✗	✗	✓	✗
Glani (General fatigue and malaise)	✓	✓	✗	✓
Moorchha (Fainting / lightheadedness)	✗	✗	✓	✗
Bhrama (Giddiness / dizziness)	✓	✓	✓	✓
Prishtha-kati Graha (Stiffness in back and lumbar region)	✗	✗	✓	✗
Jrumbha (Excessive yawning)	✗	✗	✓	✗
Angamarda (Generalized body aches)	✗	✗	✓	✗
Trishna (Excessive thirst)	✗	✗	✓	✗
Jwara (Feverish sensation)	✗	✗	✓	✗
Vamana (Vomiting tendency)	✗	✗	✓	✗
Pravahana (Straining during defecation)	✗	✗	✓	✗
Arochaka (Loss of appetite)	✗	✗	✓	✗
Avipaka / Avibhaga (Incomplete digestion)	✗	✗	✓	✗

Pathogenesis (Samprapti) and Modern Medical Correlations

According to the Charaka Samhita, the pathogenesis (Samprapti) of Agnimandya initiates with the continuous indulgence in etiological factors (Hetusevana), spanning dietary indiscretions, lifestyle irregularities, and psychological stress. These triggers vitiate Jatharagni (Agnidushti), impairing enzymatic breakdown and transformation.

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429 Volume 6, Issue 7, October 2026 Impact Factor: 8.2

Consequently, even light, easily digestible food fails to undergo proper metabolism, producing Ama—an undigested, toxic metabolic by-product. The systemic accumulation of Ama disrupts physiological pathways and serves as the primary seed for chronic disorders (Vyadhi) (26).

Contemporary medical science interprets these classical mechanisms through gut microbiota dynamics, gastrointestinal motility, and metabolic homeostasis (25):

- **Gut Microbiota and Eubiosis:** A balanced intestinal microbiome (eubiosis) maintains epithelial barrier integrity, supports nutrient extraction, and regulates immune modulation, directly reflecting the state of Samagni (25). Conversely, microbial dysbiosis generates harmful endotoxins and mucosal inflammation, mirroring the toxic properties of Ama (25).
- **Gastrointestinal Motility:** Coordinated peristalsis ensures smooth luminal transit and prevents bacterial overgrowth. When motility is impaired, stasis occurs, promoting bacterial proliferation and resulting in bloating, distension, and malabsorption, aligning with Mandagni and Adhmana (25).
- **Functional Dyspepsia Parallels:** Classical manifestations such as Arochaka (anorexia), Avipaka (postprandial indigestion), Adhmana (abdominal distension), Udgara (belching), Chhardi (nausea), and Daha (epigastric burning) exhibit striking similarity with the symptom profile of functional dyspepsia in modern gastroenterology (27).

V. MANAGEMENT PROTOCOLS

Therapeutic management of Agnimandya centers on pacifying the specific Doshas involved and restoring Jatharagni function (28):

- **Samagni Maintenance:** Preserved through disciplined dietary regulation, consuming wholesome foods in appropriate quantities, and maintaining mental equilibrium.
- **Vishamagni Management (Vata Dominant):** Requires Vata-pacifying therapies utilizing unctuous, sour, and salty substances. Mild fasting (Langhana) is recommended in the form of light, warm, digestible meals rather than complete starvation, as total fasting aggravates Vata.
- **Tikshnagni Management (Pitta Dominant):** Requires Pitta-pacifying interventions. The diet should incorporate heavy, cooling, and unctuous items such as buttermilk, milk, rice gruels (manda), and payasa to temper intense digestive fire.
- **Mandagni Management (Kapha Dominant):** Requires initial therapeutic fasting (Langhana). If Kapha aggravation causes severe nausea (Utklesha), therapeutic emesis (Vamana) is indicated, alongside carminative and digestive stimulant herbs (Deepana-Pachana) possessing pungent, bitter, and alkaline properties.

VI. PREVENTIVE DIETARY AND LIFESTYLE REGIMENS

Sustaining Agni and Doshic balance requires strict adherence to daily regimens (Dinacharya), seasonal purifications (Rutushodhana), and proper eating protocols (Ahara Vidhi Vidhana) (29,30,38). Avoiding incompatible food combinations (Viruddhahara) such as milk with citrus fruits or fish, and preventing erratic eating habits like Samashana (combining wholesome and unwholesome foods), Vishamashana (irregular quantities), and Adhyashana (eating before prior digestion) is crucial (31,39). Table 3 details key wholesome dietary items (Pathyahara) that support digestive recovery:

Wholesome Food Item (Pathyahara)	Physiological Properties & Therapeutic Significance
Ghruta (Cow's Ghee)	Oleation (Snehana) serves as the primary therapy to kindle sluggish digestive fire (Mandagni) (32).
Jeerna Shalishashtika	Aged red rice, thoroughly washed, cooked, and drained

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 7, October 2026
Impact Factor: 8.2

	of starch, served warm for optimal digestibility (32).
Mudga (Green Gram)	Light to digest, absorbent, cooling, and balances Kapha and Pitta; suitable in soups and khichadi (32).
Kulattha (Horse Gram)	Warm in potency, balances Kapha and Vata, promotes easy flatus movement (Vatanulomana) in soup form (32).
Manda and Lajamanda	Thin rice fluids and puffed rice water that enhance appetite, relieve fatigue, and stimulate Agni (32).
Peya and Vilepi	Liquid and semi-solid rice gruels that nourish debility, stimulate Agni, and promote smooth elimination (32).
Spices (Ardraka, Shunthi, Jeeraka, Heeng, Ajamoda)	Carminative spices that enhance palatability, relieve bloating, stimulate appetite, and facilitate effortless digestion (32,33).

Additionally, lifestyle protocols (Vihara) such as regular physical exercise (Vyayama), yoga practices, and mindful meal timing are essential. As outlined in classical texts like Kshemakutuhala, meals should be consumed only when natural hunger arises and previous food is fully digested—maintaining an interval of approximately two yamas (six hours) between meals. Adhering to proper eating rules (Aharavidhi Vidhana) such as eating freshly cooked food in a peaceful environment without distraction ensures optimal metabolic health (34-38).

VII. DISCUSSION AND CONCLUSION

Agnimandya represents a central pathological state in Ayurveda where impaired Agni disrupts digestion, metabolism, and tissue nourishment. Classical descriptions emphasize that it is not merely a localized gastrointestinal disturbance, but a systemic dysfunction that initiates disease progression through the formation of Ama. The reviewed literature demonstrates that Agnimandya arises from multidimensional factors—dietary indiscretions, irregular lifestyles, and psychological stress—which collectively impair Jatharagni. While traditional texts frame this in terms of Doshic imbalance, modern parallels such as functional dyspepsia, gut dysbiosis, and altered motility provide a functional interpretation, though Agni encompasses a broader regulatory scope than any single modern physiological parameter.

A critical observation is that lifestyle (Vihara) plays a role equally important to diet (Ahara). Ayurveda clearly indicates that even wholesome food fails to digest properly in the presence of disturbed routines, mental stress, or improper eating behaviors. Over time, persistent Agnimandya leads to chronic Ama accumulation, manifesting as metabolic disorders, inflammatory conditions, or functional gastrointestinal diseases. Preventive strategies therefore extend beyond pharmacological measures, incorporating regular exercise, daily and seasonal regimens, mindful eating, and psychological balance. In conclusion, Agnimandya is a multifactorial disorder requiring a holistic approach. Combining the avoidance of causative factors (Nidana Parivarjana), digestive stimulation (Deepana-Pachana), appropriate dietary choices (Ahara), and disciplined routines (Vihara) provides an effective strategy for restoring digestive health, preventing Ama formation, and avoiding long-term complications.

REFERENCES

1. Kushwaha HC. Charak Samhita. Ayurved-Dipika's Ayusi Hindi commentary. Vol 2. Reprint ed. Varanasi: Chaukhamba Orientalia; 2009. Chikitsa Sthana 15/3-4.

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429 Volume 6, Issue 7, October 2026 Impact Factor: 8.2

2. Kushwaha HC. Charak Samhita. Ayurved-Dipika's Ayusi Hindi commentary. Vol 1. Reprint ed. Varanasi: Chaukhamba Orientalia; 2009. Sutrasthana 25/45.
3. Kushwaha HC. Charak Samhita. Ayurved-Dipika's Ayusi Hindi commentary. Vol 2. Reprint ed. Varanasi: Chaukhamba Orientalia; 2009. Chikitsa Sthana 15/42-44.
4. Joshi YG. KayaChikitsa. Pune: Sahitya Vitaran; 2009. Agnimandya chapter; p. 420.
5. Kushwaha HC. Charak Samhita. Ayurved-Dipika's Ayusi Hindi commentary. Vol 2. Reprint ed. Varanasi: Chaukhamba Orientalia; 2009. Chikitsa Sthana 15/56.
6. Kushwaha HC. Charak Samhita. Ayurved-Dipika's Ayusi Hindi commentary. Vol 2. Reprint ed. Varanasi: Chaukhamba Orientalia; 2009. Chikitsa Sthana 15/39-40.
7. Shastri AD, editor. Sushruta Samhita. Vol 1. Ayurvedatatvasandipika Hindi commentary. Reprint ed. Varanasi: Chaukhamba Orientalia; 2020. Sutra Sthana 21/10.
8. Upadhyaya Y, editor. Madhava Nidana with Madhukosha Sanskrit commentary and Vidyotini Hindi commentary. 7th ed. Varanasi: Chaukhamba Orientalia; 2002. Agnimandyadhi Nidanam, p. 220.
9. Upadhyaya Y, editor. Madhava Nidana with Madhukosha Sanskrit commentary and Vidyotini Hindi commentary. 7th ed. Varanasi: Chaukhamba Orientalia; 2002. Agnimandyadhi Nidanam, p. 220.
10. Kushwaha HC. Charak Samhita. Ayurved-Dipika's Ayusi Hindi commentary. Vol 2. Reprint ed. Varanasi: Chaukhamba Orientalia; 2009. Chikitsa Sthana 15/13-16.
11. Upadhyaya Y, editor. Madhava Nidana with Madhukosha Sanskrit commentary and Vidyotini Hindi commentary. 7th ed. Varanasi: Chaukhamba Orientalia; 2002. Agnimandyadhi Nidanam, p. 219.
12. Shastri AD, editor. Sushruta Samhita. Vol 1. Ayurvedatatvasandipika Hindi commentary. Reprint ed. Varanasi: Chaukhamba Orientalia; 2020. Sutra Sthana 35/29.
13. Misra BS, editor. Bhavaprakasha of Shri Bhavamisra. Vol 2. Vidyotini Hindi commentary. Reprint ed. Varanasi: Chaukhamba Orientalia; 2015. Adhyaya 6th, p. 67.
14. Upadhyaya Y, editor. Madhava Nidana with Madhukosha Sanskrit commentary and Vidyotini Hindi commentary. 7th ed. Varanasi: Chaukhamba Orientalia; 2002. Agnimandyadhi Nidanam, p. 224.
15. Upadhyaya Y, editor. Madhava Nidana with Madhukosha Sanskrit commentary and Vidyotini Hindi commentary. 7th ed. Varanasi: Chaukhamba Orientalia; 2002. Agnimandyadhi Nidanam, p. 225.
16. Paradkara, editor. Astanghrdaya of Vagbhata, Sarvangasundara of Arundatta and Ayurvedarasayana of Hemadri Commentaries. Varanasi: Chaukhamba Sanskrit; 2011. Sutra Sthana 8/31-33.
17. Shastri AD, editor. Sushruta Samhita. Vol 1. Ayurvedatatvasandipika Hindi commentary. Reprint ed. Varanasi: Chaukhamba Orientalia; 2020. Sutra Sthana 46/507-508.
18. Kushwaha HC. Charak Samhita. Ayurved-Dipika's Ayusi Hindi commentary. Vol 2. Reprint ed. Varanasi: Chaukhamba Orientalia; 2009. Chikitsa Sthana 15/42-44.
19. Kushwaha HC. Charak Samhita. Ayurved-Dipika's Ayusi Hindi commentary. Vol 1. Reprint ed. Varanasi: Chaukhamba Orientalia; 2009. Vimana Sthana 2/9.
20. Misra BS, editor. Bhavaprakasha of Shri Bhavamisra. Vol 2. Vidyotini Hindi commentary. Reprint ed. Varanasi: Chaukhamba Orientalia; 2015. Jatharagni Vikaradhikara 6/11:68.
21. Paradkara, editor. Astanghrdaya of Vagbhata, Sarvangasundara of Arundatta and Ayurvedarasayana of Hemadri Commentaries. Varanasi: Chaukhamba Sanskrit; 2011. Sutra Sthana 8/30.
22. Misra BS, editor. Bhavaprakasha of Shri Bhavamisra. Vol 2. Vidyotini Hindi commentary. Reprint ed. Varanasi: Chaukhamba Orientalia; 2015. Jatharagni Vikaradhikara 6/15:69.
23. Kushwaha HC. Charak Samhita. Ayurved-Dipika's Ayusi Hindi commentary. Vol 2. Reprint ed. Varanasi: Chaukhamba Orientalia; 2009. Chikitsa Sthana 15/45-49.
24. Upadhyaya Y, editor. Madhava Nidana with Madhukosha Sanskrit commentary and Vidyotini Hindi commentary. 7th ed. Varanasi: Chaukhamba Orientalia; 2002. Agnimandyadhi Nidanam, shloka 27:225.

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 7, October 2026
Impact Factor: 8.2

25. Singh R, Zogg H, Wei L, et al. Gut Microbial Dysbiosis in the Pathogenesis of Gastrointestinal Dysmotility and Metabolic Disorders. J Neurogastroenterol Motil. 2021;27(1):19-34.
26. Kushwaha HC. Charak Samhita. Ayurved-Dipika's Ayusi Hindi commentary. Vol 2. Reprint ed. Varanasi: Chaukhamba Orientalia; 2009. Chikitsa Sthana 15/42-44.
27. Harer KN, Hasler WL. Functional Dyspepsia: A Review of the Symptoms, Evaluation, and Treatment Options. Gastroenterol Hepatol (NY). 2020;16(2):66-74.
28. Shastri BL, editor. Yogaratnakara with Vidyotini Hindi commentary by Lakshmipati Shastri. Varanasi: Chaukhamba Prakashan; 2012. Agnimandya Nidanam; p. 310.
29. Misra BS, editor. Bhavaprakasha of Shri Bhavamisra. Poorvakhanda. Vidyotini Hindi commentary. Reprint ed. Varanasi: Chaukhamba Orientalia; 2015. Dinacharyadiprakarana 12-13.
30. Kushwaha HC. Charak Samhita. Ayurved-Dipika's Ayusi Hindi commentary. Vol 1. Reprint ed. Varanasi: Chaukhamba Orientalia; 2009. Sutra Sthana 6/9-48.
31. Kushwaha HC. Charak Samhita. Ayurved-Dipika's Ayusi Hindi commentary. Vol 2. Reprint ed. Varanasi: Chaukhamba Orientalia; 2009. Chikitsa Sthana 15/242-243.
32. Kushwaha HC. Charak Samhita. Ayurved-Dipika's Ayusi Hindi commentary. Vol 1. Reprint ed. Varanasi: Chaukhamba Orientalia; 2009. Sutra Sthana 27.
33. Paradkara, editor. Astanghrdaya of Vagbhata, Sarvangasundara of Arundatta and Ayurvedarasayana of Hemadri Commentaries. Varanasi: Chaukhamba Sanskrit; 2011. Sutra sthana 6.
34. Upadhyaya Y, editor. Madhava Nidana with Madhukosha Sanskrit commentary and Vidyotini Hindi commentary. 7th ed. Varanasi: Chaukhamba Orientalia; 2002. Agnimandyadhi Nidanam, Sutra 24, p. 237.
35. Kshemasharma. Kshemakutuhala. Edited with Marathi translation by Vd. Y.G. Joshi. 2nd ed. Pune: Sahitya Vitaran; 20/4.
36. Kushwaha HC. Charak Samhita. Ayurved-Dipika's Ayusi Hindi commentary. Vol 1. Reprint ed. Varanasi: Chaukhamba Orientalia; 2009. Sutra Sthana 25/40.
37. Shastri AD, editor. Sushruta Samhita. Vol 1. Ayurvedatatvasandipika Hindi commentary. Reprint ed. Varanasi: Chaukhamba Orientalia; 2020. Uttara Sthana 64/62-63.
38. Kushwaha HC. Charak Samhita. Ayurved-Dipika's Ayusi Hindi commentary. Vol 1. Reprint ed. Varanasi: Chaukhamba Orientalia; 2009. Vimana Sthana 1/24.
39. Kushwaha HC. Charak Samhita. Ayurved-Dipika's Ayusi Hindi commentary. Vol 1. Reprint ed. Varanasi: Chaukhamba Orientalia; 2009. Sutra Sthana 26/86-87.
40. Shastri AD, editor. Sushruta Samhita. Vol 1. Ayurvedatatvasandipika Hindi commentary. Reprint ed. Varanasi: Chaukhamba Orientalia; 2020. Sutra Sthana 46/500.