IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 3, November 2026
Impact Factor: 8.2

Machine Learning-Based Predictive Maintenance for Smart Industrial Systems

Gauri Jawale[1], Dr. M. B. Jadhav[2], Prof. S. V. More[3], Dr. H. B. Jadhav[4]
Student[1], Guide[2], Assistant Professor[3], HOD[4], Computer Engineering,
Adsul's Technical Campus, Ahilyanagar, India

Abstract : *Industrial machines rarely fail without any change in their operating condition, but early signs can be small, spread across several sensor readings, or difficult to identify during routine inspection. This paper reviews how machine learning (ML) can help turn machine-condition data into practical maintenance information. It compares breakdown-based and fixed-schedule maintenance with a proposed condition-aware workflow. The framework collects sensor readings, prepares the data, extracts useful features, applies a suitable ML model, and presents a fault or health estimate with an alert for a maintenance engineer. The paper also discusses data imbalance, sensor quality, model interpretability, response time, and transfer between machines. As this is a literature-based conceptual proposal, no experimental accuracy or cost-saving result is claimed. The framework is intended as a starting point for implementation and testing on a real industrial dataset.*

Keywords: Predictive maintenance, Machine learning, Condition monitoring, Industrial sensors, Fault detection, Remaining Useful Life

I. INTRODUCTION

Industrial equipment such as motors, pumps, compressors and production machines is expected to operate reliably for long periods. When a component fails unexpectedly, production may stop, delivery schedules can be affected, and repair work may become more expensive. Maintenance is therefore not only a technical activity; it also affects plant productivity and worker safety.

In many facilities, maintenance is performed after a fault occurs or according to a fixed calendar or operating-hour schedule. These approaches are straightforward, but they do not always reflect the actual condition of a machine. A component may deteriorate between scheduled inspections, while another component may be replaced even though it still has useful life. Predictive maintenance attempts to address this gap by using equipment-condition information to support decisions before a serious failure happens.

Sensors can provide measurements such as vibration, temperature, pressure, current, rotational speed, acoustic signals and operating load. Machine learning can examine patterns across these measurements and help flag unusual behaviour, classify likely fault types, or estimate Remaining Useful Life (RUL) when suitable historical data are available. The prediction should be treated as decision support: a maintenance engineer still needs to check the alert and decide what action is appropriate.

The purpose of this paper is to outline a practical, end-to-end ML workflow rather than claim that one algorithm is best for every machine. The proposed framework connects sensing, data preparation, model output and maintenance planning, while keeping data quality and operational constraints in view.

II. PROBLEM STATEMENT AND OBJECTIVES

The main problem is that early signs of equipment deterioration may be hidden in changing sensor values and may not be easy to recognise through manual checks alone. The research question considered here is: how can machine learning analyse industrial condition data to identify abnormal behaviour early enough to help maintenance teams plan an appropriate response?

Copyright to IJARSCT
www.ijarsct.co.in
DOI: 10.48175/IJARSCT-40816

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 3, November 2026
Impact Factor: 8.2

The objectives are to explain the role of ML in predictive maintenance; describe a sensor-to-decision processing pipeline; compare common maintenance practices with the proposed approach; identify suitable model evaluation measures; and discuss practical issues that must be resolved before industrial deployment.

III. RELATED WORK AND LITERATURE INSIGHTS

The literature reviewed for the seminar points to a common conclusion: predictive maintenance is a complete data and workflow problem, not simply a choice of algorithm. Wuest et al. discuss the opportunities and practical challenges of ML in manufacturing [1]. Carvalho et al. review ML methods used for predictive maintenance and underline the importance of matching a method to the task and the available data [2]. The review by Sürcü, Gadsden and Yawney focuses on ML-based condition monitoring and the use of learned patterns to assess machine health [3].

The more recent review titles listed in the source synopsis extend this discussion to industrial fault prediction and Industry 4.0 systems [4]–[6]. Taken together, these works motivate a framework that links condition monitoring to an understandable maintenance response. They also highlight recurring concerns: failures are relatively rare in many datasets, sensor signals can be noisy, machine behaviour changes with operating conditions, and a technically strong model may still be difficult to use if its alert is not clear to the person responsible for the equipment.

A practical gap remains between a model that reports a likely fault and a system that helps someone act on that information. A warning needs context: which asset is affected, what signal changed, how urgent the issue may be, and whether the alert needs immediate inspection. This paper therefore gives attention to the full pipeline and the human review step, rather than treating prediction as the final output.

IV. EXISTING SYSTEM

Two common maintenance approaches form the baseline for comparison. In reactive maintenance, the team repairs the machine after a breakdown or clear failure. In preventive maintenance, inspection or replacement is planned at set time intervals or operating hours. Both approaches remain useful in appropriate situations, but neither necessarily responds to the machine's current health.

In a reactive workflow, a machine continues operating until a fault is noticed or the equipment stops. The team then diagnoses the problem, arranges parts and performs repairs. This can lead to unplanned downtime and urgent work. In a fixed-schedule workflow, tasks are planned in advance, which improves organisation, but the schedule may not match the actual wear of every component. Inspection intervals may also leave a gap in which a fault develops.

Limitations: faults may be noticed late; fixed schedules can cause unnecessary servicing or component replacement; manual inspection can miss subtle patterns across multiple signals; and maintenance records and sensor data may remain separate, making it harder to learn from past failures.




Fig. 1. Simplified view of conventional reactive and time-based maintenance.

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 3, November 2026
Impact Factor: 8.2

V. PROPOSED SYSTEM

The proposed system adds a machine-learning layer between condition monitoring and maintenance planning. Sensor values are collected from the equipment and checked before analysis. The system then creates features that summarise the signal, passes them to a model selected for the available data, and converts the output into a health estimate or fault alert. A maintenance engineer reviews the result before action is taken.

The framework is modular, so each stage can be evaluated independently. The sensing layer may use existing industrial sensors where available; additional sensors should be chosen based on the machine and the fault modes of interest. Data preparation should record missing readings, remove duplicates where appropriate, handle noise and outliers carefully, and scale variables if the selected algorithm requires it.

Feature extraction may use statistical summaries or frequency-based characteristics from vibration and other time-series signals. The model layer can begin with a simple baseline such as a Decision Tree or Random Forest for fault classification. An SVM may be considered where the feature representation and dataset size suit it. Neural networks or LSTM models may be useful for more complex sequential patterns, but they normally require adequate representative data and careful validation.

The output stage should provide an alert with an asset identifier, a fault or anomaly category where supported, a risk level, and a short explanation of the sensor behaviour that triggered the warning. If the model is uncertain or input data quality is poor, the system should say so rather than present an unreliable prediction. The maintenance team can inspect the equipment, record the action taken, and feed the verified outcome back into future model review.




Fig. 2. Proposed ML-based predictive maintenance workflow.

VI. METHODOLOGY

Stage 1 — Data acquisition: collect time-stamped readings such as vibration, temperature, pressure, motor current, speed and operating load. The asset identifier and operating context should be recorded alongside each reading.

Stage 2 — Data quality checks: inspect missing values, sensor dropouts, duplicate records, extreme readings and calibration issues. Document how each issue is handled because aggressive cleaning can remove a real early warning sign.

Stage 3 — Feature preparation: build meaningful input variables from raw readings. Depending on the signal, these may include mean, standard deviation, peak value, root-mean-square value, trends over a time window, or frequency-domain characteristics.

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 3, November 2026
Impact Factor: 8.2

Stage 4 — Model selection: define the target first: anomaly detection, fault classification, or RUL estimation. Split data so that records from the same time period or machine do not leak into both training and testing. Where possible, validation should include later periods or a different machine to examine generalisation.

Stage 5 — Alert generation: translate model output into a practical message. Thresholds should be set with maintenance personnel and reviewed against the cost of missed faults and unnecessary inspections. A model score alone is not a maintenance plan.

Stage 6 — Human verification and feedback: the engineer checks the alert, records inspection findings and documents whether the predicted fault was present. These outcomes support periodic model evaluation and controlled updates.

VII. MODEL EVALUATION

Evaluation must match the task. For fault classification, accuracy, precision, recall, F1-score and a confusion matrix can be reported. Accuracy alone may be misleading when normal observations greatly outnumber failure examples. Recall deserves particular attention because a missed fault can have serious operational consequences; however, high recall should also be considered alongside false alarms and the workload they create.

For numerical RUL prediction, Mean Absolute Error (MAE), Root Mean Squared Error (RMSE) and R^2 may be used where their assumptions and interpretation fit the dataset. Evaluation should also consider the delay between the first useful warning and the actual fault, stability across operating conditions, inference latency, and whether explanations help engineers understand the result. These are proposed evaluation criteria; they are not measured results of the present paper.

IX. EXPECTED BENEFITS AND PRACTICAL CHALLENGES

If implemented and validated successfully, the framework may help maintenance teams recognise unusual behaviour earlier, prioritise inspections, and plan work around equipment condition. It may also help organisations make better use of existing sensor and maintenance-history data. These are expected benefits, not measured outcomes; actual savings depend on the equipment, fault type, alert quality and the way the plant responds.

Several issues need attention before deployment. Failure records are often limited, and normal-operation data can dominate the dataset. Sensors can drift or fail, while a model trained under one load or environment may perform poorly under another. Complex models may be hard to explain, and networked industrial systems require access controls and cybersecurity safeguards. Real-time use also places limits on data transfer, computing resources and response time.

A staged rollout is more realistic than immediate full automation. A pilot can start with one asset type and a clearly defined fault target, compare the model with a simple baseline, and run alerts in observation mode before they influence maintenance decisions. Maintenance staff should help set thresholds and review false alarms. A model should be monitored after deployment because equipment, operating patterns and sensor behaviour can change.

X. FUTURE SCOPE

Future work can test the framework on a labelled industrial dataset and report classification or RUL metrics transparently. Further development may examine explainable AI to show which signals contributed to an alert, edge computing to reduce communication delay, digital twins for simulation, and online learning for changing operating conditions. Combining vibration, temperature, acoustic and electrical signals may improve coverage, provided the added sensors are reliable and their contribution is evaluated. Integration with a maintenance-management system could also connect alerts to inspection records and work orders.

XI. CONCLUSION

Machine learning offers a way to analyse machine-condition data and support maintenance decisions before a serious failure occurs. The framework presented here connects sensor collection, data preparation, feature extraction, model-

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 3, November 2026
Impact Factor: 8.2

based prediction, alert generation and human review. Compared with reactive or fixed-schedule approaches, it places greater emphasis on the observed condition of the equipment.

However, the framework should not be treated as proven until it has been tested on representative data. Data quality, rare failure examples, generalisation, interpretability, latency and cybersecurity remain important. The next step is a controlled implementation and evaluation with real industrial observations.

ACKNOWLEDGMENT

The author acknowledges the guidance provided by the seminar synopsis and the research works listed in the references, which helped shape the scope of this conceptual framework.

REFERENCES

[1] R. Wuest, D. Weimer, C. Irgens, and K.-D. Thoben, "Machine Learning in Manufacturing: Advantages, Challenges, and Applications," Production & Manufacturing Research, 2016.

[2] C. Carvalho et al., "A Systematic Literature Review of Machine Learning Methods Applied to Predictive Maintenance," Computers & Industrial Engineering, vol. 137, 2019.

[3] O. Sürcü, S. A. Gadsden, and J. Yawney, "Condition Monitoring Using Machine Learning: A Review of Theory, Applications, and Recent Advances," Expert Systems with Applications, vol. 221, 2023.

[4] O. Benmansour, I. Medarhri, and M. Hosni, "Predictive Maintenance in Industrial Systems Using Machine Learning: A Review," Statistics, Optimization & Information Computing, 2026.

[5] A. H. Alaoui, A. Meddaoui, and M. Hain, "AI-Driven Predictive Maintenance for Industry 4.0: A Systematic Review of Models, Methods, and Challenges," The International Journal of Advanced Manufacturing Technology, 2026.

[6] M. E. Marín Vásquez et al., "AI Algorithms and IoT Platforms for Anomaly and Failure Prediction in Industrial Machinery—Systematic Review," Frontiers in Artificial Intelligence, 2026.