IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 3, November 2026
Impact Factor: 8.2

Applications of Artificial Intelligence and Machine Learning in Advanced Mathematical Modelling

Dr. Meena
Assistant Professor in Education (Pedagogy of Mathematics)
Smt. Santra Devi College of Education
V.P.O. Samaspur, Charkhi Dadri (Haryana)

Abstract: *Machine learning and artificial intelligence have become potent computational techniques for improving mathematical modelling and resolving challenging scientific and technical issues. In order to depict real-world occurrences, traditional mathematical modelling mainly uses mathematical equations, statistical assumptions, numerical approaches, and analytical procedures. However, more sophisticated modelling techniques are now required due to growing system complexity, nonlinear interactions, high-dimensional information, and unpredictable environmental circumstances. New possibilities for creating predictive, adaptable, and computationally efficient models are presented by the combination of AI and ML with mathematical modelling.*

Keywords: Artificial Intelligence, Machine Learning, Mathematical Modelling, Deep Learning, Nonlinear Systems, Predictive Modelling.

I. INTRODUCTION

A crucial area of applied mathematics, mathematical modelling offers methodical ways to use mathematical equations, statistical correlations, and computing approaches to describe, analyse, and forecast real-world occurrences. Science, engineering, economics, healthcare, environmental research, transportation, and technological advancement all make extensive use of it. Conventional mathematical models often rely on differential equations, analytical expressions, known assumptions, and numerical simulation methods. Despite the fact that these methods have made a substantial contribution to scientific study, they may encounter difficulties when handling big datasets, highly nonlinear systems, unclear parameters, and intricate relationships between several factors.

By allowing computer systems to recognise patterns, discover links, and provide predictions from existing data, artificial intelligence and machine learning have opened up new avenues for overcoming a number of these constraints. According to Jordan and Mitchell (2015), machine learning has grown to be a significant topic with applications in many scientific and technical fields at the nexus of computer science, statistics, and artificial intelligence. These skills have been further enhanced by deep learning, which uses multilayer neural networks to learn intricate representations from massive information.

These methods may be used in mathematical modelling to solve inverse issues, estimate unknown parameters, approximate mathematical functions, find nonlinear connections, and enhance numerical forecasts. Physics-informed machine learning, which integrates data-driven learning algorithms with mathematical formulas and scientific concepts, is a significant advancement (Karniadakis 2021). Raissi (2019) showed that nonlinear partial differential equation forward and inverse problems may be solved using physics-informed neural networks. Thus, a major advancement in computational mathematics, scientific prediction, and multidisciplinary research is the combination of AI and ML with sophisticated mathematical modelling.

Copyright to IJARSCT
www.ijarsct.co.in
DOI: 10.48175/IJARSCT-40824

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 3, November 2026
Impact Factor: 8.2

II. REVIEW OF LITERATURE

Mathematical modelling and computational research have been greatly impacted by the advancements in artificial intelligence and machine learning. According to Jordan and Mitchell's (2015) review of machine learning's evolution, it is becoming more significant in scientific research, statistical analysis, financial modelling, healthcare, and technology applications. The significance of data-driven learning techniques in contemporary computing systems was shown by their work. Important theoretical underpinnings of deep learning were offered by Goodfellow et al. (2016), who also described how multilayer neural networks can recognise intricate patterns and nonlinear correlations in high-dimensional data.

Brunton et al. (2016) developed sparse identification of nonlinear dynamical systems, showing how sparse regression methods may be used to directly find mathematical models of complicated systems from observational data. Their contribution is especially pertinent to the understanding of nonlinear dynamical behaviour via the merging of machine learning and mathematical modelling. Neural networks with physics knowledge were created by Raissi et al. (2019) to solve forward and inverse nonlinear partial differential equation problems. Their study showed how scientific modelling may be enhanced by including physical rules into neural network training.

Karniadakis et al. (2021) gave a thorough explanation of physics-informed machine learning and emphasised its uses in complicated physical systems, fluid mechanics, scientific computing, and inverse issues. In their study of methodologies for combining scientific knowledge with machine learning in engineering and environmental systems, Willard et al. (2022) highlighted the significance of hybrid modelling frameworks that integrate data-driven computational tools with conventional scientific concepts.

III. RESEARCH METHODOLOGY

The current study examines the uses of machine learning and artificial intelligence in sophisticated mathematical modelling using a theoretical, descriptive, and analytical research technique. Secondary data gathered from academic books, research articles, review papers, and scholarly publications published between 2010 and 2023 forms the basis of the study. The research looks at the mathematical underpinnings of scientific computing methods, nonlinear mathematical systems, deep learning architectures, machine learning algorithms, and artificial intelligence. For conceptual and comparative analysis, many AI-based modelling techniques are taken into consideration, such as artificial neural networks, support vector machines, decision trees, reinforcement learning, and physics-informed neural networks.

Function approximation, parameter estimation, predictive modelling, optimisation, and differential equation-based modelling are the main areas of attention for the mathematical framework. The link between input variables, model parameters, expected outputs, and computational mistakes is explained using specific mathematical expressions. To analyse the features, uses, and constraints of various machine learning approaches, comparative tables are created. The study's conclusions are based on theoretical interpretation and previously published research rather than independent experimental validation since it does not assert unique experimental observations or newly gathered numerical datasets.

IV. THEORETICAL FOUNDATIONS OF ARTIFICIAL INTELLIGENCE AND MACHINE LEARNING IN MATHEMATICAL MODELLING

The creation of computing systems that can carry out activities that typically require human intellect, including as learning, reasoning, pattern recognition, problem-solving, and decision-making, is referred to as artificial intelligence. A key element of artificial intelligence is machine learning, which allows computer systems to learn associations from data and enhance their performance without explicitly programming each link. AI and ML approaches are used in advanced mathematical modelling to approximate nonlinear functions, estimate unknown parameters, find complicated mathematical connections, and create predictive models.

While machine learning may find patterns and functional links directly from observational data, traditional mathematical modelling often starts with a preconceived mathematical framework. Combining these methods results in hybrid modelling systems that combine computational learning with mathematical expertise. According to Goodfellow (2016), deep learning architectures may use many computational layers to build hierarchical representations. Additionally, Jordan

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 3, November 2026
Impact Factor: 8.2

and Mitchell (2015) emphasised the significance of learning algorithms in data-driven decision-making and scientific prediction. By allowing researchers to examine complicated systems that could be difficult to evaluate using traditional analytical techniques alone, these advancements have broadened the use of mathematical modelling.

1. Mathematical Representation of Machine Learning Models

A machine learning model can be represented mathematically as a function that establishes a relationship between input variables and predicted output values.

$$\hat{y} = f(x, \theta)$$

Where:

1. $\hat{y}$ = Predicted output.
2. (x) = Input variables.
3. (f) = Mathematical learning function.
4. θ = Model parameters.

Throughout the training phase, the parameters are changed to reduce the discrepancy between the actual and anticipated data. Regression, classification, neural networks, and other machine learning applications are built upon this mathematical framework.

V. ARTIFICIAL NEURAL NETWORKS IN ADVANCED MATHEMATICAL MODELLING

The linked structure of organic brain systems serves as the inspiration for artificial neural networks, which are computer models. They are made up of neurones, which are linked processing units organised into input, hidden, and output layers. After receiving input values, each neurone weighs them, performs a mathematical change, and generates an output. Because they can approximate complicated nonlinear functions without needing a full analytical explanation of the underlying connection, neural networks are very helpful in advanced mathematical modelling.

They are often used in system identification, function approximation, pattern recognition, numerical prediction, and parameter estimation. Neural networks may give computational approximations for complex mathematical systems and predict unknown functional connections between dependent and independent variables in mathematical modelling. The theoretical underpinnings of deep neural networks and their capacity to learn intricate data representations were covered by Goodfellow (2016). Their use in engineering simulations, scientific computing, and predictive mathematical analysis has grown in significance.

1. Mathematical Model of an Artificial Neuron

The output of a simple artificial neuron can be represented as:

$$y = f\left(\sum_{i=1}^{n} w_i x_i + b\right)$$

Where:

1. (x_i) = Input variables.
2. (w_i) = Corresponding weights.
3. (b) = Bias parameter.
4. (f) = Activation function.
5. (y) = Neuron output.

The activation function introduces nonlinear behaviour into the network, allowing it to approximate complex mathematical relationships.

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 3, November 2026
Impact Factor: 8.2

VI. MACHINE LEARNING ALGORITHMS USED IN MATHEMATICAL MODELLING

Depending on the problem's nature, the data at hand, and the processing demands, a number of machine learning techniques may be used in mathematical modelling. While unsupervised learning methods find latent structures and patterns in unlabelled datasets, supervised learning methods are used when input data are linked to known output values. In reinforcement learning, an agent gains knowledge via interactions with its surroundings and uses incentives or feedback to make better choices. Regression and classification problems benefit from support vector machines, especially when there are complicated interactions between variables.

Decision trees provide comprehensible mathematical frameworks for categorisation and prediction. While gradient boosting techniques create sequential predictive models to lower errors, random forests mix many decision trees to increase predictive stability. Deep learning and artificial neural networks are especially helpful when there are highly nonlinear correlations between input and output variables. The increasing significance of machine learning algorithms in many scientific and technical applications was covered by Jordan and Mitchell (2015). Ahmed (2023) went on to discuss deep learning methods and their uses, benefits, and drawbacks.

Table 1: Major Machine Learning Techniques Used in Mathematical Modelling

Machine learning technique	Mathematical function	Application in modelling
Linear regression	Linear relationship estimation	Prediction and parameter estimation
Support Vector Machine	Margin-based optimization	Classification and regression
Decision tree	Recursive decision structure	Mathematical prediction
Random forest	Ensemble learning	Complex data analysis
Artificial neural network	Nonlinear function approximation	Advanced mathematical modelling
Deep learning	Multilayer representation learning	High-dimensional modelling
Reinforcement learning	Reward-based optimization	Sequential decision-making
Clustering algorithms	Similarity-based grouping	Pattern identification

varied machine learning algorithms accommodate varied mathematical modelling needs, as seen by the comparison shown in Table 1. The intricacy of the mathematical connection, the accessibility of training data, processing power, and the degree of interpretability needed from the finished model all influence their choice.

VII. PHYSICS-INFORMED NEURAL NETWORKS AND DIFFERENTIAL EQUATION MODELLING

One significant advancement in the fusion of mathematical modelling and artificial intelligence is Physics-Informed Neural Networks. These networks integrate mathematical formulas that describe a system's physical behaviour with observable data. PINNs include mathematical limitations into the learning process, in contrast to traditional neural networks that mostly rely on training samples. Ordinary differential equations, partial differential equations, beginning conditions, and boundary conditions are a few examples of these restrictions. When there are little datasets available or scientific information about the underlying system is accessible, this method is quite helpful. PINNs were presented by Raissi (2019) as a framework for resolving nonlinear partial differential equation forward and inverse issues. Karniadakis (2021) went on to describe how data-driven learning and physics-informed machine learning may be used to solve challenging computational issues.

1. General Mathematical Representation of a Differential Equation

A general differential equation-based mathematical model can be expressed as:

$$\mathcal{N}[u(x,t)] = 0$$

Where:

1. $\mathcal{N}$ = Differential operator.
2. $(u(x,t))$ = Unknown mathematical solution.
3. (x) = Spatial variable.

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 3, November 2026
Impact Factor: 8.2

4. (t) = Time variable.

In physics-informed modelling, a neural network approximates the unknown function $(u(x,t))$, while the differential equation provides an additional constraint during training.

2. Physics-Informed Learning Objective

The overall training objective can be represented as:

$$L = \lambda_d L_d + \lambda_f L_f + \lambda_b L_b$$

Where:

(L) = Total training loss.

(L_d) = Data-based error.

(L_f) = Differential equation residual error.

(L_b) = Boundary and initial condition error.

$\lambda_d, \lambda_f, \lambda_b$ = Weighting parameters.

This formulation satisfies the system's mathematical restrictions while enabling the model to learn from observable data. This framework's applicability to fluid mechanics, quantum mechanics, reaction-diffusion systems, and nonlinear wave propagation was shown by Raissi (2019).

VIII. AI AND MACHINE LEARNING IN MATHEMATICAL OPTIMIZATION

Finding the optimal solution to a problem within predetermined limitations is the main goal of mathematical optimisation. It is extensively used in manufacturing, energy management, transportation, engineering design, financial planning, and resource allocation. By recognising intricate linkages, forecasting goal functions, choosing appropriate parameters, and directing computational searches, artificial intelligence and machine learning may improve optimisation procedures. While machine learning offers new strategies for managing big datasets and complex objective functions, traditional optimisation techniques like linear programming, nonlinear programming, and gradient-based approaches are still crucial. In sequential optimisation issues, when choices affect the state of the system in the future, reinforcement learning is very helpful. Additionally, neural networks may provide surrogate models that lower the computing cost of repeated simulations and approximate goal functions. Willard (2022) spoke on the significance of integrating machine learning with scientific knowledge for challenging engineering and environmental issues. This kind of integration facilitates the creation of hybrid optimisation systems that integrate data-driven computational intelligence with mathematical limitations.

Table 2: Applications of AI and ML in Mathematical Optimization

Optimization area	AI/ML technique	Main objective
Engineering design	Neural networks	Improve design performance
Resource allocation	Reinforcement learning	Optimize resource distribution
Financial modelling	Predictive machine learning	Improve forecasting
Energy systems	Deep learning	Improve energy management
Transportation	Intelligent optimization	Reduce travel and operational costs
Manufacturing	Predictive algorithms	Improve production efficiency
Numerical simulation	Surrogate modelling	Reduce computational requirements

The applications presented in Table 2 indicate that AI and ML can support mathematical optimization in different fields by improving prediction, decision-making, and computational efficiency.

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 3, November 2026
Impact Factor: 8.2

IX. APPLICATIONS IN ECONOMICS AND FINANCIAL MATHEMATICAL MODELLING

Numerous interacting factors, unpredictable circumstances, nonlinear linkages, and shifting market behaviour are all present in economic and financial systems. To comprehend complex systems, conventional mathematical models include statistical approaches, probability theory, time-series analysis, and optimisation strategies. By seeing intricate patterns in both historical and current financial data, artificial intelligence and machine learning expand on these methods. Economic forecasting, credit-risk assessment, financial categorisation, and market trend analysis may all be done using regression models, random forests, support vector machines, and neural networks.

Additionally, machine learning facilitates the detection of nonlinear correlations between economic variables and the estimate of unknown model parameters. Although deep learning's effectiveness is based on data quality, model validation, and the stability of underlying economic linkages, it is capable of analysing complicated time-dependent datasets. One of the main uses of machine learning, according to Jordan and Mitchell (2015), is financial modelling. While integrating AI with mathematical models might enhance analytical skills, it cannot guarantee accurate financial projections or remove uncertainty.

X. CONCLUSION

In order to advance mathematical modelling and solve challenging scientific and technical issues, artificial intelligence and machine learning have emerged as crucial computing tools. Their theoretical underpinnings, mathematical representations, computational methods, and applications in many academic and professional domains were all addressed in this research. In nonlinear mathematical modelling, prediction, optimisation, and differential equation analysis, it emphasised the significance of artificial neural networks, deep learning, support vector machines, reinforcement learning, and physics-informed neural networks. The research also showed that the building of hybrid models that can include both scientific knowledge and observational data may be supported by mixing mathematical equations with machine learning methods.

The multidisciplinary importance of these methods is shown by applications in engineering, healthcare, financial systems, environmental science, and physical sciences. However, data quality, suitable algorithm selection, computing resources, model validation, and scientific interpretability all affect how successful AI-based mathematical models are. The research comes to the conclusion that, rather than replacing conventional mathematical modelling, artificial intelligence and machine learning enhance it via sophisticated computational learning and predictive analysis. Future studies should focus on creating hybrid mathematical models that are comprehensible, dependable, scalable, and compatible with science. These advancements have the potential to greatly expand scientific computing, applied mathematics, and transdisciplinary problem-solving.

REFERENCES

1. Ahmed, S. F., Alam, M. S. B., Hassan, M., Rozbu, M. R., Ishtiak, T., Rafa, N., Mofijur, M., & Gandomi, A. H. (2023). Deep learning modelling techniques: Current progress, applications, advantages, and challenges. Artificial Intelligence Review, 56, 13521–13617.
2. Brunton, S. L., Proctor, J. L., & Kutz, J. N. (2016). Discovering governing equations from data by sparse identification of nonlinear dynamical systems. Proceedings of the National Academy of Sciences, 113(15), 3932–3937.
3. Goodfellow, I., Bengio, Y., & Courville, A. (2016). Deep learning. MIT Press.
4. Jordan, M. I., & Mitchell, T. M. (2015). Machine learning: Trends, perspectives, and prospects. Science, 349(6245), 255–260.
5. Karniadakis, G. E., Kevrekidis, I. G., Lu, L., Perdikaris, P., Wang, S., & Yang, L. (2021). Physics-informed machine learning. Nature Reviews Physics, 3, 422–440.
6. Kumara, H., & Yadav, N. (2025). Deep learning algorithms for solving differential equations: A survey. Journal of Experimental & Theoretical Artificial Intelligence, 37(4), 609–648.

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 3, November 2026
Impact Factor: 8.2

7. Raissi, M., Perdikaris, P., & Karniadakis, G. E. (2019). Physics-informed neural networks: A deep learning framework for solving forward and inverse problems involving nonlinear partial differential equations. Journal of Computational Physics, 378, 686–707.
8. Willard, J., Jia, X., Xu, S., Steinbach, M., & Kumar, V. (2022). Integrating scientific knowledge with machine learning for engineering and environmental systems. ACM Computing Surveys, 55(4), 1–37.