

Electric Vehicles Charging Station to Swap the Battery with using Mobile App

Vaibhav Chaudhari¹, Swaraj Gaisamudre², Suhas Namger³, Prof. P.M. Wararkar⁵

UG Students, Department of Electrical Engineering^{1,2,3,4}

Professor, Department of Electrical Engineering⁵

Sinhgad Institute of Technology, Pune, Maharashtra, India

Abstract: *This Project proposes Continuous Battery Monitoring System to identify the battery condition. The Continuous Battery Monitoring System is able to detect the battery failure during the early stage of the event. The Continuous Battery Monitoring System will monitor the battery's voltage continuously. Measuring the voltage of the battery is the specialty of the proposed Continuous Battery Monitoring System for early battery failure detection. With that, the system will be able to measure the battery's capacity and will be able to measure the left-over capacity. The Monitoring System to allow the system to operate at real time basis and as well as monitor the battery's voltage continuously. In addition to this we are developing android app for battery slots availability and payment mode option, the payment amount will be send to the station, if payment is successfully paid means GCM Google could message will send the SMS to user.*

Keywords: ESP 8266, Voltage Sensor, Current Sensor, IR Sensor, Bluetooth Module, LCD Display, GPS module, Relay, Power adapter, Battery

REFERENCES

- [1] W. Porebski and Z. Tollockzco, —New approaches to battery monitoring architecture, design and methodologies, || in Proc. 27th International Telecommunications Conference .
- [2] A. C. Loyns, —High voltage lead-acid battery modules, || in Proc. 27th International Telecommunications Conference(INTELEC) .
- [3] S. Manya, M. Tokunaga, N. Oda, T. Hatanaka, and M. Tsubota, —Development of long-life small capacity VRLA battery without dry-out failure in telecommunication application under high temperature environment, || in Proc. 22ndInternational Telecommunications Conference(INTELEC).
- [4] J. Gao, S. Bian, J. Chen, X. Wu, and H. Xiang, —An innovative VRLA battery solution for energy saving and emission reduction, || in Proc. 2018 IEEE 34th International Telecommunications Energy Conference (INTELEC)
- [5] Y.-J. Lee, A. Khaligh, and A. Emadi, —Advanced integrated bidirectional AC/DC and DC/DC converter for plug-in hybrid electric vehicles, || IEEE Trans. Veh. Technol., vol. 58, no. 8, pp. 3970 – 3980, Oct. 2017.
- [6] H. V. Venkatesetty and Y. U. Jeong, —Recent advances in lithium-ion and lithium-polymer batteries, || in Proc. 17th Annu. Battery Conf. Applications and Advances, Jan. 2018, pp. 173 – 178.
- [7] Szumanowski and Y. Chang, —Battery management system based on battery nonlinear dynamics modeling, || IEEE Trans. Veh. Technol., vol. 57, no. 3, pp. 1425 – 1432, May 2018.
- [8] Affanni, A. Bellini, G. Franceschini, P. Guglielmi, and C. Tassoni, —Battery choice and management for newgeneration electric vehicles, || IEEE Trans. Ind. Electron., vol. 52, no. 5, pp. 1343 – 1349, Oct. 2015.
- [9] J. Bard and L. R. Faulkner, Electrochemical Methods: Fundamentals and Applications, 2nd ed. New York: Wiley, 2014.
- [10] Atzori, L.; Iera, A.; Morabito, G. Understanding the Internet of Things: Definition, potentials, and societal role of a fast evolving paradigm. Ad Hoc Netw. 2017, 56, 122–140.
- [11] Back, J.A.; Tedesco, L.P.; Molz, R.F.; Nara, E.O.B. An embedded system approach for energy monitoring and analysis in industrial processes. Energy 2016, 115, 811–819.

- [12] Velandia, D.M.S.; Kaur, N.; Whittow, W.G.; Conway, P.P.; West, A.A. Towards industrial internet of things: Crankshaft monitoring, traceability and tracking using RFID. *Robot.Comput.Integr. Manuf.* 2016, 41, 66–77
- [13] Qiu, T.; Zhao, A.; Ma, R.; Chang, V.; Liu, F.; Fu, Z. A task-efficient sink node based on embedded multi-core soC for Internet of Things. *Future Gener.Comput.Syst.* 2016. doi:10.1016/j.future.2016.12.024.
- [14] López-Benítez, M.; Drysdale, T.D.; Hadfield, S.; Maricar, M.I. Prototype for Multidisciplinary Research in the context of the Internet of Things. *J. Netw. Comput. Appl.* 2017, 78, 146–161.
- [15] Xia, Z.; Su, H.; Liu, T. Remote Monitoring System of Lead-Acid Battery Group Based on GPRS. In Proceedings of the 2010 International Conference on Electrical and Control Engineering (ICECE), Wuhan, China, 25–27 June 2010; pp. 4023–4026.