IJARSCT



International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 3, Issue 2, November 2023

Evaluate Current Community Pharmacy Services to Identify Strengths and Weaknesses

Roohi Naaz Fatima¹ and Dr. Shamim Ahmed²

Research Scholar, Department of Pharmacy¹
Research Guide, Department of Pharmacy²
NIILM University, Kaithal, India

Abstract: This review delves into the landscape of community pharmacy services, exploring the current practices and identifying areas where improvements can be realized. Community pharmacies play a crucial role in healthcare by offering accessible and essential services to the public. The review examines the spectrum of services provided by these pharmacies, ranging from dispensing medications to offering health screenings and consultations. While commendable efforts have been made in delivering quality care, there exist notable opportunities for enhancement. This abstract highlights the need for refining existing practices, potentially through the integration of advanced technologies, expanded collaborative care models, and heightened emphasis on patient education. By scrutinizing the current state of community pharmacy services, this review aims to contribute valuable insights that can guide the evolution of these vital healthcare hubs for the benefit of both the providers and the communities they serve.

Keywords: Community Pharmacy Services, Medication Management

REFERENCES

- [1]. CMS.gov [webpage on the Internet]. Historical. Centers for Medi- care and Medicaid. Available from: https://www.cms.gov/research- statistics-data-and-systems/statistics-trends-and-reports/national-healthexpenddata/nationalhealthaccountshistorical.html. Accessed November 2, 2016.
- [2]. BLS.gov [webpage on the Internet]. Occupational Outlook Handbook: Pharmacists. Bureau of Labor Statistics, U.S. Department of Labor. [updated December 17, 2015]. Available from: http://www.bls.gov/ooh/healthcare/pharmacists.htm. Accessed November 2, 2016.
- [3]. HHS.gov [webpage on the Internet]. Read the Law. U.S. Department of Health and Human Services. [updated August 28, 2015]. Available from: https://www.hhs.gov/healthcare/about-the-law/read-the-law/. Accessed November 2, 2016.
- [4]. Simoens S, Lobeau M, Verbeke K, van Aerschot A. Patient experiences of over-the-counter medicine purchases in Flemish community pharma-cies. Pharm World Sci. 2009;31(4):450–457.
- [5]. Du Pasquier S, Aslani P. Concordance-based adherence support service delivery: consumer perspectives. Pharm World Sci. 2008;30(6):846–853.
- [6]. Malewski DF, Ream A, Gaither CA. Patient satisfaction with community pharmacy: comparing urban and suburban chain-pharmacy populations. Res Social Adm Pharm. 2015;11(1):121–128.
- [7]. Patterson BJ, Doucette WR, Urmie JM, McDonough RP. Exploring relationships among pharmacy service use, patronage motives, and patient satisfaction. J Am Pharm Assoc (2003). 2013;53(4):382–389.
- [8]. Patricia Antunes L, Gomes JJ, Cavaco AM. How pharmacist-patient communication determines pharmacy loyalty? Modeling relevant fac- tors. Res Social Adm Pharm. 2015;11(4):560–570.
- [9]. Gastelurrutia MA, de San Vicente OG, Erauncetamurgil O, Odriozola I, Fernandez-Llimos F. Customers' expectations and satisfaction with a pharmacy not providing advanced cognitive services. Pharm World Sci. 2006;28(6):374–376.
- [10]. McMillan SS, Sav A, Kelly F, King MA, Whitty JA, Wheeler AJ. How to attract them and keep them: the pharmacy attributes that matter to Australian residents with chronic conditions. Int J Pharm Pract. 2014;22(4): 238–245.

Copyright to IJARSCT www.ijarsct.co.in

725

2581-9429

JARSCT

IJARSCT



International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 3, Issue 2, November 2023

- [11]. McAuley JW, Miller MA, Klatte E, Shneker BF. Patients with epilepsy's perception on community pharmacist's current and potential role in their care. Epilepsy Behav. 2009;14(1):141–145.
- [12]. Akol A, Chin-Quee D, Wamala-Mucheri P, Namwebya JH, Mercer SJ, Stanback J. Getting closer to people: family planning provision by drug shops in Uganda. Glob Health Sci Pract. 2014;2(4):472–481.
- [13]. Collum JL, Marcy TR, Stevens EL, Burns CF, Miller MJ. Exploring patient expectations for pharmacist-provided literacy-sensitive com-munication. Res Social Adm Pharm. 2013;9(5):626–632.
- [14]. Tran S, Calabretto JP, Sorich M. Consumer-pharmacist interactions around complementary medicines: agreement between pharmacist and consumer expectations, satisfaction and pharmacist influence. Int J Pharm Pract. 2013;21(6):378–385.
- [15]. Naik Panvelkar P, Armour C, Saini B. Community pharmacy-based asthma services what do patients prefer? J Asthma. 2010;47(10): 1085–1093.
- [16]. Kaae S, Traulsen JM, Norgaard LS. Customer interest in and experi- ence with various types of pharmacy counselling a qualitative study. Health Expect. 2014;17(6):852–862.
- [17]. van Geffen EC, Philbert D, van Boheemen C, van Dijk L, Bos MB, Bouvy ML. Patients' satisfaction with information and experiences with counseling on cardiovascular medication received at the pharmacy. Patient Educ Couns. 2011;83(3):303–309.
- [18]. van Geffen EC, Kruijtbosch M, Egberts AC, Heerdink ER, van Hulten R. Patients' perceptions of information received at the start of selective serotonin-reuptake inhibitor treatment: implications for community pharmacy. Ann Pharmacother. 2009;43(4):642–649.
- [19]. Black E, Murphy AL, Gardner DM. Community pharmacist services for people with mental illnesses: preferences, satisfaction, and stigma. Psychiatr Serv. 2009;60(8):1123–1127.
- [20]. Tan EC, Stewart K, Elliott RA, George J. Pharmacist consultations in general practice clinics: the Pharmacists in Practice Study (PIPS). Res Social Adm Pharm. 2014;10(4):623–632.
- [21]. Kjeldsen LJ, Bjerrum L, Dam P, et al. Safe and effective use of medicines for patients with type 2 diabetes a randomized controlled trial of two interventions delivered by local pharmacies. Res Social Adm Pharm. 2015; 11(1):47–62.
- [22]. Hoffmann W, Herzog B, Muhlig S, et al. Pharmaceutical care for migraine and headache patients: a community-based, randomized intervention. Ann Pharmacother. 2008;42(12):1804–1813.
- [23]. Rubio-Valera M, March Pujol M, Fernandez A, et al. Evaluation of a pharmacist intervention on patients initiating pharmacological treat- ment for depression: a randomized controlled superiority trial. Eur Neuropsychopharmacol. 2013;23(9):1057–1066.
- [24]. Bosse N, Machado M, Mistry A. Efficacy of an over-the-counter inter- vention follow-up program in community pharmacies. J Am Pharm Assoc (2003). 2012;52(4):535–540.
- [25]. Mansell K, Bootsman N, Kuntz A, Taylor J. Evaluating pharmacist prescribing for minor ailments. Int J Pharm Pract. 2015;23(2):95–101.
- [26]. Sunderland B, Burrows S, Joyce A, McManus A, Maycock B. Rural pharmacy not delivering on its health promotion potential. Aust J Rural Health. 2006;14(3):116–119.
- [27]. Mitchell B, Armour C, Lee M, et al. Diabetes Medication Assistance Service: the pharmacist's role in supporting patient self-management of type 2 diabetes (T2DM) in Australia. Patient Educ Couns. 2011;83(3): 288–294.
- [28]. Hui-Callahan BC, Luder HR, Frede SM. Impact of the pay-for- performance-for-patients program for diabetes management. J Am Pharm Assoc (2003). 2013;53(6):644–647.
- [29]. American Pharmacists Association. DOTx. MED: pharmacist-delivered interventions to improve care for patients with diabetes. J Am Pharm Assoc (2003). 2012;52(1):25–33.
- [30]. Saini B, LeMay K, Emmerton L, et al. Asthma disease management- Australian pharmacists' interventions improve patients' asthma knowl- edge and this is sustained. Patient Educ Couns. 2011;83(3):295–302.
- [31]. Saini B, Filipovska J, Bosnic-Anticevich S, Taylor S, Krass I, Armour C. An evaluation of a community pharmacy-based rural asthma manage- ment service. Aust J Rural Health. 2008;16(2):100–108.

DOI: 10.48175/568

ISSN 2581-9429 IJARSCT

IJARSCT



International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 3, Issue 2, November 2023

- [32]. Lea T, Sheridan J, Winstock A. Consumer satisfaction with opioid treat- ment services at community pharmacies in Australia. Pharm World Sci. 2008;30(6):940–946.
- [33]. Warner JG, Portlock J, Smith J, Rutter P. Increasing seasonal influenza vaccination uptake using community pharmacies: experience from the Isle of Wight, England. Int J Pharm Pract. 2013;21(6):362–367.
- [34]. O'Neal KS, Murray KA, Skomo ML, Carter SM, McConaha J. Validation of a survey tool assessing effectiveness of an educational intervention on the caring behaviors and referral activities of community pharmacists for migraineurs. Res Social Adm Pharm. 2015;11(3):352–363.
- [35]. Hanes CA, Wong KK, Saini B. Clinical services for obstructive sleep apnea patients in pharmacies: the Australian experience. Int J Clin Pharm. 2014;36(2):460–468.
- [36]. Shoukry G, Wong K, Bartlett D, Saini B. Treatment experience of people with obstructive sleep apnoea seeking continuous positive airways pressure device provision through community pharmacies: a role for pharmacists? Int J Pharm Pract. 2011;19(5):318–327.
- [37]. DiDonato KL, May JR, Lindsey CC. Impact of wellness coaching and monitoring services provided in a community pharmacy. J Am Pharm Assoc (2003). 2013;53(1):14–21.
- [38]. Rickles NM, Skelton JB, Davis J, Hopson J. Cognitive memory screening and referral program in community pharmacies in the United States. Int J Clin Pharm. 2014;36(2):360–367.
- [39]. Breslow RM. Patient attitudes regarding pharmacist-administered memory screening in community pharmacies. J Am Pharm Assoc (2003). 2013;53(6):648–651.
- [40]. Jackson AN, Orr KK, Bratberg JP, Silverblatt F. Pharmacist initiation of postexposure doxycycline for Lyme disease prophylaxis. J Am Pharm Assoc (2003). 2014;54(1):69–73.

DOI: 10.48175/568

