

Evaluation Test for Emollient Cream

Mohammad Faizan Noor Mohammad¹, Prajwal Vijay Dudhe², Suraj B. Rathod³

Final Year B. Pharma Students, Department of Pharmaceutics^{1,2}

Assistant Professor, Department of Pharmaceutics³

Vardhaman College of Pharmacy, Koli, Karanja (Lad), Washim, Maharashtra, India

Abstract: *Emollients and moisturizing have the quality of softening or soothing the skin. Creams the skin. The term 'moisturizer' is frequently used synonymously with emollient, but moisturizers frequently contain humectants that hydrate the stratum corneum. Blankness is constantly linked to an disabled hedge function observed, for illustration, in atopic skin, psoriasis, ichthyosis, and contact dermatitis. Emptiness and skin barricade conditions are not a single reality, but are characterized by Ldifferences in chemistry and morphology in the epidermis Moisturizers have multiple functions piecemeal from dampening the skin. analogous to other actives, the efficacy is likely to depend on the lozenge, where compliance is a great challenge faced in the operation of skin conditions. Strong odor from constituents and slithery compositions may be disagreeable to the cases. Likewise, low pH and sensitive responses, from lactic acid and urea for illustration, may reduce patient acceptance. Once applied to the skin, the constituents can stay on the face, be absorbed into the skin, be metabolized , or vanish from the face by evaporation, sloughing off, or by contact with other accouterments .In addition to substances considered as actives,(e.g. emulsifiers, antioxidants, preservatives). Recent findings indicate that actives and excipients may have more pronounced goods in the skin than preliminarily considered.*

Keywords: metabolized , low pH and sensitive responses , multivitamin and other Ingredients

REFERENCES

- [1]. Sahu T, Patel T, Sahu S, Gidwani B, "Skin cream as Topical Drug Delivery System: L A Review" Journal of Pharmaceutical And Biological Sciences, 2016; 4(5):149-154
- [2]. Mohiuddin AK, "Skin Care Creams: Formulation and Use" American Journal of L Dermatological Research and Reviews, 2019, 2:8
- [3]. Chapter 11. Semi-solid dosage forms. In: Alekha Dash, Somnath Singh, Justin Tolman. Pharmaceutics
- [4]. . Swarbrick J, Rubino JT, Rubino OP. Chapter 22. Coarse dissipations. In Remington The Science and Practice of Pharmacy Volume 1, edited by David B. Troy, PaulBeringer , Published by Lippincott Williams & Wilkins, 2006 ISBN 0781746736
- [5]. Jamshiya S, "Formulation and Evaluation of Herbal Skin Cream for Wound Healing" (Doctoral dissertation, RVS College Of Pharmaceutical Sciences, Coimbatore
- [6]. Rani S, Singh N ,Gautam SP, "Formulation, Evaluation Optimization and Evaluation of Dendricream for wound Healing activity of Artemisia Indica" World journal of Pharmacy and pharmaceutical sciences, 2016; 5(8):14831497.
- [7]. Esimone CO, Ibezim EC, Chah KF, "Factors affecting wound Healing" Journal of Pharma Allied Sciences, 2005; (1):2Hsiao C-Y, Hung C-Y, Tsai T-H, and Chak K-F, "A study of the
- [8]. Wound healing mechanism of a traditional chinese medicine, Angelica sinensis, using a proteomic approach" Evid Based Complement Alternat Med, 2012: Article ID 467531
- [9]. Nayak BS, Pereira LMP, "Catharanthus roseus flower extract Has wound-healing activity in Sprague Dawley rats" BMC Complement Alternat Med, 2006; 6:41.
- [10]. Shenoy RR, Sudheendra AT, Nayak PG, Paul P, Kutty NG, and Rao CM, "Normal and delayed wound healing is improved by Sesamol, an active constituent of Sesames indicum (L.) in Albino rats" J Ethnopharmacol, 2011; 133:60

- [11]. Naeini AT, Miri R, Shafiei N, Tabandeh MR, Oryan A, and Nazifi S, "Effects of topical application of Calendula officinalis gel on Collagen and hydroxyproline content of skin in rats" *Comp Clin Pathol*, 2012; 21:253
- [12]. Parente LML, Junior RSL, Tresvenzol LMF, Vinaud MC, de Paula JR, and Paulo NM, "Wound healing and anti-inflammatory effect in animal models of Calendula officinalis L. growing in Brazil" *Evid Based Complement Alternat Med*, 2012; 375671
- [13]. Fronza M, Heinzmann B, Hamburger M, Laufer S, and Merfort I, "Determination of the wound healing effect of Calendula Extracts using the scratch assay with 3T3 fibroblasts" *J Ethnopharmacol*, 2009; 10: 126.
- [14]. Tiwari PC, Noor MA, Chand PK, Nagar K, Comparative Study of Wound Healing Activity of Soframycin and Honey in Excision Wound Model. National Library of Medicine, Pubmed. 2013.
- [15]. Teran CG, Sura S, Cabandugama P, Berson C, "Silver nitrate Ingestion: report of a case with an uneventful course and Review of the literature" *Clinics and practice*, 2011;1(3)
- [16]. Maghsoudi H, Monshizadeh S, Mesgari M, "A comparative Study of the burn wound healing properties of saline-soaked Dressing and silver sulfadiazine in rats" *Indian Journal of Surgery*, 2011; 73(1):24-7
- [17]. PL, Alsagoff SA, El-Kafrawi HY, Pyon JK, Wa CT, Villa MA, "Povidone iodine in wound healing: A review of current Concepts and practices" *International Journal of Surgery*, 2017; 44:260-8.18. Pal A, Soni M, Patidar K, "Formulation and evaluation of Polyherbal cream" *International Journal Pharmaceutical and Biological Archives*, 2014; 5: 67-7
- [18]. Aswal A, Kalra M, Rout A, "Preparation and evaluation of Polyherbal cosmetic
- [19]. cream" *Der Pharmacia Lettre*, 2013; 5(1):838.20. Mittal A, Sardana S, "Herbal boon for wounds" *International Journal of Pharmacy and Pharmaceutical Sciences*, 2013; 5:1-12 12
- [20]. Tiwari VK, "Burn wound: How it differs from other wounds? *Indian journal of plastic*
- [21]. surgery: official publication of the Association of Plastic Surgeons of India. 2012 May; 45(2):364.
- [22]. Modarresi M, Farahpour MR, Baradaran B, "Topical Application of Menthapiperita essential oil accelerates wound Healing in infected mice model" *Inflammopharmacology*, 2018: 6:1-7.
- [23]. Govindarajan R, Vijayakumar M, Rao CV, Shirwaikar AN, Malhotra S, Pushpangadan P, "Healing potential of Anogeissuslatifolia for dermal wounds in rats" *Act Pharm*. 2004; 54(4):331-8
- [24]. Shetty S, Udupa SL, Udupa AL, Vollala VR, "Wound healing Activities of Bark Extract of Jatropha curcas Linn in albino rats" *Saudi Medical Journal*, 2006; 27(10):1473-6
- [25]. Oryan A, Mohammadalipour A, Mushaira A, Tabandeh MR, "Topical application of Aloe vera accelerated wound healing, Modeling, and remodeling: an experimental study" *Annals of Plastic surgery*, 2016; 77(1):374
- [26]. Gupta A, Kumar R, Pal K, Singh V, Banerjee PK, and Sawhney RC, "Influence of sea buckthorn (Hippophae rhamnoides L.)
- [27]. Eshghi F, Hosseinimehr SJ, Rahmani N, Khademloo M, Norozi MS, and Hojati O, "Effects of Aloe Vera cream on posthemorrhoidectomy pain and wound healing: results of a randomized, blind, placebo-control study" *J Altern Complement Med*, 2010; 16:647
- [28]. Tarameshloo M, Norouzian M, Zarein-Dolab S, Dadpay M, Mohsenifar J, and Gazor R, "Aloe Vera gel and thyroid Hormone cream may improve wound healing in Wistar rats" *Anat Cell Biol*, 2012; 45:170.
- [29]. Atiba A, Nishimura M, Kakinuma S, Hiraoka T, Goryo M, Shimada Y, Ueno H, and Uzuka Y, "Aloe Vera oral Administration accelerates acute radiation-delayed wound Healing by stimulating transforming growth factor- β and Fibroblast growth factor production" *Am J Surg*, 2011; 201:80930.
- [30]. Parente LM, Junior L, de Souza R, Tresvenzol LM, Vinaud MC, de Paula JR, Paulo NM, "Wound healing and anti-inflammatory effect in animal models of Calendula officinalis L. growing in Brazil" *Evidence-based complementary and alternative medicine*, 2012
- [31]. Bodeker G, Ryan T, Ong CK, "Traditional approaches to wound Healing. *Clinics in dermatology*" 1999; 1
- [32]. Hsiao C-Y, Hung C-Y, Tsai T-H, and Chak K-F, "A study of the wound healing mechanism of a traditional chinese medicine, *Angelica sinensis*, using a proteomic approach" *Evid Based Complement Alternat Med*, 2012: Article ID 467531

