

# Herbal Drugs Used in Treatment of Skin Disease

Gaurav Vilas Sahadev<sup>1</sup>, Janhvi Nagesh Dongre<sup>2</sup>, Kaustubh Sudhakar Ugle<sup>3</sup>, Gaurav Vitthal Ingole<sup>4</sup>

Vishal P. Nalamwar<sup>5</sup>

Students, Vardhaman College of Pharmacy, Koli, Karanja (Lad), Washim, Maharashtra, India<sup>1,2,3,4</sup>  
Associate Professor Vardhaman College of Pharmacy, Koli, Karanja (Lad), Washim, Maharashtra, India<sup>5</sup>

**Abstract:** Skin Affections are severe and a regularly going on fitness trouble affecting every age from the babes to the aged and reason damage in volume of ways. Maintaining healthy pores and skin is critical for a healthy body. numerous mortal beings might also also expand pores and skin affections that have an effect on the pores and skin, similar as cancer, herpes and cellulitis. Some wild foliage and their factors are regularly used to deal with those affections. The use of foliage is as quaint because the humanity. Natural remedy is nicely- priced and claimed to be secure. It's likewise applicable raw fabric for manufacturing of rearmost artificial agents. A estimate of a many foliage for the remedy of pores and skin affections is furnished that summarizes the current specialized advancements which have taken region on this region each through the beyond 17 times. Herbal wares these days are taken into consideration as a unattached line of remedy for lots affections like Cancers, Diabetes, Cardiovascular and Brain diseases, thereby developing recognition concerning chastity, efficacy and protection of natural medicines for fitness care operation. numerous therapeutically lively herbal natural sources like Aloe, Neem, Liquorice, Tulsi, Amla, Papaya, Ginger and Eucalyptus are amazing and secure with inside the remedy of dermatological infections. This estimate composition summarizes the significance of natural foliage for guarding, treating and minimizing pores and skin infections via the operation of natural tradition medicines like creams, decocted excerpts, cataplasm, paste and creams that resource with inside the remedy of pores and skin infections and affections at a fairly drop figure with lower aspect consequences compared to trendy and allopathic medicines. Keywords Ethnomedicine, sauces, medicinal foliage, pores and skin sicknes.

**Keywords:** candy, lozenges, lozenges, mold, curcumin, anti-inflammatory, pharmacology.

## REFERENCES

- [1]. Marks, J.G., Miller, J.J. and Lookingbill, D.P., 2006. Principles of dermatology. Lookingbill and Marks'' principles of dermatology (4 th ed.). Philadelphia, PA: Saunders Elsevier, pp.3-50.
- [2]. Shankar, D. and Majumdar, B., 1997. Beyond the biodiversity convention: the challenges facing the biocultural heritage of India's medicinal plants. Medicinalplants for forest conservationandhealthcare, 11, pp.87- 99.
- [3]. A. Parate, P. and Khan, N.S., 2020. Medicinal plants use in cure of skin diseases Seoni District Madhya Pradesh.
- [4]. A. Ramakrishnappa, K., 2003. Impact of cultivation and gathering of medicinal plants on biodiversity: case studies from India.
- [5]. Masood, E., 1997. Medicinal plants threatened by over- use. Nature, 385(6617), pp.570-570.
- [6]. Kelly, K., 2009. The history of medicine. New York: Facts On File.
- [7]. Reda, F.H., 2022. Biochemical Effect of Moringa Oleifera Leaves Extract on Cancer Cell Lines.
- [8]. Wiart, C., 2006. Ethnopharmacology of medicinal plants: Asia and the Pacific (pp. 1-50). New Jersey: Humana Press. doi, 10, pp.978-1.
- [9]. Tucakov, J., 1971. Healing with plants-phytotherapy. Beograd: Culture, pp.180-90.
- [10]. Glesinger, L., 1954. Medicine through centuries. Zagreb: Zora, 1, pp.21- 38.
- [11]. Petrovska, B.B., 2012. Historical review of medicinal plants' usage. Pharmacognosy reviews, 6(11), p.1.

- [12]. Dimitrova, Z., 1999. The history of pharmacy. Sofija: St Clement of Ohrid, pp.13-26.
- [13]. Petrovska, B.B., 2012. Historical review of medicinal plants' usage. *Pharmacognosy reviews*, 6(11), p.1.
- [14]. Bojadzievski, P., 1992. The health services in Bitola through the centuries. Bitola: Society of science and art, 1992, pp.15-27.
- [15]. A. Petrovska, B.B., 2012. Historical review of medicinal plants' usage. *Pharmacognosy reviews*, 6(11), p.1.
- [16]. A. Srivastava, A.K., 2018. Significance of medicinal plants in human life. In *Synthesis of Medicinal Agents from plants* (pp. 1-24). Elsevier
- [17]. Katic, R., 1958. *La medicine en Serbie au moyen age*. Beograd: Scientific work, pp.7-36
- [18]. A. Bazala, V., 1943. The historical development of medicine in the Croatian lands. Zagreb: Croatia publishing bibliographic institute, pp.9-20. [
- [19]. Nikolovski, B. and Dimoska, T., 2015. Dimension of quality in tourism: A small business perspective.
- [20]. "Knowledge" *International Journal Scientific & Applicative Papers* Vol. 9, 9.
- [21]. A. Bruck Messele: *Studies On Extracts Of Some Medicinal Plants Traditionally Used For Dermatological Disorders In Ethiopia*: February 2004:pp.4
- [22]. Moschella, S. L., Pillsbury, A. M. and Harley, J. (Eds), *Dermatology*, Vol. I, W.B. Saunders Company, Philadelphia, 1975, pp239-276, 482
- [23]. Ruef, C., 2002. Significance of antibiotic resistance for the treatment of soft tissue infections.
- [24]. *Therapeutische Umschau*, 59(1), pp.41-45.
- [25]. Tan, J.S. and File Jr, T.M., 1996. Management of staphylococcal and streptococcal infections. *Clinics in podiatric medicine and surgery*, 13(4), pp.793-816.
- [26]. El-Tahawy, A.T., 2000. Bacteriology of diabetic foot. *Saudi medical journal*, 21(4), pp.344-347.
- [27]. Colsky, A.S., Kirsner, R.S. and Kerdel, F.A., 1998. Microbiologic evaluation of cutaneous wounds in hospitalized dermatology patients. *Ostomy/wound management*, 44(3), pp.40-2.
- [28]. Garber, G., 2001. An overview of fungal infections. *Drugs*, 61(1), pp.1-12.
- [29]. Piérard, G.E., Arrese, J.E. and Piérard-Franchimont, C., 1996. Treatment and prophylaxis of tinea infections. *Drugs*, 52(2), pp.209-224.
- [30]. Jautová, J., Viragova, S., Ondrašovič, M. and Holoda, E., 2001. Incidence of *Candida* species isolated from human skin and nails: a survey. *Folia microbiologica*, 46(4), pp.333-337.
- [31]. <http://www.britishskinfoundation.org.uk/skininformation/Atozofskindiseases/herpesxsimplex.org>
- [32]. A. Chakraborty, A., Brantner, A., Mukainaka, T., Nobukuni, Y., Kuchide, M., Konoshima, T., Tokuda, H. and Nishino, H., 2002. Cancer chemopreventive activity of *Achyranthes aspera* leaves on Epstein-Barr virus activation and two-stage mouse skin carcinogenesis. *Cancer letters*, 177(1), pp.1-5.
- [33]. Draelos, Z.D., 2008. The ability of onion extract gel to improve the cosmetic appearance of postsurgical scars. *Journal of cosmetic dermatology*, 7(2), pp.101-104.
- [34]. Shams-Ghahfarokhi, M., Shokoohamiri, M.R., Amirrajab, N., Moghadasi, B., Ghajari, A., Zeini, F., Sadeghi, G. and Razzaghi-Abyaneh, M., 2006. *In vitro* antifungal activities of *Allium cepa*, *Allium sativum* and ketoconazole against some pathogenic yeasts and dermatophytes. *Fitoterapia*, 77(4), pp.321-323
- [35]. Das, I. and Saha, T., 2009. Effect of garlic on lipid peroxidation and antioxidation enzymes in DMBA-induced skin carcinoma. *Nutrition*, 25(4), pp.459-471.
- [36]. Kim, J., seok Lee, I., Park, S. and Choue, R., 2010. Effects of *Scutellariae radix* and *Aloe vera* gel extracts on immunoglobulin E and cytokine levels in atopic dermatitis NC/Nga mice. *Journal of ethnopharmacology*, 132(2), pp.529-532.
- [37]. Surjushe, A., Vasani, R. and Saple, D.G., 2008. *Aloe vera*: a short review. *Indian journal of dermatology*, 53(4), p.163.
- [38]. Kaufman, T., Kalderon, N., Ullmann, Y. and Berger, J., 1988. *Aloe vera* gel hindered wound healing of experimental second-degree burns: a quantitative controlled study. *The Journal of burn care & rehabilitation*, 9(2), pp.156-159.
- [39]. Miller, M.B. and Koltai, P.J., 1995. Treatment of experimental frostbite with pentoxifylline and *aloe vera* cream. *Archives of Otolaryngology- Head & Neck Surgery*, 121(6), pp.678-680.

- [40]. Olsen, D.L., Raub, W., Bradley, C., Johnson, M., Macias, J.L., Love, V. and Markoe, A., 2001, April. The effect of aloe vera gel/mild soap versus mild soap alone in preventing skin reactions in patients undergoing radiation therapy. In *Oncology nursing forum* (Vol. 28, No. 3
- [41]. Joshi, A.R. and Joshi, K., 2007. Ethnomedicinal plants used against skin diseases in some villages of Kali Gandaki, Bagmati and Tadi Likhu watersheds of Nepal. *Ethnobotanical leaflets*, 2007(1), p.27..
- [42]. A. Arora, N., Bansal, M.P. and Koul, A., 2011. Azadirachta indica exerts chemopreventive action against murine skin cancer: studies on histopathological, ultrastructural changes and modulation of NF- $\kappa$ B, AP-
- [43]. Arora, N., Bansal, M.P. and Koul, A., 2013. Azadirachta indica acts as a pro - oxidant and modulates cell cycle associated proteins during DMBA/TPA induced skin carcinogenesis in mice. *Cell biochemistry and function*, 31(5), pp.385-394.
- [44]. Rasheed, A., Shama, S.N., Joy, J.M., Reddy, B.S. and Roja, C., 2012. Formulation and evaluation of herbal anti-acne moisturizer. *Pakistan journal of pharmaceutical sciences*, 25(4), pp.867-871
- [45]. Agrawal, R.C. and Pandey, S., 2009. Evaluation of anticarcinogenic and antimutagenic potential of Bauhinia variegata extract in Swiss albino mice. *Asian Pac J Cancer Prev*, 10(5), pp.913-6.
- [46]. A. Isbir, T., Yaylim, I., Aydin, M., Oztürk, O., Koyuncu, H., Zeybek, U., Ağaçhan, B. and Yilmaz, H., 2000. The effects of Brassica oleraceae var capitata on epidermal glutathione and lipid peroxides in DMBA-initiated- TPA-promoted mice. *Anticancer research*, 20(1A), pp.219-224
- [47]. Fonseca, Y.M., Catini, C.D., Vicentini, F.T., Nomizo, A., Gerlach, R.F. and Fonseca, M.J.V., 2010. Protective effect of Calendula officinalis extract against UVB-induced oxidative stress in skin: Evaluation of reduced glutathione levels and matrix metalloproteinase secretion. *Journal of ethnopharmacology*, 127(3), pp.596-601
- [48]. Duran, V., Matic, M., Jovanović, M., Mimica, N., Gajinov, Z., Poljacki,
- [49]. M. and Boza, P., 2005. Results of the clinical examination of an ointment with marigold (Calendula officinalis) extract in the treatment of venous leg ulcers. *International journal of tissue reactions*, 27(3), pp.101-106.
- [50]. Fuchs, S.M., Schliemann-Willers, S., Fischer, T.W. and Elsner, P., 2005. Protective effects of different marigold (Calendula officinalis L.) and rosemary cream preparations against sodium-lauryl-sulfate- induced
- [51]. Solanki, R., 2011. Treatment of skin diseases through medicinal plants in different regions of the world. *Int J Biomed Res*, 2(1), p.73
- [52]. Olsen, D.L., Raub, W., Bradley, C., Johnson, M., Macias, J.L., Love, V. and Markoe, A., 2001, April. The effect of aloe vera gel/mild soap versus mild soap alone in preventing skin reactions in patients