

Analyzing the CODIAB-VD Cohort Reveals Shifts in Diabetic Patients' Awareness and Practices Related to Eye Diseases

Subrata Mallik¹ and Dr. Rakhee Pareesh Kelaskar²

Research Scholar, Department of Medical Science¹

Professor, Department of Medical Science²

OPJS University, Churu, Rajasthan, India

Abstract: *This cross-sectional analysis delves into the awareness levels and practices concerning eye diseases among patients with diabetes, utilizing data from the CODIAB-VD cohort. The study aims to provide valuable insights into the knowledge and behaviors exhibited by individuals grappling with both diabetes and potential ocular complications. By employing a comprehensive approach, the research assesses the extent of awareness regarding the association between diabetes and eye diseases, while also scrutinizing the preventive practices adopted by the cohort. The findings from this investigation are crucial for developing targeted interventions and educational initiatives aimed at enhancing awareness and fostering proactive measures among patients with diabetes to mitigate the risk of eye-related complications. This study contributes to the broader understanding of the intersection between diabetes and ocular health, ultimately paving the way for improved patient care and preventive strategies within this vulnerable population.*

Keywords: Diabetes, Ocular complications

REFERENCES

- [1]. Zhou BLY, Hajifathalian K, Bentham J, Di Cesare M, Danaei G, Bixby H. Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. *Lancet (London England)*. 2016;387(10027):1513–30. [https://doi.org/10.1016/s0140-6736\(16\)00618-8](https://doi.org/10.1016/s0140-6736(16)00618-8).
- [2]. International-Diabetes-Federation. *Diabetes Atlas*. 2015.
- [3]. Forbes JM, Cooper ME. Mechanisms of diabetic complications. *Physiol Rev*. 2013;93(1):137–88. <https://doi.org/10.1152/physrev.00045.2011>.
- [4]. Ting DS, Cheung GC, Wong TY. Diabetic retinopathy: global prevalence, major risk factors, screening practices and public health challenges: a review. *Clinical & experimental ophthalmology*. 2016;44(4):260–77. <https://doi.org/10.1111/ceo.12696>.
- [5]. Javadi MA, Zarei-Ghanavati S. Cataracts in diabetic patients: a review article. *Journal of ophthalmic & vision research*. 2008;3(1):52–65.
- [6]. Song BJ, Aiello LP, Pasquale LR. Presence and risk factors for glaucoma in patients with diabetes. *Current diabetes reports*. 2016;16(12):124. <https://doi.org/10.1007/s11892-016-0815-6>.
- [7]. Shaw JE, Sicree RA, Zimmet PZ. Global estimates of the prevalence of diabetes for 2010 and 2030. *Diabetes Res Clin Pract*. 2010;87(1):4–14. <https://doi.org/10.1016/j.diabres.2009.10.007>.
- [8]. Sabanayagam C, Yip W, Ting DS, Tan G, Wong TY. Ten emerging trends in the epidemiology of diabetic retinopathy. *Ophthalmic Epidemiol*. 2016;23(4): 209–22. <https://doi.org/10.1080/09286586.2016.1193618>.
- [9]. Shukla R, Gudlavalleti MV, Bandyopadhyay S, et al. Perception of care and barriers to treatment in individuals with diabetic retinopathy in India: 11-city 9-state study. *Indian journal of endocrinology and metabolism*. 2016; 20(Suppl 1):S33–41. <https://doi.org/10.4103/2230-8210.179772>.

- [10]. Al Zarea BK. Knowledge, Attitude and Practice of Diabetic Retinopathy amongst the Diabetic Patients of AlJouf and Hail Province of Saudi Arabia. *Journal of clinical and diagnostic research : JCDR*. 2016; 10(5):Nc05–8. doi: <https://doi.org/10.7860/jcdr/2016/19568.7862>
- [11]. Kizor-Akaraiwe NN, Ezegwui IR, Oguego N, Uche NJ, NA I, Shiweobi J. Prevalence, awareness and determinants of diabetic retinopathy in a screening Centre in Nigeria. *J Community Health*. 2016;41(4):767–71. <https://doi.org/10.1007/s10900-016-0151-4>.
- [12]. Hussain R, Rajesh B, Giridhar A, et al. Knowledge and awareness about diabetes mellitus and diabetic retinopathy in suburban population of a south Indian state and its practice among the patients with diabetes mellitus: a population-based study. *Indian J Ophthalmol*. 2016;64(4):272–6. <https://doi.org/10.4103/0301-4738.182937>.
- [13]. Thapa R, Bajimaya S, Paudyal G, et al. Population awareness of diabetic eye disease and age related macular degeneration in Nepal: the Bhaktapur retina study. *BMC Ophthalmol*. 2015;15:188. <https://doi.org/10.1186/s12886-015-0175-z>.
- [14]. Islam FM, Chakrabarti R, Islam SZ, Finger RP, Critchley C. Factors associated with awareness, attitudes and practices regarding common eye diseases in the general population in a Rural District in Bangladesh: the Bangladesh population-based diabetes and eye study (BPDES). *PLoS One*. 2015;10(7): e0133043. <https://doi.org/10.1371/journal.pone.0133043>.
- [15]. Liu L, Chen L. Awareness of diabetic retinopathy is the key step for early prevention, diagnosis and treatment of this disease in China. *Patient Educ Couns*. 2014;94(2):284–5. <https://doi.org/10.1016/j.pec.2013.10.026>.
- [16]. Cetin EN, Zencir M, Fenkeci S, Akin F, Yildirim C. Assessment of awareness of diabetic retinopathy and utilization of eye care services among Turkish diabetic patients. *Primary care diabetes*. 2013;7(4):297–302. <https://doi.org/10.1016/j.pcd.2013.04.002>.
- [17]. Thapa R, Paudyal G, Maharjan N, Bernstein PS. Awareness of diabetic retinopathy among diabetic patients in Nepal. *Acta Ophthalmol*. 2012;90(3): e242. <https://doi.org/10.1111/j.1755-3768.2011.02163.x>.
- [18]. Tajunisah I, Wong P, Tan L, Rokiah P, Reddy S. Awareness of eye complications and prevalence of retinopathy in the first visit to eye clinic among type 2 diabetic patients. *International journal of ophthalmology*. 2011;4(5):519–24. <https://doi.org/10.3980/j.issn.2222-3959.2011.05.12>.
- [19]. Addoor KR, Bhandary SV, Khanna R, et al. Assessment of awareness of diabetic retinopathy among the diabetics attending the peripheral diabetic clinics in melaka, malaysia. *Med J Malaysia*. 2011;66(1):48–52.
- [20]. Muecke JS, Newland HS, Ryan P, et al. Awareness of diabetic eye disease among general practitioners and diabetic patients in Yangon, Myanmar. *Clinical & experimental ophthalmology*. 2008;36(3):265–73. <https://doi.org/10.1111/j.1442-9071.2008.01724.x>.
- [21]. Silver K, Williams M, Macario E. The National eye Health Education Program: increasing awareness of diabetic eye disease among American Indians and Alaska natives. *Ethnicity & disease*. 2006;16(4):920–5.
- [22]. Caliskan D, Ozdemir O, Ocaktan E, Idil A. Evaluation of awareness of diabetes mellitus and associated factors in four health center areas. *Patient Educ Couns*. 2006;62(1):142–7. <https://doi.org/10.1016/j.pec.2005.06.018>.
- [23]. 2005.06.018.
- [24]. Verma L, Elankumaran P, Prakash G, Venkatesh P, Tewari HK. Awareness of diabetic retinopathy among diabetics. *Indian J Ophthalmol*. 2002;50(4):355.
- [25]. Trento M, Bajardi M, Borgo E, et al. Perceptions of diabetic retinopathy and screening procedures among diabetic people. *Diabetic medicine : a journal of the British Diabetic Association*. 2002;19(10):810–3.
- [26]. Bressler NM, Varma R, Doan QV, et al. Underuse of the health care system by persons with diabetes mellitus and diabetic macular edema in the United States. *JAMA ophthalmology*. 2014;132(2):168–73. <https://doi.org/10.1001/jamaophthalmol.2013.6426>.
- [27]. Huang OS, Tay WT, Ong PG, et al. Prevalence and determinants of undiagnosed diabetic retinopathy and vision-threatening retinopathy in a multiethnic Asian cohort: the Singapore epidemiology of eye diseases (SEED) study. *Br J Ophthalmol*. 2015;99(12):1614–21. <https://doi.org/10.1136/bjophthalmol-2014-306492>.

- [28]. Funatsu H, Hori S, Shimizu E, Nakamura S. Questionnaire survey on periodic ocular examination in Japanese diabetic patients. *Am J Ophthalmol.* 2003; 136(5):955–7.
- [29]. Javitt JC, Aiello LP. Cost-effectiveness of detecting and treating diabetic retinopathy. *Ann Intern Med.* 1996;124(1 Pt 2):164–9.
- [30]. Paterson B, Thorne S. Developmental evolution of expertise in diabetes self- management. *Clin Nurs Res.* 2000;9(4):402–19.
- [31]. Colagiuri R. The optometrist's role in the multidisciplinary diabetes team: towards a more holistic approach. *Clinical & experimental optometry.* 1999; 82(2–3):55–8.
- [32]. Peytremann-Bridevaux I, Bordet J, Santschi V, Collet TH, Egli M, Burnand B. Community-based pharmacies: an opportunity to recruit patients? *International journal of public health.* 2013; <https://doi.org/10.1007/s00038-012-0383-8>.
- [33]. Zuercher E, Bordet J, Burnand B, Peytremann-Bridevaux I. CoDiab-VD: protocol of a prospective population-based cohort study on diabetes care in Switzerland. *BMC Health Serv Res.* 2015;15:329. <https://doi.org/10.1186/s12913-015-0991-0>.
- [34]. Ichhpujani P, Bhartiya S, Kataria M, Topiwala P. Knowledge, attitudes and self-care practices associated with glaucoma among hospital personnel in a tertiary Care Center in North India. *Journal of current glaucoma practice.* 2012;6(3):108–12. <https://doi.org/10.5005/jp-journals-10008-1116>.
- [35]. Khan A, Petropoulos IN, Ponirakis G, Malik RA. Visual complications in diabetes mellitus: beyond retinopathy. *Diabetic medicine : a journal of the British Diabetic Association.* 2016; <https://doi.org/10.1111/dme.13296>.
- [36]. Sayin N, Kara N, Pekel G. Ocular complications of diabetes mellitus. *World J Diabetes.* 2015;6(1):92–108. <https://doi.org/10.4239/wjd.v6.i1.92>.
- [37]. Cheung N, Tikellis G, Wang JJ. Diabetic retinopathy. *Ophthalmology.* 2007; 114(11):2098–2099; author reply 9. <https://doi.org/10.1016/j.ophtha.2007.07.010>.
- [38]. Nentwich MM, Ulbig MW. Diabetic retinopathy - ocular complications of diabetes mellitus. *World J Diabetes.* 2015;6(3):489–99. <https://doi.org/10.4239/wjd.v6.i3.489>.
- [39]. Sundling V, Gulbrandsen P, Jervell J, Straand J. Care of vision and ocular health in diabetic members of a national diabetes organization: a cross- sectional study. *BMC Health Serv Res.* 2008;8:159. <https://doi.org/10.1186/1472-6963-8-159>.
- [40]. Schoenfeld ER, Greene JM, SY W, Leske MC. Patterns of adherence to diabetes vision care guidelines: baseline findings from the diabetic retinopathy awareness program. *Ophthalmology.* 2001;108(3):563–71.
- [41]. Klein BE, Klein R, Moss SE. Prevalence of cataracts in a population-based study of persons with diabetes mellitus. *Ophthalmology.* 1985;92(9):1191–6.
- [42]. Klein R, Klein BE, Moss SE. Visual impairment in diabetes. *Ophthalmology.* 1984;91(1):1–9.
- [43]. Klein BE, Klein R, Moss SE. Incidence of cataract surgery in the Wisconsin epidemiologic study of diabetic retinopathy. *Am J Ophthalmol.* 1995;119(3):295–300.
- [44]. Schmid KL, Schmid LM, Pedersen C. Knowledge of the ocular effects of diabetes among the general population of Australia and the members of Diabetes Australia. *Clinical & experimental optometry.* 2003;86(2):91–103.
- [45]. Diabetic Retinopathy Preferred Practice Patterns - Updated 2016 [database on the Internet]2016. Available from: <https://www.aao.org/preferred-practice-pattern/diabetic-retinopathy-ppp-updated-2016>.
- [46]. Dervan E, Lillis D, Flynn L, Staines A, O'Shea D. Factors that influence the patient uptake of diabetic retinopathy screening. *Ir J Med Sci.* 2008;177(4): 303–8. <https://doi.org/10.1007/s11845-008-0192-5>.
- [47]. Fathy C, Patel S, Sternberg P, Jr., Kohanim S. Disparities in adherence to screening guidelines for diabetic retinopathy in the United States: a comprehensive review and guide for future directions. *Semin Ophthalmol* 2016; 31(4):364–377. doi:<https://doi.org/10.3109/08820538.2016.1154170>.
- [48]. Collet TH, Taffé P, Bordet J, Burnand B, Peytremann-Bridevaux I. Reproducibility of diabetes quality of care indicators as reported by patients and physicians. *Eur J Pub Health.* 2014;24(6):1004–9. <https://doi.org/10.1093/eurpub/cku011>.

- [49]. Kaiser A, Vollenweider P, Waeber G, Marques-Vidal P. Prevalence, awareness and treatment of type 2 diabetes mellitus in Switzerland: the CoLaus study. *Diabetic medicine : a journal of the British Diabetic Association*. 2012;29(2): 190–7. <https://doi.org/10.1111/j.1464-5491.2011.03422.x>.
- [50]. Sebo P, Abetel G, STalder H, Bovier PA. Importance of lifestyle counseling by primary care physicians for diabetic patients. *Swiss Med Wkly*. 2006;136:566–73.