

# Pharmacognostic, Phytochemical & Pharmacological Study of *Chrysanthemum indicum*

Chaudhari Pooja S<sup>1</sup>, Gadhave Harshada D<sup>2</sup>, Mohape Vaishali R<sup>3</sup>, Kasar Poonam S<sup>4</sup>

Samarth Institute of Pharmacy, Belhe, Maharashtra, India<sup>1,2,3</sup>

Department of Quality Assurance Technique, Samarth Institute of Pharmacy, Belhe, Maharashtra, India<sup>4</sup>

**Abstract:** *Chrysanthemum indicum* is a blossom herb which is usually growing in August to October month. *Chrysanthemum indicum* is native of Europe, North Eastern, & Asia. It is also called as *Chrysanthus*. In *chrysanthemum* many phytoconstituents are present like flavonoids, tannins, terpenoids & Glycosides which shows different pharmacological activities like Anti-inflammatory, anti-microbial, & antioxidant. *chrysanthemum* is mainly used as herbal remedies. In future *chrysanthemum indicum* is mainly used for New drug development process because of their present bioactive compound.

**Keywords:** *Chrysanthemum indicum*, Asteracea, Flavonoids, Glycosides, Tannins, Pharmacological activities, Bioactive compound

## REFERENCES

- [1]. M.-C. Song, H.-J. Yang, T.-S. Jeong, K.-T. Kim, and N.-I. Baek. (2008). "Heterocyclic compounds from *Chrysanthemum coronarium* L. and their inhibitory activity on hACAT-1, hACAT-2, and LDL-oxidation". *Archives of Pharmacol Research*. 31 (5): 573–578. 10.1007/s12272-001-1195-4.
- [2]. M. Papafotiou and A. Vagena. (2012). "Cotton gin trash compost in the substrate reduces the daminozide spray dose needed to produce compact potted *chrysanthemum*". *Scientia Horticulturae*. 143: 102–108. 10.1016/j.scienta.2012.06.004.
- [3]. J. Vijayakumari, V. S. Prabha, E. J. Rayan, T. L. S. Raj, and S. B. A. Rayan. (2019). "Floristic Diversity Assessment of Home Garden in Palayamkottai Region of Tirunelveli District, Tamil Nadu a Means of Sustainable Biodiversity Conservation". *International Journal of Trend in Scientific Research and Development*. 3 (3): 1484–1491. 10.31142/ijtsrd23390.
- [4]. A. Van Der Ploeg and E. Heuvelink. (2006). "The influence of temperature on growth and development of *chrysanthemum* cultivars". *The Journal of Horticultural Science and Biotechnology*. 81 (2): 174–182. 10.1080/14620316.2006.11512047.
- [5]. A.U. Khan, M. A. R. Choudhury, A. U. Khan, S. Khanal, and A. R. M. Maukeeb. (2021). "Chrysanthemum Production in Bangladesh: Significance the Insect Pests and Diseases Management: A Review". *Journal of Multidisciplinary Applied Natural Science*. 1(1): 25–35. 10.47352/jmans.v1i1.10.
- [6]. S. Shen, Y. Sha, C. Deng, X. Zhang, D. Fu, and J. Chen. (2004). "Quality assessment of *FlosChrysanthemiIndici* from different growing areas in China by solid-phase microextraction-gas chromatography-mass spectrometry". *Journal of Chromatography A*. 1047 (2): 281–287. 10.1016/j.chroma.2004.06.129.
- [7]. Hasan S. Optimization of DNA extraction from seeds and leaf tissues of *Chrysanthemum* (*Chrysanthemum indicum*) for polymerase chain reaction *Bioinformation*. 2012; 8(5):225-228.
- [8]. Hong SA et al Anxiolytic-Like Effects of *Chrysanthemum indicum* Aqueous Extract in Mice: Possible Involvement of GABAA Receptors and 5-HT1A Receptors *Biomolecular Therapeutics*. 2012; 20(4):413-417.
- [9]. Arokiyaraj S et al. Rapid green synthesis of silver nanoparticles from *Chrysanthemum indicum* L. and its antibacterial and cytotoxic effects: an in vitro study. *International Journal of Nanomedicine*. 2014; 9:379-388.
- [10]. Chen XY. Effect of Total Flavonoids of *Chrysanthemum indicum* on the Apoptosis of Synoviocytes in Joint of Adjuvant Arthritis Rats the *American Journal of Chinese Medicine*. 2008; 36(4):695-704.

- [11]. Chatwal GR, Anand SK. Instrumental methods of chemical analysis, 7th Edition, Himalaya Publishing House, 1992, 588-598
- [12]. Gharge VG, Shelar PA. Pharmacognostic Standardization, Phytochemical Evaluation and Antimicrobial Activity of Leaf Extracts of *Tridaxprocumbens*, International Journal of Universal Pharmacy and Bio Sciences. 2016; 5(6):133-145.
- [13]. Gharge VG, Shelar PA. Pharmacognostical, Phytochemical and Antimicrobial Studies of Leaves of *Cassia auriculata*. Research Journal of Pharmacognosy and Phytochemistry. 2017;9(2):1-8.
- [14]. Gharge V et al. Study of ethanolic extract of leaves of *Murraya koenigii* as an antisolvent. International Journal of Innovative Pharmaceutical Sciences and Research. 2017; 5(4):99-10.
- [15]. Mukherjee PK. Quality control of herbal drugs, Business Horizon's, Pharmaceutical publisher, New Delhi, 2002, 138-141.
- [16]. ApurvaJadhav and kirtiGodse International Journal of herbal medicine 2019; 7 (6)51-56 pharmacognostic and phytochemical screening of *chrysanthemum leafe* extract.
- [17]. Upreti K, Semwal A, Upadhyaya U, MasiwalM. Pharmacognostical and Phytochemical Screening of Leaf Extract of *Zanthoxylumarmatum* DC International Journal of Herbal Medicine. 2013; 1(1):1-6.
- [18]. Indian Pharmacopoeia, Government of India, Ministry of Health and Family Welfare, Controller of Publication, 4th Edition, New Delhi. 1996; 4(2):A53-A54.
- [19]. Chase CR, Pratt RS. Fluorescence of Powdered Vegetable drugs with particular reference to Development of a System of Identification. Journal of the American Pharmaceutical Association. 1949; 38:32.
- [20]. Kokoski JI, Kokoski R, Salma FJ. Fluorescence of powdered vegetables drugs under ultraviolet radiation. Journal of the American Pharmaceutical Association. 1958; 47:715-717.
- [21]. Kokate CK. Practical Pharmacognosy, 1st Edition, Vallabh Prakashan, New Delhi. 1986; 1:15-30.
- [22]. Sai jiag, Mengyunwang et.al chemistry and pharmacological activity of sesquiterpenoid from the *chrysanthemum* genus.