

Impact Factor: 6.252

International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

IJARSCT

Volume 2, Issue 3, June 2022

## **Reviews of Synthesis and Characterization of Some Pyrazine Ring Containing Heterocycle's**

Dr. Shrikrishna D Tupare

K. E. S. Anandibai Pradhan Science College, Nagothane, Maharashtra, India

**Abstract**:*Heterocyclic chemistry has numbers of applications in the field of pharmaceutical chemistry. These compounds are synthesized worldwide by different synthetic methods. Two or more hetero elements containing heterocycles are synthesized and all these compounds were found stable. Chalcones a precursor has great importance in natural as well as synthetic heterocyclic compounds. Nitrogen atom containing heterocycles has very important role in medicinal field due to their biological activities. After reviewing literature, it was found that, nitrogen containing five membered heterocycle like pyrazoles, six membered Pyrimidines, seven membered benzodiazepines were synthesized by different synthetic methods. This literature survey promoted us to prepare highly stable five, six and seven membered ring structure using pyrazine ring containing derivatives and check their pharmacological activities. These compounds were found to be the most active against bacterial & fungal human pathogens.* 

Keywords: Benzodiazepines, Chemistry, Heterocycles, Pyrazole, Pyrimidine, etc.

## REFERENCES

- Ni L., Meng C. Q., Sikorski J. A. Recent advances in therapeutic chalcones. Expert Opin. Ther. Pat. 2004; 14:1669-1691. Doi:10.1517?13543776.14.12.1669.
- [2] Sahu N. K., Balbhadra S. S., Choudhary J., Kohli D. V. Exploring Pharmacological significance of chalcone scaffold: A review. Curr. Med. Chem. 2012; 19:209-225. Doi:10.2174/092986712803414132.
- [3] ShrikrishnaTupare, Pravin Chavan, A Chalcones: Promising Precursor in Chemistry ofHeterocycles Short Review: Chemistry Journal 2020 6, 85-97.https://purkh.com/index.php/tochem 85
- [4] Shrikrishna D Tupare; Satish A. Dake; Santosh V. Nalage; Sidhanath V. Bhosale; RajitaD. Ingle; Rajendta P. Pawar, Synthesis and biological Evaluation of Novel 6-(3-(4, 5-Dihydro-1,5-diphenyl-1Hpyrazol-3-yl) phenylamino) Pyridazin-3(2H)-one Derivatives, International Journal of Organic Chemistry, 2012,2,371-376. http://dx.doi.org/10.4236/ijoc.2012.24051.
- [5] Gurav and S.V. Agarkar, Ind. J. Chem., 1998, 37B, 161-162.
- [6] Bigi, F. Tetrahedron Lett. 2001, 42, 5203.
- [7] Warad, D. U.; Satish. C. D.; Kulkarni, V. H.; Bajgur, C. S. Indian J. Chem. 2000, 39A, 415.
- [8] Xie, L.; Tukeuchi, Y.; Consetino, L. M.; Lee, K. J. med. Chem. 1999,42, 2662.
- [9] Desai. H. K.; Gawad, D. H.; joshi, B. S. Indian J. Chem. 1977, 15B, 291.
- [10] Bukel, D. R.; Smith, H. J. Med. Chem. 1975, 18, 391.
- [11] Dr. Shrikrishna D. Tupare; Dr. R. P. Pawar; Highly efficient Synthesis and Antibacterialof 1,5-Benzodiazepines under Microwave Irradiation; International Journal of AppliedChemistry, 2017 13 pp. 369-376, ISSN: 0973-1792.; DOI:10.37622/000000;http://www.ripublication.com.
- [12] Sasaki S., Cho N., Nara Y., Harada M., Endo S., Suzuki N., Furuya S., Funjino M.Journal of Medicinal Chemistry, 2003, 46, 113-124.
- [13] ShrikrishnaTupare; Pravin Chavan; R. P. Pawar, Synthesis, and Antibacterial activities of Newer 6-(3-(1,2-dihydro-6-phenyl-2- aminopyrimidin-4-yl) phenyl amino) pyridazin-3(2H)-one, Curr. Pharm. Res. 2019, 9(4), 3476-3483.
- [14] R. J. Grayer and J. B. Harborne, "A Survey of Antifungal Compounds from HigherPlants,"

Copyright to IJARSCT www.ijarsct.co.in

## IJARSCT



Impact Factor: 6.252

International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

## Volume 2, Issue 3, June 2022

Phytochemistry, Vol. 37, No. 1, 1994, pp. 19-42. doi:10.1016/0031-9422(94)85005 4.

[15] O. N. Irob, M. Moo-Young and W. A. Anderson, "Anti-microbial Activity of AnnattoExtract," International Journal of Pharmaceutics, Vol. 34, No. 2, 1996, pp. 87-90.doi:10.1076/phbi.34.2.87.13201