

A Review : Method of Development of HPTLC and Application in Pharma Industry

Panmand Dipali A¹, Sayyad Sapna B², Adhalrao Supriya B³, Gaikwad Shital D⁴

Assistant Professor, Department of Pharmaceutical Chemistry⁴

Samarth Institute of Pharmacy, Belhe, Maharashtra., India^{1,2,3,4}

dipalipanmand05@gmail.com

Abstract: *This review provides knowledge on the development and validation parameters of HPTLC-based analytical methods in line with actual evaluation. Meet the criteria and minimize errors and investigations. This review assists in the selection of mobile thermal phases and provides guidelines for understanding the steps of good validation practices and analytical procedures.*

Keywords: Method Development, Validation, HPTLC.

REFERENCES

- [1]. CAMAG, 2010-2011. Basic equipment for modern thin layer chromatography. Switzerland: Camag. Available from: camag.com/downloads/free/brochures/CAMAG-basic-equipment08.pdf
- [2]. CAMAG, 2010-2011. Instrumental thin layer chromatography.. Switzerland: AvailableCamag. from: [camag.com/downloads/free/brochures/CAMAG_TLC10-11 E.pdf](http://camag.com/downloads/free/brochures/CAMAG_TLC10-11_E.pdf) 3. Patel, R.B. and Patel, M.R. and Patel, B.G. (2011) Experimental Aspects and Implementation of HPTLC. In: Shrivastava, M.M.HPTLC. New York: Springer, pp. 41-54.
- [3]. Shrivastava, M.M. (2011) An Overview of HPTLC: A Modern Analytical Technique with Excellent Potential for Automation, Optimization, Hyphenation, and Multidimensional Applications. In: Shrivastava, M.M. HPTLC. New York: Springer, pp. 3- 24.
- [4]. Sharad Kharat., Ajay Namde., Piyush Mehta. Journal of Taibah University for Science xxx (2016) xxx-xxx,1-7.
- [5]. Anjoo Kamboj Ajay Kumar Saluja..Development of validated HPTLC method for quantification of stigmaterol from leaf and stem of Bryophyllumpinnatum. Arabian Journal of Chemistry (2013) xxx,
- [6]. Dhandapani, B., Somasundaram, A., Shaik Harun Raseed., Raja, M and Dhanabal, K., Development and Validation of HPTLC Method for Estimation of Quetiapine in Bulk Drug and in Tablet Dosage form. International Journal of PharmTech Research.2009,1(2), 139 141.
- [7]. Jain, G. K., Jain, N., Iqbal, Z., Talegaonkar, S., Ahmad, F. J., and Khar, R. K., Development and validation of an Hptlc method for determination of Minocycline in Plasma. Acta Chromatographica. 2007, 19, 197-205. In Human plasma. Acta chromatographica. 2007, 19, 197-205.
- [8]. Shah.N.J., Suhagia, B.N., Shah,R.R., and Patel, N.M., Development and validation of Simultaneous HPTLC method for the estimation of Olmesartan medoxomil and Hydrochlorothiazide in tablet dosage form. Indian Journal of Pharmaceutical Sciences. 2007, 69, 834-836.
- [9]. Chandel, S., Barhate, C. R., Srivastava, A. R., Kulkarni, S. R. and Kapadia, C. J., Development and validation of HPTLC method for estimation of Tenoxicam and its formulations. Indian Journal of Pharmaceutical Sciences. 2012, 36-40.
- [10]. Hitesh, J., Vekari., Makani Yogesh., Kinesh Patel., Development and validation of HPTLC method for simultaneous estimation of Cinitapride and Omeprazole in combined dosage form. Der Pharmacia Lettre, 2012, 4(5):1467-1474.
- [11]. Patel, V. A., Patel, P. G., Chaudhary, B. G., Rajgor. N. B., Rathi, S. G. Development and validation of HPTLC method for the simultaneous estimation of Telmisartan and Ramipril in combined dosage form. International Journal on Pharmaceutical and Biological Research. 2010, 1(1), 18-24.
- [12]. Palani Venkatesh., Mahesh Daggumati. and validation of a normal-phase HPTLC Development method for

the simultaneous analysis of Lamivudine and Zidovudine infixed dose combination tablets. Journal of Pharmaceutical Analysis. 2012.2(2):152-155

- [13]. Charde, M. S., Chakolkar, M. D., Welankiwar, A. S., Keshwar, U., and Shrikande, B. K..Development of validated HPTLC method for the estimation of eugenol in marketed herbal formulation of muscle and joint HRX pain relieving oil,International Journal of Phytopharmacy Research Article 2014,4 (1), 28-32.