

# Construction and Performance Investigation of Three Phase Solar PV and Battery Energy Storage System Integrated UPQC

Miss. Chavan Rohini M.<sup>1</sup> and Prof. A. B. Ghule<sup>2</sup>

M.Tech Student, Department of Electrical Engineering (Control System)<sup>1</sup>

Professor, Department of Electrical Engineering (Control System)<sup>2</sup>

College of Engineering, Ambajogai, Maharashtra, India

**Abstract:** *This study examines the use of Unified Power Quality Conditioner (UPQC) to mitigate the power quality problems existed in the grid and the harmonics penetrated by the non-linear loads. The UPQC is supported by the Photovoltaic (PV) and Battery Energy Storage System (BESS) in this work. Generally, the PV system supplies the active power to the load. However, if the PV is unable to supply the power then the BESS activates and provides power especially during the longer-term voltage interruption. The standalone PV-UPQC system is less reliable compared to a hybrid PV-BESS system because of its instability and high environment-dependency. Therefore, BESS will improve the voltage support capability continuously in the longer-term, reduce the complexity of the DC-link voltage regulation algorithm, and keep producing clean energy. The phase synchronization operation of the UPQC controller is directed by a self-tuning filter (STF) integrated with the unit vector generator (UVG) technique. Implementation of STF will make sure the UPQC can successfully operate under unbalanced and distorted grid voltage conditions. Thus, the requirement of a phase-locked loop (PLL) is omitted and the STF-UVG is utilized to produce the synchronization phases for the series and shunt active power filter (APF) compensator in UPQC controller. Finally, the proposed STFUVG method is compared with the conventional synchronous references frame (SRF-PLL) method based UPQC to show the significance of the proposed technique. Several case studies are further considered to validate the study in MATLAB-Simulink software.*

**Keywords:** Battery Energy Storage System (BESS) self-tuning filter (STF) synchronous references frame (SRF-PLL) active power filter (APF) etc.

## REFERENCES

- [1]. Keri, A. J. F., Lombard, X., and Edris, A. A., "Unified Power Flow Controller (UPFC) –Modeling and Analysis", IEEE Transactions on Power Delivery, Vol. 14, No. 2, April, 1999, pp. 648-654.
- [2]. Muthukrishnan, S., and Dr.Nirmal Kumar, A., "Comparison of Simulation and Experimental Results of UPFC used for Power Quality Improvement", International Journal of Computer and Electrical Engineering, Vol. 2, No. 3, June, 2010, 1793-8163, pp. 555-559.
- [3]. Arnez, R. L. V., and Zanetta, L. C., "Unified Power Flow Controller (UPFC):its Versatility in Handling Power Flow and Interaction with the Network", IEEE Transactions, Vol. 4, No. 02, 2002, pp. 1338-1343.
- [4]. Pandey, R. K., "An Analytical Approach for Control Design of UPFC", IEEE Transactions, Vol. 9, No. 08, 2008, pp. 1762-1769.
- [5]. Singh, N. K., "Analysis and Modeling of UPFC", IEEE Transactions on Power Delivery, Vol. 14, No. 2, Apr. 1999, pp. 1375-1383.
- [6]. Mehraban, A. S., and Elriachy, A., "Analysis and Modeling of UPFC", IEEE Transactions on Power Delivery, Vol. 14, No. 2, Apr. 1999, pp. 648-654.
- [7]. Tara Kalyani, S., and Tulasiram Das, G., "Simulation of D-Q Control System for a Unified Power Flow Controller", Asian Research Publishing Network (ARPN) Journal of Engineering and Applied Sciences, Vol. 2, No. 6, Dec. 2007, pp. 10-19.
- [8]. Zhou, X. Y., and Wang, H. F., "Detailed modeling and simulation of UPFC using EMTP", IEEE

- Transactions on Power Delivery, Vol. 13, No. 4, Oct. 1998, pp. 1453-1460.
- [9]. ZhaojunMeng, and So, P. L., "A UPFC Model for Dynamic Stability Enhancement", IEEE Transactions on Power Systems, Vol. 3, No. 4, Nov. 1988, pp. 1670-1675.
  - [10]. Bo Hu, and KaiguiXie, "Reliability Evaluation of Bulk Power Systems Incorporating UPFC", IEEE Transactions, Vol. 2, No. 10, Dec. 2010, pp. 125-130.
  - [11]. Raju, J., and Venkataramu, P. S., "Effect of UPFC on Voltage Stability Margin", IEEE Transactions, Vol. 9, No. 08, Feb. 2008, pp. 326-335.
  - [12]. Stefanov, Predrag, C., and Stankovic, M., Aleksander, "Modeling of UPFC Operation Under Unbalanced Conditions With Dynamic Phasors", IEEE Transactions on Power Systems, Vol. 17, No. 2, May 2002, pp. 395-403
  - [13]. PrechanonKumkratug, "Application of UPFC to Increase Transient Stability of Inter-Area Power System", Journal of Computers, Vol. 4, No. 4, April 2009, pp. 283-287.
  - [14]. Saravanallango, G., and Nagamani, C., and Aravindan, D., "Independent Control of Real and Reactive Power Flows using UPFC based on Adaptive Back Stepping", IEEE Transactions on Automatic Control, Vol. 11, No. 4, Oct. 2003, pp. 1908-1925.
  - [15]. K., Seethalekshmi and Singh, S. N., "Adaptive Distance Relaying Scheme in Presence of UPFC using WAMS", IEEE Transactions on Power Systems, Vol. 2, No. 09, Apr. 2009, pp. 801-812.
  - [16]. Shateri, H., and Jamali, S., "Distance Relay Over-Reaching due to UPFC Presence on Second Circuit of a Double Circuit Line", IEEE Transactions on Power Delivery, Vol. 6, No. 3, Jan. 1992, pp. 135-142.
  - [17]. Tara Kalyani, S., and Tulasiram Das, G., "Simulation of Real and Reactive Power Flow Control with UPFC Connected to a Transmission Line", Journal of Theoretical and Applied Information Technology, Vol. 16, 2008, pp. 16- 28.
  - [18]. Pandey, R. K., and Singh, N. K., "An Approach for Optimal Power Oscillation Damping with UPFC", IEEE Transactions on Power Systems, Vol. 8, no. 2, Aug. 2008, pp. 505-518.