

Review on Formulation and Evaluation of Herbal Hair Serum

Gholap Chirag S¹, Dhole Pratik Y², Badhekar Akanksha S³, Shinde Pallavi M⁴, Datkhile Sachin V⁵

Students, Samarth Institute of Pharmacy, Belhe, Maharashtra, India^{1,2,3}

Department of Pharmacognosy, Samarth Institute of Pharmacy, Belhe, Maharashtra, India^{4,5}

chiraggholap503@gmail.com

Abstract: *Hair growth elongation was subsequently photographed. Cosmetics are being employed on an oversized scale for its various utilities in day-to-day life. Mankind uses various products to boost beauty and elegance to seem young and charming. Now a days, herbal cosmetic are widely used thanks to the idea that they need fewer side effects and better safety together with a extended time period. In the mammalian system, the follicle is understood to be the foremost significant organ that determines appearance, gender distinction, give violent temperature protection, and plays an element in tone- defense. The youngish generation have begun to suffer from extreme hair loss problems because of numerous life- related changes similar as fatigue, anxiety, input of junk foods, use of different hairstyling/ coloring styles, etc.*

Keywords: Stress, Hair growth, Hair loss , serum, Hormones.

REFERENCES

- [1]. Ansari S.H. and Ali M. Hair care and herbal drug. Indian J Nat Prod. 13(1): 3-5, 1997.
- [2]. Starico R.G. The melanocytes and the hair follicle, J. Invest. Dermatol, 35, p. 185-194, 1960
- [3]. Pinkus H. Sebaceous cysts are modified cysts, J. arch. Dermatol, 99: 544-555, 1969.
- [4]. Rathi V., Rathi J.C., Tamizharasi S. and Pathak A.K. Plants used for hair growth promotion: A review. Phcog Rev. 2(3): 165-167, 2008
- [5]. Robbins CR (2013) Chemical and Physical Behavior of Human Hair. 4th edn, New York, USA. 5. Flores A, Schell J, Krall AS, Jelinek D, Miranda M, et al. (2017) Lactate dehydrogenase activity drives hair follicle stem cell activation. Nature Cell Biology 19(9): 1017-1026.
- [6]. Dr. Aijaz A Sheikh, Dr. Subhash V Deshmane, Dr. Kailash R Biyani, Dr. Md. Rageeb Md. Usman ; "A Textbook of Cosmetic Science" Pg No. 35-38
- [7]. Clavaud, C., Jourdain, R., Bar-Hen, A., Tichit, M., Bouchier, C., Pouradier, F., El Rawadi, C., Guillot, J., Ménard-Szczebara, F., Breton, L., Latgé, J. P., & Mouyna, I. (2013). Correction: Dandruff Is Associated
- [8]. With Disequilibrium in the Proportion of the Major Bacterial and Fungal Populations Colonizing the Scalp. PLoS ONE, 8(10), 10.1371/annotation/bcff4a59-10b7-442a-8181-12fa69209e57.
- [9]. Myagmar K, Lkhagvasuren E, Semchin M. Hair Growth Promoting Effect of Urticadioica L. CAJMS 2018;4:187-193.
- [10]. Pekmezci E, Dundar C, Turkoglu M. Proprietary Herbal Extract Downregulates the Gene Expression of IL-1 α in HaCaT Cells: Possible Implications Against Nonscarring Alopecia. Med Arch. 2018;72(2):136-
- [11]. Nahata A, Dixit VK. Ameliorative effects of stinging nettle (Urticadioica) on testosterone-induced Prostatic hyperplasia in rats. Andrologia. 2012;44Suppl 1:396-409
- [12]. Abbas AN. Ginger (Zingiberofficinale (L.) Rosc) improves oxidative stress and trace elements status in Patients with alopecia areata. Niger J Clin Pract 2020; 23(11): 1555-60.
- [13]. Wijaya WH, Mun'im A, Djajadisastro J. Effectiveness test of fenugreek seed (trigonellafoenum-graecum l.) Extract hair tonic in hair growth activity. Int J Curr Res 2013; 5(11): 3453-60.
- [14]. Ali BH, Blunden G. Pharmacological and toxicological properties of Nigella sativa. Phytother Res 2003; 17(4): 299-305.
- [15]. Majdalawieh AF, Fayyad MW, Nasrallah GK. Anti-cancer properties and mechanisms of action of Thymoquinone, the major active ingredient of Nigella sativa. Crit Rev Food Sci Nutr 2017; 57(18): 3911-28.

- [16]. Yousefi M, Barikbin B, Kamalinejad M, et al. Comparison of therapeutic effect of topical Nigella with Betamethasone and Eucerin in hand eczema. *J Eur Acad Dermatol Venereol* 2013; 27(12): 1498-504.
- [17]. Halligudi N. Pharmacological properties of Flax seed: A Review. *Hygeia J D Med* 2012; 4(2): 70-7. Manjula D, Josephine JJJ, Kumari P, Banu S. Formulation and evaluation of flaxseed hair gel: A natural hair Tamer. *Int J Res Pharm Chem* 2018; 8(3): 487-91.
- [18]. Saleem U, Sabir S, Ahmad B. Protective role of Nigella sativa in chemotherapy induced alopecia. *Bangladesh J Pharmacol* 2017; 12: 455-62.
- [19]. Zhang Q. Development of citrus peel ethanolic extract shampoo. *IOP Conf Ser: Mater Sci Eng* 2019; 1-6.
- [20]. Erukainure OL, Ebuehi OA, Iqbal Chaudhary M, et al. Orange peel extracts: Chemical characterization, Antioxidant, antioxidative burst and phytotoxic activities. *J Diet Suppl* 2016; 13(5): 585-94.
- [21]. Zhang Q. Development of citrus peel ethanolic extract shampoo. *IOP Conf Ser: Mater Sci Eng* 2019; 1-6.