

Review Article: on traditional use of *calotropis procera* for Various Treatment

Kashid Sejal M¹ and Waidya Kuldeep P²

Student, Samarth Institute of Pharmacy Belhe, Maharashtra, India¹

Department of Pharmaceutics, Samarth Institute of Pharmacy, Belhe, Maharashtra, India²

Abstract: *Calotropis procera* is widely employed in traditional folk medicine. Every part of the plant has its own advantages in treating disease. The latex of this plant has strong antimicrobial, analgesic wound healing, cytotoxic, antipyretic, anti-inflammatory. procoagulant activities are proven. Thus antibiotics cream will be wont to kill microorganisms and forestall infections. The cream is additionally shown good physical stability at temperature and normal weather conditions after one month. Since the *calotropis procera* latex has medicinal properties it's potentially to be commercialized in industry..

Keywords: Calotropisprocera

REFERENCES

- [1]. Pharmacological activity and Medicinal uses of Calotropis procera R.Br. Vol. 09| Issue-02| April- June 2017 International Jresearch Journal 135-138 .
- [2]. Kawo, a.h. phytochemical properties and antibacterial activities of the leaf and latex extracts of calotropis procera (ait.f.) ait.F. Bajopas Vol. 2 Number 1 June, 2009 Bayero Journal of Pure and Applied Sciences, 2(1): 34 -40
- [3]. Ankita V. Paliwa Formulation and Evaluation of Herbal Gel Containing Extract of Calotropis procera Leaves Volume 7 Issue 5, May 2018
- [4]. Abraham KI, Joshi PN, Studies on proteinases from Calotropis Procera latex. Purification and some properties of two proteinases containing carbohydrate. Biochim Biophys Acta 1979;568(1):111-119.
- [5]. Pathak AK, Argal A, Analgesic activity of Calotropis procera flower. Fitoterapia 2007;78(1):40-42.
- [6]. Chitme HR, Chandra R, Kaushik S, Evaluation of antipyretic activity of Calotropis Lprocera (Asclepiadaceae) in experimental animals. Phototherapy Research 2005;19(5):454-456.
- [7]. Wang Z, Wang M, Mei W, Han Z, Dai H, A New Cytotoxic Pregnanone from Calotropis Procera. Molecules 2008;13(12):3033-3039.
- [8]. Gaurav Kumar, Karthik L, Bhaskara Rao KV, In vitro anti-Candida activity of Calotropis Procera against clinical isolates of Candida. Journal of Pharmacy Research 2010;3(3):539-542.
- [9]. Gaurav Kumar, Karthik L, Bhaskara Rao KV, Antibacterial activity of aqueous extract of Calotropis procera leaves – an in vitro study. International Journal of Pharmaceutical Sciences Review and Research 2010;4(2):141-144.
- [10]. Alam MA, Habib MR, Nikkon R, Rahman M, Karim MR, Antimicrobial activity of akanda (Calotropis procera L.) on some pathogenic bacteria. Bangladesh J Sci Ind Res 2008;43(3):397-404.
- [11]. Pathak AK, Argal A, CNS activity of Calotropis procera roots. Ethnopharmacol 2006;106(1):142-145
- [12]. 12) Srivastava SR, Keshri G, Bhargavan B, Singh C, Singh MM, Pregnancy interceptive activity of the roots of Calotropis Procera Linn. in rats. Contraception 2007;75(4):318-322.
- [13]. Chitme HR, Chandra R, Kaushik S, Studies on anti-diarrhoeal activity of Calotropis procera r. br. in experimental animals. J Pharm Pharmaceut Sci 2004;7(1):70-75.
- [14]. Rajesh R, Raghavendra Gowda CD, Nataraju A, Dhananjaya BL, Kemparaju K, Vishwanath BS, Procoagulant activity of Calotropis procera latex associated with fibrin(ogen)olytic activity. Toxicon 2005;46(1):84-92.

- [15]. Saratha V, Subramanian S, Sivakumar S, Evaluation of wound healing potential and antimicrobial of Calotropis Procera latex studied on excision wounds in experimental animals. Med Chem Res 2009. DOI: 10.1007/s00044-009-9240-6.
- [16]. Gaurav Kumar et al A Review on Pharmacological and Phytochemical Profile of Calotropis Procera Linn (2011) Pharmacologyonline 1: 1-8 .
- [17]. Mahajan RT, Badgujar SB, Phytochemical Investigations of some laticiferous plants belonging to Khandesh Region of Maharashtra. Ethnobotanical Leaflets 2008;12:1145- 1152.
- [18]. Lhinhatrakool T, Sutthivaiyakit S, 19-Norand 18, 20-Epoxy-cardenolides from the leaves of Calotropis Procera. J. Nat. Prod. 2006;69(8):1249-1251
- [19]. Seeka C, Sutthivaiyakit S, Cytotoxic cardenolides from the leaves of Calotropis procera. Chem. Pharm. Bull. 2010;58(5):725-728.
- [20]. Sen S, Sahu NP, Mahato SB, Flavonol glycosides from Calotropis Provera. Phytochemistry 1992;31(8):2919-2921
- [21]. Gupta J, Ali M, Rare chemical constituents from Calotropis procera roots. Indian J. Pharm. Sci. 2000;62(1):29-32.
- [22]. Anjaneyulu V, Row LR, The triterpenes of Calotropis procera Linn. Curr. Sci. 1968; 6:156-157
- [23]. Habib MR, Nikkon F, Rahman M, Haque ME, Karim MR, Isolation of Stigmasterol and β Sitosterol from methanolic extract of root bark of Calotropis procera (Linn). Pak. J. Biol. Sci. 2007;10(22):4174-4176.
- [24]. Abraham KI, Joshi PN, Studies on proteinases from Calotropis procera latex. Purification and some properties of two proteinases containing carbohydrate. Biochim Biophys Acta 1979;568(1):111-119.
- [25]. Pari K, Rao PJ, Devakumar C, Rastogi JN, A Novel Insect antifeedant nonprotein amino acid from Calotropis procera. J. Nat. Prod. 1998;61(1):102-104.
- [26]. Alam MA, Habib MR, Nikkon R, Rahman M, Karim MR, Antimicrobial activity of akanda (Calotropis procera L.) on some pathogenic bacteria. Bangladesh J Sci Ind Res 2008;43(3):397-404.
- [27]. Pathak AK, Argal A, Analgesic activity of Calotropis procera flower. Fitoterapia 2007;78(1):40-42.
- [28]. Nalwaya N, Pokharna G, Deb L, Jain NK, Wound healing activity of latex of Calotropis procera. IJPPS 2009;1(1):176-181.
- [29]. Wang Z, Wang M, Mei W, Han Z, Dai H, A new cytotoxic pregnanone from Calotropis procera. Molecules 2008;13(12):3033-3039.
- [30]. Chitme HR, Chandra R, Kaushik S, Studies on anti-diarrhoeal activity of Calotropis procera r. br. in experimental animals. J Pharm Pharmaceut Sci 2004;7(1):70-75.
- [31]. Chitme HR, Chandra R, Kaushik S, Evaluation of antipyretic activity of Calotropis procera (Asclepiadaceae) in experimental animals. Phototherapy Research 2005;19(5):454-456.
- [32]. Alam MA, Habib MR, Nikkon F, Khalequzzaman M, Karim MR, Insecticidal activity of root bark of Calotropis procera L. against Tribolium castaneum (Herbst). World Journal of Zoology 2009;4(2):90-95.
- [33]. Singh N, Jain NK, Kannoja P, Garud N, Pathak AK, Mehta SC, In vitro antioxidant activity of Calotropis procera hydroalcoholic leaves extract. Der Pharmacia Lettre 2010;2(3):95- 100.
- [34]. Srivastava SR, Keshri G, Bhargavan B, Singh C, Singh MM, Pregnancy interceptive activity of the roots of Calotropis procera Linn. in rats. Contraception 2007;75(4):318-322.
- [35]. Rajesh R, Raghavendra Gowda CD, Nataraju A, Dhananjaya BL, Kemparaju K, Vishwanath BS, Procoagulant activity of Calotropis procera latex associated with fibrin(ogen)olytic activity. Toxicon 2005;46(1):84-92.
- [36]. Lodhi G, Singh HK, Pant KK, Hussain Z, Hepatoprotective effects of Calotropis extract against carbon tetrachloride induced liver injury in rats. Acta. Pharm. 2009;59:89-96.
- [37]. Navdeep Ranjan Biological Morphology and Ethano-Pharmacological Importance of Calotropis Species- A Review Volume 6 Number 4 (2017) International Journal of Current Microbiology and Applied Science.
- [38]. Easu K. Plant anatomy, John Wiley and Sons, New York, 1964;59:76.
- [39]. S SARKAR Calotropis procera Linn. - A Complete Busket Of Indian Traditional Medicine 2014,INTERNATIONAL JOURNAL of PHARMACY RESEARCH

- [40]. Omenka CA, Osuoha JO. Antimicrobial potency of Grapefruit seed extract on five selected pathogens. Nigerian Journal of Microbiology. 2000;14(2):39-42.
- [41]. Jain V, Prasad V and Pandey RS. Wound healing activity of Desmodium gangeticum in Different Wound Model. Journal of Plant Sciences 2006, 1(3):247-253.