

International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 4, Issue 2, February 2024

Smart Assistive System for Visually Impaired using PI

Mr. Pratik More , Mr. Pratik Zende , Ms. Sudhamani Bhagwat , Ms. Sakshi Bomble Prof. Mr. Vikas Gaikwad

Shree Ramchandra College of Engineering, Lonikand, Pune, India

Abstract: Visually impaired individuals face significant challenges when navigating and engaging with their surroundings independently. Our solution, "Smart Assistive System for visually Impaired using pi" employs a Raspberry Pi and camera for real-time image capture, precise object classification (with over 90% accuracy), and auditory feedback. The project addresses a pressing need for greater inclusion and accessibility for the visually impaired, offering a cost- effective and innovative solution that converts visual information into non-visual cues. The "Caption-Speak" system holds the potential to significantly enhance the independence, mobility, and overall quality of life for visually impaired individuals.

Keywords: Visual Impairment, Raspberry Pi, Image Processing, Object Classification, Auditory Feedback, Accessibility, Deep Learning, User Interface, Real-time Processing

I. INTRODUCTION

Visual impairment impacts millions of individuals worldwide, limiting accessibility and independence in daily life. Navigating unfamiliar environments and recognizing objects pose significant challenges without sight. While some assistive technologies exist, they are often expensive and inaccessible to many. There is a need for an affordable, accessible smart assistive system to empower visually impaired individuals with greater mobility and independence.

This project aims to develop "Smart Assistive System for visually Impaired usingpi", an image captioning system using a Raspberry Pi and camera module to provide contextual verbal descriptions of the surroundings to visually impaired users in real-time. The system captures images, analyzes the content using computer vision and deep learning algorithms, generates descriptive captions, andreads the text aloud to the user via headphones.

Current assistive technologies are limited in accessibility, real-time capability, and accuracy of environment understanding. Our proposed system aims to overcome these limitations through optimised deep neural networks for precise context-aware captioning, efficient integration with the Raspberry Pi for real-time processing, and a user-centric design focused on accessibility and affordability.

The report provides a detailed overview of the problem, justification, proposed solution architecture, implementation plan, and expected outcomes. We survey relevant literature comparing existing systems and our innovations. The project aims to empower visually impaired individuals with greater awareness and understanding of their surroundings for increased safety, independence, and quality of life.

II. BACKGROUND

Visually impaired people face significant mobility and accessibility challenges in unfamiliar indoor and outdoor environments due to their inability to independently sense and understand the visual surroundings. The absence of affordable, accessible intelligent assistive technologies restricts their awareness, navigation, and participation in everyday activities.

There is a need for an effective computer vision-based assistive system that can automatically analyze visual environments in real-time and convey contextual understanding to visually impaired users through auditory feedback. This can greatly empower them with more independent mobility and improved awareness, safety, and quality of life. Existing assistive devices are limited in capabilities to understand and describe visual environments and objects. They also lack optimized integration with affordable hardware platforms to make them accessible to wider populations.

Copyright to IJARSCT www.ijarsct.co.in DOI: 10.48175/IJARSCT-15467



478

IJARSCT



International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 4, Issue 2, February 2024

This project aims to develop an accessible, affordable image captioning system called "Caption-Speak" to address these gaps. It uses a Raspberry Pi and camera to capture images, analyze visual content using deep learning algorithms, generate contextual descriptions, and provide audio feedback to users - converting visual inputs to audio outputs.

The system will be optimized for real-time performance, maximize captioning accuracy, and provide an intuitive user interface. This assistive solution can potentially benefit millions of visually impaired individuals worldwide by empowering them with greater awareness and independence.

III. LITERATURE SURVEY

The paper "Smart Assistive System for Visually Impaired People Obstruction Avoidance Through Object Detection and Classification" by Masud et al. (2021) focuses on developing a smart assistive aid for navigation and obstacle avoidance. The system uses a Raspberry Pi camera module for image capture and a TensorFlow object detection model to identify obstacles with over 90% accuracy. Ultrasonic sensors provide proximity alerts. This assists visually impaired individuals in independently navigating while avoiding collisions.

The paper "Text to image synthesis for improved image captioning" by Hossain et al. (2021) explores generating relevant images from captions to improve imagecaptioning systems. They employ a conditional GAN architecture called GAN space to synthesize images matching input text descriptions. This allows controlling image generation through latent space interpolation for high-quality results. The interpolated synthetic images help train improved captioning models.

The paper "An accurate generation of image captions for blind people using extended convolutional atom neural network" by Tiwary and Mahapatra (2022) focuses on image caption generation specifically for assisting blind users. The ECANN model combines CNN for feature extraction and LSTM for caption generation. It is optimised using an Adaptive Atom Search algorithm and achieves over 99% accuracy in generating human-readable captions.

The survey paper "An Overview of Image Caption Generation Methods" by Wang et al. (2020) provides a comprehensive review of various techniques for image captioning using deep learning. It summarizes progress in encoders like CNN, decoders like LSTM, attention mechanisms, evaluation metrics and datasets. It also covers limitations of current methods and future improvements.

The paper "Obstacle and Fall Detection to Guide the Visually Impaired People with Real Time Monitoring" by Rahman et al. (2020) develops a system using sensors and smartphones to detect obstacles and notify users. It also monitors for falls and automatically alerts emergency contacts for safety. The system uses Bluetooth for connectivity and achieves 98% accuracy in obstacle detection.

IV. REQUIREMENT ANALYSIS

The requirements for the image captioning system were derived from a comprehensive consultation process involving vision impairment experts, potential end-users, academic guides, and extensive literature review. These requirements have been meticulously analyzed to ensure that the system fulfills the needs of visually impaired individuals effectively.

VIDEO FEED CAPTURE AND PREPROCESSING:

- Video Capture: The system must capture real-time video feed from the environment. This is to be achieved using a Raspberry Pi camera module capable of recording video in 1080p resolution at 30 frames per second (fps).
- Preprocessing: Each video frame should undergo preprocessing techniques, including normalization and resizing, to enhance image quality, making it suitable for object detection and image captioning.

OBJECT DETECTION AND IMAGE CAPTIONING:

• Object Identification: The system should leverage an optimized deep neural network such as MobileNet to identify objects in the video frames. These objects should include, but are not limited to, people, cars, roads, and buildings, with minimal latency.

Copyright to IJARSCT www.ijarsct.co.in DOI: 10.48175/IJARSCT-15467



480



International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 4, Issue 2, February 2024

• Caption Generation: Specialized techniques, including Recurrent Neural Networks (RNNs) and attention mechanisms, should be incorporated into the system. These techniques will be used to generate multi-sentence captions that describe the scene, detected objects, their attributes, and anyactions with contextual accuracy.

AUDIO FEEDBACK:

- Caption-to-Audio: The generated captions should be seamlessly converted into high-quality audio feedback. The system should allow customization of voice and speech rate to suit the preferences and needs of the visually impaired user.
- Hands-Free Operation: To minimize interaction barriers, hands-free operation modes, including voice commands, should be implemented, allowing users to interact with the system without physical input.

ACCURACY AND LATENCY

- System Accuracy: The system must demonstrate a minimum accuracy of 95% for real-world deployment, ensuring the reliability of object identification and caption generation.
- Latency: The end-to-end latency for real-time interactivity should be keptunder 500 milliseconds to provide users with prompt and responsive feedback.



V. ARCHITECTURE

IJARSCT



International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 4, Issue 2, February 2024

VII. CONCLUSION

"Smart Assistive System for visually Impaired People Using Pi" represents a significant leap towards addressing the challenges faced by visuallyimpaired individuals in navigating and understanding their surroundings. By harnessing the capabilities of Raspberry Pi, image processing, and deeplearning, this smart assistive system not only enhances accessibility but also fosters greater independence and quality of life for its users. The commitment toongoing improvement, user-centric design, and inclusivity highlights the project's potential for making the world a more accessible place.

REFERENCES

- [1]. H. Sharma, M. Tripathi, A. Kumar, and M. S. Gaur, "Embedded assistivestick for visually impaired persons," in *Proc. 9th Int. Conf. Comput., Commun. Netw. Technol. (ICCCNT)*, Jul. 2018, pp. 1–6, doi: 10.1109/ICCCNT.2018.8493707.
- [2]. S. K. Jarraya, W. S. Al-Shehri, and M. S. Ali, "Deep multilayer perceptron-based obstacle classification method from partial visual information: Application to the assistance of visually impaired people," *IEEE Access*, vol. 8, pp. 26612–26622, 2020, doi: 10.1109/ACCESS.2020.2970979.
- [3]. Getting the Model From TensorFlow Hub. [Online]. Available: https://www.coursera.org/lecture/advanced-computer-vision-withtensorflow/getting-the-model-fromtensorflow-hub-tZDzl.
- [4]. P. Viola and M. Jones, "Rapid object detection using a boosted cascade of simple features," in Proc. Comput. Soc. Conf. Comput. Vis. Pattern Recognit., 2001, pp. 1–5.
- [5]. M. Aghagolzadeh, H. Soltanian-Zadeh, and B. N. Araabi, "Multiscale facedetection: A new approach to robust face detection," in Proc. Int. Conf. Fuzzy Syst., Jul. 2006, pp. 1229–1234.
- [6]. Chawla, "Face detection & recognition using tensor flow: A review," Int. J. Comput. Technol., vol. 18, pp. 7381–7388, Nov. 2018.

