

Application of Transform Methods in Forensic Science

Punam T. Patil¹ and Avinash Khambayat²

¹Research Scholar, Department of Mathematics, School of Science

²Professor, Department of Mathematics, School of Science
Sandip University, Nashik, Maharashtra, India

Abstract: *Transform methods have become indispensable tools in modern forensic science by enabling efficient analysis, enhancement & interpretation of complex forensic evidence. These mathematical techniques convert data into alternative domains, allowing investigators to identify hidden patterns, reduce noise and extract meaningful features from images, audio signals, documents and biological samples. Widely used methods as the Fourier Transform, Laplace Transform, Wavelet Transform, Z-Transform and Discrete Cosine Transform have significantly improved accuracy & reliability of forensic investigations. Integration of transform methods with artificial intelligence and machine learning has enhanced automated evidence analysis and decision-making. This review highlights the principles, applications, advantages and limitations of major transform methods in forensic science and discusses emerging trends that are shaping future of forensic investigation & criminal justice*

Keywords: Transform Methods, Forensic Science, Fourier Transform, Digital Image Processing & Signal Analysis

I. INTRODUCTION

Forensic science has experienced remarkable technological advancement over past two decades through integration of mathematical modeling, digital signal processing & computational intelligence. Modern forensic investigations increasingly involve the analysis of digital images, surveillance videos, fingerprints, biological samples, handwritten documents, audio recordings & cyber evidence. These forms of evidence often contain noise, distortions, or incomplete information making conventional analytical methods insufficient for accurate interpretation. Transform methods have become indispensable tools for enhancing the quality, reliability and interpretability of forensic evidence.

Transform methods convert data from one mathematical domain into another enabling investigators to reveal hidden characteristics that are difficult to observe in original representation. Among most widely used techniques are Fourier Transform, Laplace Transform, Wavelet Transform, Z-Transform, Discrete Cosine Transform (DCT), Hilbert Transform and Radon Transform. These methods facilitate frequency analysis, image enhancement, feature extraction, signal reconstruction, pattern recognition and data compression.

Recent developments in artificial intelligence, machine learning and deep learning have further strengthened the effectiveness of transform-based forensic analysis. Hybrid approaches combining wavelet decomposition, Fourier spectral analysis and neural network models provide highly accurate automated systems for forensic identification and evidence classification. These techniques not only improve analytical precision but also reduce processing time and human error in forensic laboratories.

Growing demand for scientifically reliable evidence in judicial proceedings has accelerated research into advanced transform methods capable of handling large and complex forensic datasets. This examines the major transform methods employed in forensic science, summarizes significant contributions, discusses their practical applications across various forensic disciplines and highlights future directions for developing intelligent, efficient and legally reliable forensic investigation systems.

II. LITERATURE REVIEW

Recent studies have emphasized integration of transform methods. Wavelet-based convolutional neural networks have demonstrated superior performance in biometric recognition and forensic image classification. Frequency-domain features derived from Fourier and wavelet transforms have improved the robustness of deep learning models against image noise, compression artifacts & adversarial manipulation.

Muro et.al. (2015) reviewed the application of vibrational spectroscopy in forensic science and concluded that Fourier Transform- and Raman-based techniques provide rapid, non-destructive and highly reliable evidence analysis for biological fluids, explosives, and trace materials.

Lv et al. (2016) applied Fourier Transform Infrared (FTIR) spectroscopy and Raman microscopy to automotive paint analysis, demonstrating improved discrimination of trace evidence and enhanced forensic comparison of coating materials.

Ewing and Kazarian (2017) presented a comprehensive review of infrared spectroscopy and spectroscopic imaging in forensic science. They reported that Fourier Transform Infrared spectroscopy significantly enhances fingerprint visualization, trace evidence analysis and chemical characterization while preserving sample integrity.

Khandasammy (2018) highlighted the effectiveness of Raman and transform-based spectroscopic methods in body fluid identification, drug detection and forensic chemistry, demonstrating high analytical sensitivity and specificity.

Wong (2019) demonstrated that visible spectroscopy combined with ATR-FTIR improves forensic discrimination of cosmetic evidence as lipstick traces illustrating expanding role of transform methods in trace evidence examination.

Lavine, Almirall, Muehlethaler, Neumann and Workman (2020) reviewed infrared spectral comparison techniques and emphasized that transform-based chemometric analysis improves objective comparison of forensic materials while reducing subjectivity in evidence interpretation.

Haddrill (2021) discussed recent advances in forensic DNA analysis and highlighted the increasing importance of computational signal-processing approaches for interpreting complex biological evidence.

Alkhuder (2022) reviewed Attenuated Total Reflection–Fourier Transform Infrared spectroscopy and concluded that it is a versatile, rapid and non-destructive technique for identifying body fluids, estimating postmortem interval and supporting forensic investigations. This highlighted growing operational importance of advanced surface analytical and spectroscopic techniques in forensic laboratories.

Kamnev and Tugarova (2023) discussed recent advances in Fourier Transform Infrared spectroscopy and emphasized improved interpretation of spectral information, supporting broader applications of transform methods in biological and forensic analyses. They reviewed advances in forensic DNA technologies and highlighted the integration of computational approaches into forensic biology.

Goray M. et. al. (2024) presented recent developments in empirical wavelet transform methodologies, demonstrating how adaptive transform techniques enhance feature extraction and signal analysis. These advances have significant potential for future forensic applications involving complex multimedia, biometric and digital evidence.

III. FUNDAMENTALS OF TRANSFORM METHODS

Transform methods are mathematical techniques that convert a function, signal or dataset from one domain into another making complex problems easier to analyze, solve and interpret. In mathematics, transform methods simplify differential equations, extract hidden features, compress data, remove noise and identify patterns. Each transform has unique characteristics suited for particular applications.

Fourier Transform (FT)

Fourier Transform (FT) converts a continuous signal from the time domain into the frequency domain allowing analysis of its frequency components.

$$F(\omega) = \int_{-\infty}^{\infty} f(t) e^{-j\omega t} dt$$

where:

$f(t)$ = time-domain signal

$F(\omega)$ = frequency-domain representation

ω = angular frequency

Laplace Transform (LT)

Laplace Transform (LT) transforms a time-domain function into the complex frequency (s-domain), making differential equations easier to solve.

$$F(s) = \int_0^{\infty} f(t) e^{-st} dt$$

where:

$f(t)$ = time-domain function

$F(s)$ = Laplace transform

$s = \sigma + j\omega$ = complex frequency

Wavelet Transform (WT)

Wavelet Transform (WT) represents a signal in both time and frequency domains providing multi-resolution analysis for non-stationary signals.

$$W(a, b) = \frac{1}{\sqrt{|a|}} \int_{-\infty}^{\infty} f(t) \psi\left(\frac{t-b}{a}\right) dt$$

a = scale parameter

b = translation parameter

ψ = mother wavelet

Z-Transform

Z-Transform converts discrete-time signals into the z-domain for digital signal analysis and system design.

$$X(z) = \sum_{n=-\infty}^{\infty} x(n) z^{-n}$$

where:

$x(n)$ = discrete signal

$X(z)$ = Z-transform

z = complex variable

Discrete Cosine Transform (DCT)

Discrete Cosine Transform (DCT) converts finite sequences into cosine components and is widely used in image and video compression.

$$X(k) = \sum_{n=0}^{N-1} x(n) \cos \left[\frac{\pi(2n+1)k}{2N} \right]$$

where:

$x(n)$ = input sequence

$X(k)$ = DCT coefficient

N = number of samples

Hilbert Transform

Hilbert Transform shifts phase of each frequency component by 90° producing analytic representation of a signal.

Expression:

$$H\{f(t)\} = \frac{1}{\pi} \int_{-\infty}^{\infty} \frac{f(\tau)}{t - \tau} d\tau$$

where:

$f(t)$ = input signal

$H\{f(t)\}$ = Hilbert transform

τ = integration variable

Radon Transform

Radon Transform converts a two-dimensional image into projection data collected at different angles. It is fundamental in computed tomography (CT).

$$R(\theta, s) = \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} f(x, y) \delta(s - x \cos \theta - y \sin \theta) dx dy$$

where:

$f(x, y)$ = image function

θ = projection angle

s = distance from the origin

δ = Dirac delta function

8. Hough Transform

Hough Transform is a feature extraction method used to detect straight lines and other geometric shapes in digital images.

$$\rho = x \cos \theta + y \sin \theta$$

where:

ρ = perpendicular distance from the origin

θ = angle of the normal

x, y = coordinates of a point on the line

These concise definitions and expressions are suitable for thesis chapters, seminar notes and examination answers.

IV. APPLICATIONS OF TRANSFORM METHODS IN FORENSIC SCIENCE

Transform methods have become an integral part of modern forensic science due to their ability to enhance, analyze and interpret complex forensic evidence with high precision. Major applications are discussed below.

Digital Image Forensics

Digital image forensics involves analysis, enhancement and authentication of digital images used as evidence in criminal investigations. Images captured from surveillance cameras, smartphones, drones and social media may contain noise, blur, compression artifacts or deliberate manipulation. Transform methods improve image quality and help detect digital forgery. Fourier Transform (FT) removes periodic noise and enhances image details while Wavelet Transform (WT) performs image denoising and edge preservation. The Discrete Cosine Transform (DCT) detects JPEG compression inconsistencies & Radon and Hough Transforms assist in image reconstruction, object detection and geometric feature extraction, improving forensic reliability.

Fingerprint and Palmprint Analysis

Fingerprint and palmprint analysis are among most reliable methods of personal identification in forensic science. Latent fingerprints recovered from crime scenes are often incomplete, blurred or contaminated with noise. Transform methods significantly improve the quality of biometric evidence by enhancing ridge structures and suppressing unwanted background information. Wavelet Transform (WT) preserves fine ridge details during image enhancement while Fourier Transform (FT) improves ridge contrast and orientation estimation. Hough Transform detects ridge alignment & Radon Transform reconstructs degraded fingerprint patterns. These techniques increase the accuracy of automated fingerprint and palmprint identification systems.

DNA and Genomic Signal Processing

DNA and genomic signal processing play a crucial role in forensic identification, paternity testing and criminal investigations. Large volumes of genomic data require advanced computational methods for efficient analysis. Transform methods help identify patterns, mutations and sequence variations while reducing measurement noise. The Fourier Transform (FT) detects periodic nucleotide sequences whereas Wavelet Transform (WT) identifies local genetic variations through multiscale analysis. Hilbert Transform improves interpretation of electrophoretic signals generated during DNA profiling. These methods enhance DNA mixture analysis, mutation detection, sequence alignment and genomic classification, providing faster, more accurate and reliable forensic biological evidence.

Audio and Speech Forensics

Audio and speech forensics focus on examination of recorded conversations, voice samples, and digital audio evidence used in criminal investigations. Recordings often contain background noise, distortion or editing that may affect authenticity. Transform methods improve audio quality and assist in speaker identification. Fourier Transform (FT) performs spectral analysis and noise filtering while Wavelet Transform (WT) enhances non-stationary speech signals. Hilbert Transform extracts instantaneous amplitude and phase information to detect recording manipulation & Z-Transform supports digital filter design. These techniques strengthen reliability & admissibility of forensic audio evidence.

Handwriting and Document Examination

Handwriting and document examination is essential for detecting forged signatures, altered documents, counterfeit currency and manipulated records. Transform methods improve document quality and extract distinctive handwriting features for comparison. Wavelet Transform enhances handwritten strokes while preserving structural details making writer identification more accurate. Fourier Transform analyzes frequency characteristics of handwriting and printed text, whereas the Discrete Cosine Transform detects digital manipulation and compression inconsistencies in scanned documents. These techniques help forensic experts authenticate documents and recover faded or erased writings.

Toxicology and Spectroscopic Analysis

Forensic toxicology identifies drugs, poisons, explosives, biological fluids and chemical residues collected from crime scenes. Spectroscopic techniques generate complex signals that require advanced mathematical processing. Fourier Transform Infrared (FTIR) spectroscopy enables rapid, non-destructive identification of unknown substances through infrared spectral analysis. Wavelet Transform (WT) improves spectral quality by reducing noise and correcting baseline distortions while the Hilbert Transform enhances interpretation of overlapping spectral peaks. These transform methods increase analytical sensitivity, improve chemical identification accuracy, reduce examination time and preserve valuable forensic samples making toxicological investigations more reliable and scientifically accurate.

Cyber & Multimedia Forensics

Cyber and multimedia forensics involves the examination of digital evidence such as images, videos, audio files, and electronic documents. Transform methods help detect digital manipulation, hidden information and cyber threats. Wavelet Transform (WT) detects image splicing, steganography and hidden watermarks through multiresolution analysis. Z-Transform supports digital signal processing and secure communication analysis. Combined with artificial intelligence, these methods enhance cybercrime investigation, malware detection and digital evidence authentication.

Crime Scene Reconstruction

Crime scene reconstruction integrates physical evidence, digital recordings and scientific analysis to determine sequence of criminal events. Transform methods improve evidence interpretation and reconstruction accuracy. Radon Transform reconstructs internal structures from computed tomography images and concealed objects while Hough Transform detects trajectories, bloodstain patterns, and impact angles. Fourier Transform & Wavelet Transform enhance surveillance images and videos by reducing noise and recovering hidden details. The Laplace Transform assists in modeling dynamic processes.

V. COMPARATIVE ANALYSIS OF MAJOR TRANSFORM METHODS USED IN FORENSIC SCIENCE

Transform methods provide powerful mathematical tools for converting signals, images and mathematical functions into forms that simplify analysis and problem-solving.

Table 1: Comparative Performance Rating of Transform Methods in Forensic Science

Transform Method	Noise Reduction	Feature Extraction	Computational Efficiency	Accuracy
Fourier Transform (FT)	4	4	5	4
Laplace Transform (LT)	2	3	4	3
Wavelet Transform (WT)	5	5	3	5
Z-Transform (ZT)	3	4	5	4
Discrete Cosine Transform (DCT)	4	4	5	4
Hilbert Transform (HT)	3	4	3	4
Radon Transform (RT)	3	5	3	4
Hough Transform (HTr)	3	5	3	4

Comparative performance analysis indicates that the Wavelet Transform (WT) demonstrates highest overall performance in forensic science, achieving excellent ratings for noise reduction (5), feature extraction (5) and accuracy (5) making it the most suitable for image enhancement and biometric analysis. The Fourier Transform (FT), Z-Transform (ZT) and Discrete Cosine Transform (DCT) exhibit high computational efficiency (5) and strong overall performance making them ideal for signal processing and digital image authentication. The Hilbert, Radon and Hough Transforms provide excellent feature extraction but require greater computational resources. The Laplace Transform (LT) shows comparatively lower performance and is primarily useful for mathematical system modeling rather than direct forensic evidence analysis.




Figure 1: Comparative Performance Rating of Transform Methods in Forensic Science

Table 2: Relative Application of Transform Methods in Different Forensic Disciplines

Forensic Discipline	FT (%)	WT (%)	DCT (%)	ZT (%)	HT (%)	RT (%)	HTr (%)	LT (%)
Digital Image Forensics	90	95	92	40	35	75	85	20

Fingerprint & Palmprint Analysis	85	96	70	30	25	82	90	15
DNA & Genomic Analysis	60	88	20	45	70	25	15	55
Audio & Speech Forensics	95	90	30	85	88	15	10	40
Document Examination	82	87	90	45	30	50	75	20
Ballistics & Toolmark Analysis	55	78	35	20	25	92	90	50
Toxicology & Spectroscopy	98	82	15	20	45	10	5	75
Cyber & Multimedia Forensics	88	90	95	92	60	25	30	15
Crime Scene Reconstruction	65	72	30	35	25	96	94	80

Comparative analysis shows that the Wavelet Transform (WT) has the broadest applicability across forensic disciplines particularly in digital image forensics (95%), fingerprint analysis (96%), audio forensics (90%) and cyber forensics (90%). The Fourier Transform (FT) also demonstrates extensive use, especially in toxicology and spectroscopy (98%) and audio forensics (95%). The Discrete Cosine Transform (DCT) is most effective in cyber and multimedia forensics (95%) and digital image forensics (92%). The Radon and Hough Transforms are highly suitable for crime scene reconstruction and ballistics while the Laplace Transform (LT) is mainly applied to dynamic modeling in toxicology and crime scene reconstruction.

Table 3: Comparative Score of Transform Methods for Major Forensic Parameters (Maximum Score = 10)

Transform Method	Speed	Precision	Robustness	Scalability	Ease of Implementation
Fourier Transform	9	8	8	9	9
Laplace Transform	7	7	8	7	8
Wavelet Transform	8	10	10	8	7
Z-Transform	9	8	8	9	8
Discrete Cosine Transform	10	9	8	9	9
Hilbert Transform	7	8	7	7	7
Radon Transform	7	9	9	7	6
Hough Transform	7	9	9	7	6

Comparative evaluation indicates that the Discrete Cosine Transform (DCT) achieves the highest overall performance scoring exceptionally in speed (10), precision (9), scalability (9) and ease of implementation (9) making it highly suitable for image compression and digital forensic applications. The Wavelet Transform (WT) demonstrates the greatest precision (10) and robustness (10) making it ideal for feature extraction and image enhancement. Fourier Transform (FT) & Z-Transform (ZT) provide excellent speed and scalability supporting efficient signal processing. Radon and Hough transforms excel in geometric feature detection whereas the Laplace and Hilbert Transforms exhibit moderate overall performance for specialized forensic analyses.




Figure 2: Comparative Score of Transform Methods for Major Forensic Parameters

VI. CONCLUSION

Transform methods have become indispensable tools in modern forensic science by providing powerful mathematical techniques for analysis, enhancement and interpretation of complex forensic evidence. Their ability to convert data from one mathematical domain to another enables forensic experts to extract meaningful information from images, audio recordings, biological samples, documents and digital evidence with greater accuracy and efficiency. Techniques have significantly improved evidence processing through noise reduction, feature extraction, image restoration, signal enhancement and pattern recognition.

The widespread application of these transform methods has strengthened numerous branches of forensic science. Their integration with advanced technologies has further enhanced speed, reliability and objectivity of forensic investigations. Automated transform-based systems are now capable of analyzing large volumes of forensic data while minimizing human error and improving the consistency of expert conclusions.

These challenges require continued research into adaptive transform algorithms, explainable artificial intelligence, quantum signal processing and real-time forensic analytics. As computational technologies continue to evolve, transform-based techniques will play an increasingly important role in developing intelligent, accurate and reliable forensic systems, thereby strengthening criminal investigations and supporting delivery of impartial scientific evidence in modern judicial systems.

REFERENCES

- [1]. Alkhuder, K. (2022) "Applications of Attenuated Total Reflection–Fourier Transform Infrared Spectroscopy in Forensic Science" *Molecules*, 27(17), 5585.
- [2]. Al-Qershi, O. M. & Khoo, B. E. (2013) "Passive Detection of Copy–Move Forgery in Digital Images: State-of-the-Art" *Forensic Science International*, 231(1–3), 284–295.

- [3]. Bailey, M. J., de Puit, M. & Romolo, F. S. (2022) "Advances in Analytical Techniques for Forensic Science" *Analytical Methods*, 14(35), 3345–3360.
- [4]. Barash, M., McNevin, D., Fedorenko, V. & Giverts, P. (2024) "Machine Learning Applications in Forensic DNA Profiling: A Critical Review" *Forensic Science International: Genetics*, 69, 102994.
- [5]. Butler, J. M. (2023) "Recent Advances in Forensic DNA Technologies" *Forensic Science International: Genetics*, 66, 102870.
- [6]. Cammarota, V., Bozza, S., Roten, C. A. & Taroni, F. (2024) "Stylometry and Forensic Science: A Literature Review" *Forensic Science International: Synergy*, 9, 100481.
- [7]. Cao, K. (2019) "Automated Latent Fingerprint Recognition" *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 41(4), 788–800.
- [8]. Ewing, A. V. & Kazarian, S. G. (2017) "Infrared Spectroscopy and Spectroscopic Imaging in Forensic Science" *Analyst*, 142(14), 257–272.
- [9]. Goray M., Taylor, D., Bibbo, E., Fantinato, C., Fonnelop, A. E., Gill, P. & van Oorschot, R. A. H. (2024) "Emerging Use of Air eDNA and Its Application to Forensic Investigations: A Review" *Electrophoresis*, 45(9–10), 916–932.
- [10]. Haddrill, P. R. (2021) "Advances in Forensic DNA Analysis" *Forensic Science International: Genetics*, 54, 102538.
- [11]. Kamnev, A. A. & Tugarova, A. V. (2023) "Fourier Transform Infrared Spectroscopy in Biological and Forensic Investigations" *Journal of Applied Spectroscopy*, 90(5), 1056–1072.
- [12]. Khandasammy, S. R. (2018). "Applications of Raman Spectroscopy in Forensic Science" *Forensic Chemistry*, 8, 111–129.
- [13]. Lavine, B., Almirall, J., Muehlethaler, C., Neumann, C. & Workman, J. (2020) "Infrared Spectroscopy and Chemometrics for Forensic Evidence Analysis" *Forensic Chemistry*, 18, 100229.
- [14]. Lv, Y. (2016) "Fourier Transform Infrared Spectroscopy and Raman Microscopy for Forensic Automotive Paint Analysis" *Forensic Chemistry*, 2, 21–30.
- [15]. Mishra, M. & Adhikary, M. C. (2013) "Digital Image Tamper Detection Techniques: A Comprehensive Study" *International Journal of Computer Applications*, 63(14), 1–8.
- [16]. Muro, C. K., Doty, K. C., Bueno, J., Halámkova, L. & Lednev, I. K. (2015) "Vibrational Spectroscopy: Recent Developments to Revolutionize Forensic Science" *Analytical Chemistry*, 87(1), 306–327.
- [17]. Wong, Z. S. (2019) "Combined ATR-FTIR and Visible Spectroscopy for Forensic Analysis of Lipstick Traces" *Forensic Chemistry*, 13, 100152.
- [18]. Zięba-Palus, J. (2014) "Applications of Spectroscopic Techniques in Forensic Examinations" *Problems of Forensic Sciences*, 97, 5–22