

Kidney Disease Classification

Mohammad Faizan Maniyar¹, Yash Nagtode², Bhalchandra Patil³

Student, Artificial Intelligence, GH. Raisoni College of Engineering and Management, Pune, India¹

Student, Artificial Intelligence, GH. Raisoni College of Engineering and Management, Pune, India²

Student, Artificial Intelligence, GH. Raisoni College of Engineering and Management, Pune, India³

Abstract: *Kidney diseases, such as tumors, cysts, and stones, are serious health conditions that affect millions globally. Medical imaging, particularly Computed-Tomography (CT) scans, plays an important role in diagnosing these conditions.*

Although, manual analysis of CT images by radiologist can be tiresome, fallible, and affected by human variability. This paper introduces a deep learning approach that employs Convolutional Neural Networks (CNN) for the automated classification of kidney CT scan images into four distinct categories : normal, cysts, tumors, and stones. The system is designed to boost diagnostic accuracy, reduce human error, and expedite clinical decision making. Through data preprocessing, CNN architecture design, training, and evaluation, the proposed model achieved a classification accuracy of 92%.

This study highlights the significance of CNNs in medical image analysis and their implicit for real-time deployment in clinical surroundings. Additionally, we compare our CNN-based approach with other advanced architectures like Vision Transformers, demonstrating CNNs' robustness and efficiency in this domain.

Keywords: Artificial Intelligence, Image Classification, Tensorflow, Deep Learning, VGG16 Model, CNN

I. INTRODUCTION

Understanding the Problem

The kidneys are essential for filtering blood and regulating the body's fluid balance, but conditions such as tumors, cysts, and stones can significantly impact their function. Chronic kidney disease affects around 10% of adult globally, posing serious health risks. While Computed Tomography (CT) scans are commonly used to diagnose these conditions, manual interpretation can be slow, prone to human error, and subject to diagnostic variability. To address these limitations, Artificial Intelligence and Machine Learning technique, especially Convolutional Neural-Networks (CNNs), have become effective tools in medical image analysis. CNNs excel at image classification tasks and offer great potential for automating the analysis of kidney CT images. This paper presents a deep learning-based system using CNNs to classify kidney CT images into four categories: normal, cysts, tumors, and stones, with the goal of improving diagnostic accuracy and efficiency for radiologists.

Role of Convolutional Neural Networks

CNN is deep learning architecture, created specially for the process of image data. They are particularly suited to object recognition, image classification, and segmentation tasks. Grounded on the idea of brain excrescence discovery, CNN can learn patterns and features in MRI images that indicate the presence of a excrescence.

System Architecture: An abstracted view of the usual steps involved in automatic kidney tumor detection using CNN would look something like this:

Data Preprocessing

- Image Acquisition: A sufficient amount of data is gathered comprising CT Scan images of kidney that include both tumorous and non-tumorous cases.
- Image Augmentation: Rotation, flipping, and scaling techniques may be used to increase data diversity for improving generalization.

- Normalization: The images' pixel values were scaled to fall within the range of [0, 1], which helped speed up the convergence during model training.

CNN Architecture Design:

- Convolutional Layers: These layers use filters on the input image to generate feature maps, capturing various details like edges and textures.
- Pooling Layer: Reduce the dimensionality while retaining the important information from feature-maps.
- Fully Connected Layers: It combines the extracted features and classifies the input as either tumorous or nontumorous

Training:

- **Loss Function:** This is cross-entropy loss, a method frequently used for multi-class classification tasks.
- **Optimization:** Adam optimizer adjusts the learning rate dynamically for faster convergence.
- **Batch Size:** 32 images per batch, ensuring efficient use of memory during training.
- **Epochs and Batches:** Employed CNN training in more than one epoch by means of a batch or number of batches to maintain efficiency.

Evaluation:

- **Test Set:** The test set consisted of 500 CT images (20% of the total dataset) not seen by the model during training.
- **Metrics:** The CNN model got 92.01% accuracy, with 90.02% precision and 91% recall. The F1 Score was 90.5%, showing balanced and reliable performance.

With great design in the architecture of CNNs and addressing all these challenges, tumor detection in the brain could be done using an automated system for the medical prognosis and thus improving the outcomes of patients.

II. LITERATURE REVIEW

Deep learning has made major strides in medical imaging, with Convolutional Neural Networks (CNNs) and Vision Transformers being two of the most prominent technologies driving these advancements. CNNs, in particular, have been widely adopted due to their proficiency in image classification and CNNs can automatically identify and learn detailed features from medical images. Peyrard et al. (2023) conducted a study comparing Multi-Layer Perceptrons (MLPs) and CNNs for various image classification tasks. Their findings highlighted that while MLPs have some benefits, CNNs outperform them when it comes to handling complex image features, especially in tasks that require deep layers of image analysis. This makes CNNs an ideal choice for medical imaging, where the data involves intricate structures and patterns, such as kidney images from CT scans.

Vision Transformers have also gained attention for their innovative approach to processing visual data, and Subedi et al. (2023) applied this technology to classify kidney CT images, yielding promising results. Vision Transformers treat images as sequences and use self-attention mechanisms to process different patches of the image. While the results were impressive, CNNs continue to be favored in medical applications due to their proven efficiency in managing large datasets and their ability to extract hierarchical features—an essential requirement for detailed medical image analysis. CNNs can effectively capture both global and local image features, making them particularly valuable in the diagnosis and classification of kidney conditions such as tumors, cysts, and stones.

In addition to this, transfer learning techniques have further enhanced the capabilities of CNN models in medical imaging. Islam et al. (2022) explored the use of transfer learning with pre-trained CNN models like ResNet and VGG for classifying kidney abnormalities such as cysts, tumors, and stones. Their research demonstrated that even with minimal training data, these pre-trained models achieved excellent results, thereby underscoring the versatility and power of CNNs in resource-constrained environments. While Vision Transformers are gaining traction, CNNs remain a reliable and efficient tool for medical image analysis, offering high accuracy, scalability, and adaptability for a variety of healthcare applications.

III. METHODOLOGY

Any methodology involving the use of a CNN to detect a kidney disease would involve a few major steps, which are highlighted below:

To classify kidney diseases using CT images and CNN, we followed a step-by-step approach that begins with gathering and preparing the data. First, we collected CT images showing different kidney conditions, including normal kidneys, cysts, tumors, and stones. These images were then preprocessed by adjusting their size, enhancing contrast, and normalizing pixel values to ensure consistency. This preprocessing helps the model focus on important features. After this, we split the data into two sets training and testing to help build and evaluate the model effectively.

Next, we designed the CNN model specifically for classifying kidney diseases. We experimented with key settings like learn-ing rate, number of layers, and batch size to get the best results. As the model was trained using the training data, its performance was been tracked using the validation set. To reduce overfitting and improve the model's capacity to generalize to new, unseen data, we used approaches like data augmentation and dropout during training.

After training, the model's correctness was measured by the test set. We calculated key performance-metrics include precision, recall, F1-score, and overall correctness to see how well the model was identifying different kidney conditions. We also compared the CNN's performance to other advanced models like Vision Transformers to confirm the robustness of our approach.

Once we achieved strong results, we integrated the trained model into a user-friendly tool for clinicians and radiologists. This tool can be used in real-time to assist in diagnosing kidney conditions. By gathering ongoing feedback from medical professionals, the model is continuously refined to ensure it stays accurate and effective over time. This collaborative effort between AI developers and medical experts ensures that the model remains helpful and relevant in clinical settings.




Fig. 1. samples of kidney Images

CNN Architecture:

The model structure used for kidney tumor detection is a convolutional neural network (CNN) built to categorize CT images into four groups: normal, cyst, tumor, and stone. It includes several convolutional layers, starting with 32 filters and increasing to 128 filters to capture image features effectively. Each convolutional layer is succeeded by a ReLU activation function, batch normalization, and max pooling to extract prominent features and reduce dimensionality.

The network's fully connected layers learn complex patterns, with the final softmax layer categorizing the images into the four classes. The combination of dropout layers helps reduce overfitting, improving the model's generalization capability.

This CNN design ensures effective feature extraction while maintaining computational efficiency, making it suitable for medical applications like kidney tumor detection.

$$C(h, d) = (k * f)(h, d) = \sum_i \sum_j k(h - i, d - j) f(i, j)$$

where

$C(h, d)$: Indicates the output of the convolutional layer at the specified position (h, d) .

k : Denotes the kernel used in the convolution operation.

f : Represents the input image or feature map.

$(k * f)(h, d)$: Denotes the convolution process between the kernel and the input image at the specified position (h, d) .

The convolution operation consists of moving the kernel across the input image, multiplying the kernel values with the corresponding input image values, and summing up the results to generate the output feature map at position $(h-i, d-j)$.




Fig.2. Convolutional Neural Network Architecture

Input					Kernel			Transformed Feature Map		
0	0	0	0	0	0	0	0	8	16	13
0	3	5	8	0	1	1	1	9	13	6
0	7	2	4	0	0	0	0	10	14	13
0	1	9	4	0						
0	0	0	0	0						

Fig. 3. Convolution performed on a 5x5 image with a 3x3 kernel.




Fig.4. Relu




Fig.5. Drop Out Layer

IV. CONCLUSION

Using machine learning, particularly deep learning models such as Convolutional Neural Networks, has greatly improved how we analyze medical images. In this study, CNNs were applied to kidney CT scans to classify them into

categories like normal, cysts, tumors, and stones. This approach helps doctors diagnose kidney problems more accurately and quickly.

One big advantage of using CNNs in kidney disease detection is their ability to catch early signs of issues. These models can continuously scan CT images, picking up on small changes in the kidney that might indicate the start of a disease. Detecting these changes early allows doctors to treat patients sooner, which can lead to better health outcomes. The model in this study was trained on 4,000 CT images and tested on 1,000, achieving a strong accuracy of 92%. This shows that CNNs can be a valuable tool in medical diagnostics, helping healthcare professionals make more informed decisions.

Although, the effectiveness of these models relies significantly on the quality and diversity of the data used for training. Challenges also remain in dealing with the complex nature of kidney diseases and the ethical considerations of using AI in healthcare.

Thus, despite the challenges, the future looks bright. As machine learning continues to improve and medical imaging technology advances, these automated systems will likely play a bigger role in diagnosing kidney diseases and improving patient care.

V. ACKNOWLEDGMENT

We would like to express our sincere appreciation to all people and institutions who made this research on kidney disease classification possible. First of all, we are deeply grateful to the members of the academic committee who were always present on the work and offered their guidance, endorsement, and comments that were important to the focus and quality of the work.

REFERENCES

- [1]. Clément Peyrard^{1,2}, Franck Mamalet¹ and Christophe Garcia^{2,1} (2023). Garcia^{2,1} Orange Labs, 4 rue du Clos Courtel, 35512 Cesson-S'Evign e, France² LIRIS, INSA Lyon, 20 avenue Albert Einstein, Villeurbanne, France Engineering (ECCE), 16.
- [2]. Suresh Timilsina¹, Roshan Subedi¹, Smita Adhikari¹ (2023). "Using an improved Deep learning model to classify kidney CT scan images".
- [3]. Mehedi Hasan¹, Md Nazmul Islam², Md. Kabir Hossain³, Md Zia Uddin⁴, Md. "The use of Vision Mills (ViTs) combined with resolvable transfer literacy models offers promising approach for the automatic discovery of order excrescencies, monuments, and excrescences in CT checkup images.
- [4]. Feyza Altunbey Özbay, Erdalozbay, "Kidney tumor classification on CT images using self supervised Learning Computers in Biology and Medicine 176(6):108554 176(6):108554".