

International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 6, March 2025

# **Collision Avoidance System for Hairpin Curves in Ghats**

Om Chaudhari, Vaibhav Hembade, Kartik Kumbhakaran, Ajay Aachat

Department of Civil Engineering Guru Gobind Singh Polytechnic, Nashik, Maharashtra, India

**Abstract:** Hairpin curves in the Ghats present significant challenges for drivers due to their sharp turns, steep inclines, limited visibility, and unpredictable weather conditions. These factors contribute to a high risk of accidents, necessitating advanced safety measures. This research focuses on the development of a Collision Avoidance System designed to enhance road safety in such hazardous environments. The system integrates ultrasonic, infrared, and radar sensors to detect potential obstacles and analyze vehicle proximity in real time.

Through automated alerts, driver assistance mechanisms, and adaptive braking controls, the system aims to minimize collision risks. By leveraging modern sensor technology, AI-driven data analysis, and real-time monitoring, this solution enhances driver awareness and ensures safer navigation through the treacherous Ghats region.

This research focuses on the development of a Collision Avoidance System specifically designed for hairpin curves in mountainous terrains. The system integrates ultrasonic, infrared, and radar sensors to detect vehicles, obstacles, and environmental conditions in real time. Machine learning algorithms and AI-based data analysis enable predictive collision detection by analyzing vehicle speed, trajectory, and surrounding hazards. The system features automated alerts (visual, auditory, and haptic warnings), driver assistance mechanisms, and adaptive braking and steering controls to prevent accidents.

# Keywords: Ghats region

# I. INTRODUCTION

Navigating hairpin curves in the Ghats poses significant challenges for drivers due to steep inclines, sharp turns, limited visibility, and unpredictable weather conditions such as dense fog and heavy rainfall. These factors contribute to a high incidence of accidents, making road safety a critical concern in such regions. Traditional safety measures like signboards, reflective markers, and speed limits are often insufficient in preventing collisions, especially in high-traffic areas.

This research focuses on the development of a Collision Avoidance System specifically designed for hairpin curves in mountainous terrains. The system integrates ultrasonic, infrared, and radar sensors to detect vehicles, obstacles, and environmental conditions in real time.

Machine learning algorithms and AI-based data analysis enable predictive collision detection by analysing vehicle speed, trajectory, and surrounding hazards. The system features automated alerts (visual, auditory, and haptic warnings), driver assistance mechanisms, and adaptive braking and steering controls to prevent accidents.

#### **II. CONVENTIONAL SENSORS**

Sensors play a critical role in collision avoidance systems by detecting obstacles, monitoring vehicle surroundings, and providing real-time data for automated safety mechanisms. These sensors work by analyzing distance, speed, direction, and environmental conditions, helping to prevent accidents on hazardous roads such as hairpin curves in the Ghats. **Types of Sensors :-**

• Ultrasonic Sensors- Emit high-frequency sound waves that reflect off objects, measuring the time delay to determine distance.

Copyright to IJARSCT www.ijarsct.co.in DOI: 10.48175/IJARSCT-24291



451



International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

#### Volume 5, Issue 6, March 2025

- Infrared (IR) Sensors– Use infrared light to detect heat signatures or object presence.
- Radar Sensors- Emit radio waves that reflect off objects to measure speed, distance, and movement
- Camera-Based Sensors Capture real-time images and videos to identify obstacles, lane markings, and traffic signs.
- GPS sensor- GPS sensors track vehicle position and communicate with traffic systems to provide navigation data.
- ٠ Cantilever Bridge – Built using projecting beams supported on one end.

# **III. SMART SYSTEM**

A sensor system in a collision avoidance system (CAS) consists of multiple sensors working together to detect obstacles, assess risks, and take preventive actions to avoid accidents.

#### **Key Features:**

Here are the key features:

Object Detection & Data Collection: The system continuously scans the vehicle's surroundings using various sensors such as ultrasonic, radar, lidar, infrared, and cameras.

Data Processing & Risk Assessment the sensor data is sent to the Electronic Control Unit (ECU) or an AI-based processing system. The system analyzes object speed, distance, direction, and movement patterns using algorithms.

Alert Mechanism & Driver Assistance: If a potential collision is detected, the system activates warning signals such as:

Visual Alerts (flashing dashboard lights, HUD warnings) Auditory Alerts (beeping sounds, alarms) Haptic Feedback (vibrating steering wheel or seat)

Automatic Intervention: If the driver does not respond in time, the system can take automatic action to prevent a collision.

Communication with Other Vehicles: Vehicle-to-Vehicle (V2V) and Vehicle-to-Infrastructure (V2I) communication helps in sharing data between vehicles and road infrastructure.

#### V. LITERATURE SURVEY

A literature study provides an overview of previous research, methodologies, and technological advancements related to collision avoidance systems in challenging terrains like hairpin curves in Ghats. The following studies and technologies form the foundation for developing an effective collision avoidance system .:

#### 1. Smart Navigation for Mountain Roads

Ramakrishnan et al. (2019) studied a smart navigation system designed for mountain roads with collision avoidance features. Their study highlighted importance of real-time vehicle tracking usingGPS and sensorfusion. The use of radar and infrared sensors for detecting vehicles in low visibility conditions. A communication-based warning system to alert approaching vehicles about road hazards.

#### 2. Adaptive Fuzzy Logic for Collision Prevention

Chen et al. (2020) introduced an adaptive fuzzy logic-based collision avoidance system for intelligent vehicles. The study focused on:

Implementing machine learning models to predict accident-prone scenarios. Using Lidar and camera-based sensors to identify pedestrian movement and unexpected objects. Developing automated braking and steering assistance for accident prevention.

#### 3. Proximity Sensor-Based Collision Detection

Singh et al. (2018) conducted research on sensor-based object detection in narrow roads and blind spots Their study used Ultrasonic sensors for detecting objects in low-speed navigation (parking, reversing, tight turns). Radar sensors for long-range detection of moving vehicles. A multi-sensor fusion approach to improve detection accuracy in high-speed driving conditions.

# 4. V2I and V2V Communication for Road Safety

Ministry of Road Transport and Highways (MoRTH, 2022) and National Highway Authority of India ISSN (NHAI,2023)provided guidelines on: 2581-9429 Copyright to IJARSCT 452

IJARSCT

www.ijarsct.co.in

DOI: 10.48175/IJARSCT-24291

# IJARSCT



International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

#### Volume 5, Issue 6, March 2025

Implementing Vehicle-to-Infrastructure (V2I) communication for real-time traffic condition monitoring. Using Vehicle-to-Vehicle (V2V) communication for collision prevention alerts. Deploying smart road signs and automated warning signals for dangerous curves.

# **VI. PROBLEM DEFINITION**

#### Background

Hairpin curves in the Ghats are among the most dangerous road sections, posing significant challenges to drivers due to their steep gradients, sharp turns, and limited visibility. These roads, often located in mountainous terrains, are prone to accidents caused by poor sightlines, sudden elevation changes, and unpredictable weather conditions such as fog and rain.

#### **Problem Statement**

Hairpin curves in the Ghats present significant safety challenges due to their sharp turns, steep inclines, limited visibility, and unpredictable weather conditions. These factors contribute to frequent collisions, vehicle skidding, and loss of control, especially for heavy vehicles and inexperienced drivers.

The solution must address the following challenges:

- **Real-Time Obstacle Detection & Monitoring**: Integration of ultrasonic, radar, infrared, and camera-based sensors to detect nearby vehicles, pedestrians, and road obstacles..
- Early Warning & Driver Assistance System: Visual and auditory alerts to warn drivers about upcoming sharp curves, vehicles in blind spots, and potential collisions.
- Automated Braking & Steering Assistance: Adaptive braking system to slow down the vehicle if an imminent collision is detected.
- **GPS-Based Navigation & Safe Route Guidance**: **Real-time navigation system** that provides recommended speeds and route adjustments for sharp turns.
- Smart Road Infrastructure Enhancements: Installation of automatic LED warning signals that activate when vehicles approach dangerous curves.

# VII. OBJECTIVES

# Objectives of the Collision Avoidance System for Hairpin Curves in Ghats:

# Objectives of the Collision Avoidance System for Hairpin Curves in Ghats:

Design a real-time sensor-based system using ultrasonic, radar, infrared, LiDAR, and camera sensors to detect obstacles, vehicles, and pedestrians.

Ensure high-accuracy object recognition in low visibility conditions such as fog, rain, and nighttime driving.

#### Implement a Driver Warning and Assistance Mechanism:

Provide real-time alerts (visual, auditory, and haptic feedback) to warn drivers of potential collisions.

#### Enable Automated Safety Features:

Integrate automatic emergency braking (AEB) to reduce impact in critical situations.

Implement steering assistance to help vehicles stay within safe lanes on sharp curves.

#### Utilize Vehicle-to-Infrastructure:

Develop a smart road infrastructure with connected LED warning signs, traffic signals, and live road condition updates..

#### Enhance GPS-Based Navigation for Safer Route Planning:

Integrate GPS and AI-driven navigation systems that suggest the safest driving speeds and alternative routes...

# Improve Road Safety Through AI & Machine Learning:

Analyze historical accident data to predict and prevent future collisions. Continuously optimize system performance through machine learning algorithms.

#### Provide Emergency Response and Incident Reporting:

Develop an automatic SOS system that alerts emergency services in case of a collision. Enable live vehicle tracking to help rescue teams locate accident sites quickly.

DOI: 10.48175/IJARSCT-24291



# IJARSCT



International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

#### Volume 5, Issue 6, March 2025

#### **Conduct Testing and Field Validation:**

Test the system in real-world hairpin curve conditions to validate its effectiveness. Ensure high reliability and minimal false alerts in different weather and traffic conditions.

# VIII. PROPOSED DETAIED METHODOLOGY

# Conceptual Design:

Identify the technical requirements for collision detection and avoidance.

Define the types of sensors (ultrasonic, radar, LiDAR, infrared, cameras) and their placement on vehicles and infrastructure..

# Sensor Integration & Data Acquisition:

Install ultrasonic, radar, and LiDAR sensors to monitor nearby objects and detect obstacles.

Use infrared and camera-based sensors for low-visibility detection (fog, night, and rain conditions)..

# Collision Detection & Risk Analysis:

Implement AI and machine learning algorithms to analyze sensor data and predict potential collisions. Develop a realtime processing unit to detect vehicles, pedestrians, and obstacles dynamically..

# Driver Alert Mechanism & Safety Assistance:

Provide real-time alerts to drivers through auditory (beeping alarms), visual (dashboard warnings), and haptic (steering wheel vibrations) feedback.

Integrate adaptive braking and steering assist to prevent collisions in emergency situations..

# Vehicle-to-Infrastructure (V2I) & Vehicle-to-Vehicle(V2V)Communication:

Establish real-time data exchange between vehicles and roadside infrastructure. Implement V2V communication to enable vehicles to share:.

# **GPS-Based Navigation & Route Optimization:**

Integrate GPS navigation with AI-based risk prediction to suggest safer speeds and alternative routes. Implement geofencing technology to control vehicle speeds in high-risk hairpin curves..

#### System Testing & Field Validation:

Conduct simulation-based testing using traffic models to assess system performance. Deploy prototypes on real-world ghat roads and monitor system accuracy..

#### **Deployment & Continuous Monitoring**:

Implement the system in high-risk ghat areas with a history of frequent accidents. Establish a centralized monitoring unit to oversee system performance and gather feedback.

# **IX. CONCLUSION**

In conclusion the development of a Collision Avoidance System (CAS) for hairpin curves in Ghats presents a transformative solution to the critical safety challenges associated with sharp turns, steep inclines, and low visibility conditions. By integrating advanced sensors, AI-driven risk analysis, real-time driver alerts, and automated intervention mechanisms, this system enhances road safety, reduces accidents, and provides better situational awareness for drivers.

#### REFERENCES

[1] National Highway Authority of India (NHAI). (2023). Safety Guidelines for Road Design. New Delhi: NHAI.

[2] Ministry of Road Transport and Highways (MoRTH). (2022). Road Safety Policy. New Delhi: MoRTH..

[3] Chen, C., Li, Z., Zhang, Y., Yang, L., & Shen, Y. (2020). A Novel Collision Avoidance System for Intelligent Vehicles Based on Adaptive Fuzzy Logic. IEEE Access, 8, 71752–71762..

[4] Singh, A., Verma, R., & Nair, P. (2018). Sensor-Based Object Detection for Blind Spots and Narrow Roads. International Journal of Intelligent Transport Systems, 12(3), 210–225.

[5] Zhao, X., Wang, L., & Feng, J. (2019). *Real-Time Obstacle Detection and Warning System for Curved Roads using LiDAR and AI.International Conference on Machine Learning and Autonomous Vehicles*, Springer, pp. 120–135

Copyright to IJARSCT www.ijarsct.co.in DOI: 10.48175/IJARSCT-24291



454