

ISSN: 2581-9429

International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 11, April 2025



Facial Attendance Hub: A Smart Attendance

System using Face Recognition

Prof Ashwini Wakodikar¹, Rupal Khobragade², Bhawana Asatkar³

Assistant Professor, Computer Application¹ MCA, Computer Application^{2,3}

K. D. K College of Engineering, Nagpur, Maharashtra, India

a shwini.wakodikar@kdkce.edu.in, rupalkhobragade.mca 23@kdkce.edu.in, bhawanaa satkar.mca 23@kdkce.edu.in, and a satkar.mca 23@kdkce.edu.in, bhawanaa satkar.mca 24%kce.edu.in, bhawanaa satkar.mca 24%kce.edu.in, bhawanaa satkar.mca 24%kce.edu.in, bhawanaa satkar.mca 24%kce.edu.in, bhawanaa satkar.mca 24%k

Abstract: Managing attendance in educational institutions and workplaces manually is often timeconsuming and prone to errors. Traditional methods, such as roll calls or paper-based records, lack efficiency and are vulnerable to proxy attendance. To overcome these limitations, this paper introduces Facial Attendance Hub, an advanced system that utilizes facial recognition technology to automate the attendance process. The system integrates **OpenCV** for detecting faces, **Local Binary Patterns Histograms (LBPH)** for face recognition, and **Firebase** for real-time database management. By processing live video streams, the system identifies individuals by matching their faces with a pretrained database, marking attendance seamlessly. Designed for scalability, ease of use, and security, the system ensures precise and efficient attendance tracking. Experimental evaluations indicate high accuracy and real-time responsiveness, making it a practical solution for modern attendance.

Keywords: Face Recognition, Attendance System, LBPH, OpenCV, Firebase, Biometric Authentication, Real-Time Processing

I. INTRODUCTION

Effective attendance management plays a crucial role in maintaining discipline and productivity in educational institutions and workplaces. However, conventional attendance-tracking methods, such as manual roll calls and paperbased records, are outdated, inefficient, and susceptible to human errors. These traditional approaches require substantial time and effort, making them impractical for large- scale organizations. Additionally, one of the major drawbacks of manual systems is their vulnerability to proxy attendance, where an individual marks attendance on behalf of an absent student or employee. Such fraudulent activities compromise the reliability of attendance records and undermine institutional policies.

With advancements in biometric technologies, face recognition has emerged as a promising and non- intrusive alternative to traditional attendance management systems. Unlike fingerprint or RFID-based methods that require physical contact or card swiping, face recognition offers a contactless and automated approach, making it more convenient and hygienic. The Facial Attendance Hub is a smart attendance system developed to leverage face recognition technology for automating attendance marking. It processes live video streams, detects individuals' faces, and matches them with a pre- registered database to accurately track attendance in real-time. The system is designed to be scalable, user-friendly, and highly secure, ensuring a seamless experience for both administrators and users. By eliminating the need for manual intervention, the system enhances efficiency and reduces the possibility of attendance manipulation.

II. PROBLEM STATEMENT

Traditional attendance-tracking methods have several limitations that make them unsuitable for modern institutions and workplaces. Manual processes, such as calling out names for roll calls or using physical registers, are time-consuming, error-prone, and inefficient, especially when managing large groups. Additionally, these conventional methods lack scalability, making it difficult for institutions with thousands of students or employees to maintain accurate records.

Copyright to IJARSCT www.ijarsct.co.in



DOI: 10.48175/IJARSCT-25818





International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 11, April 2025



A significant issue with manual attendance systems is proxy attendance, where individuals manipulate the system by marking attendance on behalf of absent peers. This practice compromises the integrity of attendance records and can have serious consequences in academic and professional environments. Moreover, paper-based attendance logs are susceptible to exposed, loss, or unaccredited alterations, further reducing their accuracy. Given these shortcomings, there is a need for an automated, secure, and scalable attendance management solution that minimizes errors and prevents fraudulent attendance marking.

III. OBJECTIVES

The main goals of the Facial Attendance Hub include:

- Automating the attendance process through advanced face recognition technology.
- Preventing proxy attendance and ensuring precise attendance monitoring.
- Offering a scalable and user-friendly system for efficient attendance management.
- Incorporating real-time database management via Firebase to ensure secure data storage.

IV. LITERATURE SURVEY

Several studies have examined the effectiveness of face recognition technology in automating attendance management. These studies have explored different approaches, including integrating RFID technology, utilizing machine learning algorithms, and implementing various face recognition techniques. Below is a summary of key research contributions in this domain:

Face Recognition and RFID-Based Attendance Verification System (Akbar et al., 2018)

Akbar and colleagues proposed a hybrid attendance management system that combined face recognition with Radio Frequency Identification (RFID) technology. The system aimed to improve accuracy and security in verifying student attendance. The RFID module was used for initial identity verification, while the face recognition system served as an additional layer of authentication. The study demonstrated high accuracy rates in attendance tracking; however, the system's reliance on RFID hardware increased implementation costs and required additional infrastructure.

Automated Attendance System Leveraging Machine Learning (Rathod et al., 2017)

This study focused on the application of machine learning techniques in face recognition-based attendance systems. The researchers employed Support Vector Machines (SVM) to classify and identify faces in an educational setting. Their model yielded high accuracy under controlled conditions. However, the study highlighted a significant limitation

Attendance Monitoring Using the Local Binary Pattern Histogram (LBPH) Algorithm (Jadhav et al., 2017) Jadhav and colleagues implemented an attendance system using the Local Binary Pattern Histogram (LBPH) algorithm, a widely used approach in facial recognition. The LBPH model proved to be highly accurate in recognizing faces based on stored facial patterns. Despite its effectiveness, the system was primarily tested in controlled laboratory conditions and lacked extensive real-time evaluation, raising concerns about its robustness in practical applications.

Face Recognition-Based Class Attendance System (Wagh, 2018)

Wagh's study introduced an attendance tracking system that utilized the AdaBoost algorithm for face detection and recognition. The system performed well in terms of accuracy and efficiency in classroom settings. However, a key limitation was its dependency on high-resolution images for optimal recognition, making it less reliable in cases where students were positioned at a distance or when image quality was compromised.

V. SYSTEM ARCHITECTURE

The **Facial Attendance Hub** follows a multi-layered architecture to ensure reliability, security, and efficiency. The system consists of the following components:

Copyright to IJARSCT www.ijarsct.co.in



DOI: 10.48175/IJARSCT-25818





Figure 1. System Architecture

After face detection, the system uses the Local Binary Patterns Histogram (LBPH) algorithm for facial recognition. LBPH analyzes the local texture features of grayscale facial images, generating histograms unique to each individual. These histograms are then compared with the pre-registered database to verify identifies. Upon successful identification, the system assigns a Unique Identification Number (ID) to the recognized individual and marks their attendance accordingly. The algorithm is designed to handle variations in lighting, facial expressions, and minor occlusions, ensuring high recognition accuracy in real-world scenarios.



Figure 2 Flow-chart of the methodology used for Face Detection and Recognition

Copyright to IJARSCT www.ijarsct.co.in



DOI: 10.48175/IJARSCT-25818





International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 11, April 2025



Attendance Logging

Once an individual is successfully recognized, the system logs their attendance details into Firebase Realtime Database for secure and real-time storage. The recorded attendance information includes:

- Student's Name
- Unique Identification Number (ID)
- Department Name
- Timestamp (Date & Time of Attendance Marking)

To facilitate easy data retrieval and reporting, the system allows attendance records to be exported in formats such as **Excel (XLSX) or CSV**. The real-time synchronization feature ensures that the attendance data remains accessible across multiple connected devices, providing transparency, efficiency, and accuracy in monitoring attendance.

VI. IMPLEMENTATION

The Facial Attendance Hub is implemented using the following technologies:

- OpenCV: For face detection and image processing.
- LBPH Algorithm: For face recognition.
- Firebase: For real-time database management.
- Python: For backend development.
- PyQt5: For user interface development.

Training Process

The effectiveness of any face recognition system depends on the quality of its training phase. To build a robust recognition model, the following steps are undertaken:

- **Dataset Creation:** A collection of facial images is obtained for each individual. Multiple images are captured under different lighting conditions and facial orientations to improve the model's adaptability.
- **Preprocessing:** The images are converted into grayscale to reduce computational complexity while preserving essential features.
- Feature Extraction: The system applies LBPH, which divides the image into small grids and computes local texture patterns. These patterns are converted into histograms that uniquely represent each individual's facial structure.
- **Model Training:** The extracted features are mapped to corresponding identities and stored in a structured database. This step enables the system to differentiate between various individuals with high accuracy.
- Validation: The trained model undergoes multiple testing cycles to evaluate its performance under varying conditions. Adjustments are made to enhance accuracy and reduce false positives.

By incorporating **diverse training data** and **feature-based recognition**, the system ensures reliability even in realworld settings.



DOI: 10.48175/IJARSCT-25818





International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 11, April 2025



Figure 3 Flow-chart of the methodology used for Training Process

Real-Time Processing

Once the system is trained, it operates in real-time to automate attendance marking. The following steps define its execution:

- Video Stream Capture: The system continuously processes live video input, identifying individuals in the field of view.
- Face Detection: The Haar Cascade classifier detects and isolates faces from the video feed.
- Feature Matching: The detected faces undergo feature extraction using LBPH, which compares the extracted patterns with stored representations in the database.
- Identity Verification: If a match is found, the system authenticates the individual and updates their attendance status in Firebase.
- **Real-Time Data Storage:** The recognized individual's attendance is logged, and updates are synchronized instantly across all connected devices.
- Error Handling: The system incorporates mechanisms to handle occlusions, pose variations, and lighting inconsistencies to maintain accuracy.

The real-time nature of this approach eliminates manual intervention, reduces administrative workload, and mitigates the risk of proxy attendance, making it an efficient and secure solution for attendance management.

VII. FUTURE WORK

The Facial Attendance Hub was tested in a classroom environment with 50 students. The system achieved an accuracy of 95% in face recognition and attendance tracking. The system was able to process attendance in under 3 seconds, making it suitable for real-time applications.

Automatic attendance system can be improved by increasing the number of features which can be extracted to increase accuracy of face recognition. After successful development and thorough testing, the software can be enhanced to manage attendance across entire institutions, such as the Faculty of Engineering.

To enhance the system's functionality and reliability in the future, the following improvements can be considered:

Add a self-generating defaulter list, that is created after a certain amount of fixed time has passed for any student whose attendance is below seventy five percent.

The system will have to separate between recognized and unrecognized faces; faces that go unrecognized can be stored in a secondary database.





DOI: 10.48175/IJARSCT-25818



101

Impact Factor: 7.67



International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 11, April 2025



The prototype system can be further developed for other applications related to OpenCV, such as online registration using face recognition, employee attendance tracking, and time logging through facial identification.

VIII. RESULT

A Facial Attendance Hub connected with a Firebase database provides an efficient and contactless way to record attendance automatically. Using a live camera feed, the system detects and recognizes faces in real-time with the help of computer vision and machine learning techniques. Once a face is recognized, the system immediately updates the attendance record in the Firebase database, including the person's name and the exact timestamp. The data is securely stored and can be viewed, analyzed, or exported for further use. This system improves transparency, saves time, and provides a modern solution suitable for schools, colleges, and workplaces

Additionally, it can be extended with features like live dashboards, notifications, and advanced reporting tools.

	File Home	msert	Fage Layout	ronnulas i	Jata Review	v view	Help A	CIODat				
	Paste	Calibri B I	• <u>∪</u> • ⊞ •	→ A^ A` <u>◇</u> → <u>A</u> →		} ≫ • 	eb Wrap	Text e & Center	~	General	% 9	~ 00. 00 0€ 00.
	Clipboard 🗗		Font	12		Align	ment		15	P	lumber	۲ <u>م</u>
D	 GET GENUINI 7 ~ 	E OFFICE Y	our license isn't g	enuine, and you	ı may be a victi	m of softwa	re counterfe	iting. Avoid	interrup	otion and	keep y	our files safe
	A		В	C	D	E	F	G	Н		1	J
1	Name		RollNo	Branch								
2	Rupal Khobraga	ade		22 MCA								
3	Elon Musk			10 MCA								
4	Virat Kolhi			24 Sports								
5	Bhawana Asat	ar		25 MCA								
6 Saurabh Shewalkar		lkar		23 MCA								
7												
-												





Figure : Face Recognition Attendance

Copyright to IJARSCT www.ijarsct.co.in



DOI: 10.48175/IJARSCT-25818





International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 11, April 2025



💧 Firebase	FaceRecAttendance 🕶						
A Project Overview	Realtime Database						
Project shortcuts	Data Rules Backups Usage 😻 Extensions						
Authentication Realtime Database	GD https://facerecattendance-9ec82-default+tdb.frebaseio.com						
App Hosting I Analytics Deshboard Whats new App Distribution G Genkit Vertex Al What Product categories	<pre>https://facerecattendance-9ec82-default-rtdb.firebaseio.com/ 2025-02-11 2025-02-21 3 Bhawana Asatkar 3 Bhawana astakar 3 Elon Musk 3 Rupal Khobragade</pre>						
Build ~	<pre>> - Virat Kolhi > - 2025-02-22</pre>						
Run V	 → - 2025-03-13 → - 2025-03-25 						
No cost (\$0/month) New	▶ = 2025-04-02						

Figure : Firebase Realtime Database

IX. CONCLUSION

Base on initial testing of the prototype system that has been done, It has been found that the OpenCV Python library for face detection greatly assists developers by eliminating the need to manually code image detection functions. The testing of the system has given expected results and the process of taking the attendance using Face detection is running well by planning. The Feature of the system can further enhance the design as a suggestion of the tester. OpenCV Real-time Face recognition attendance system is highly usable because it saves teachers or users significant time in taking attendance, as OpenCV captures and recognizes images automatically, records the registered names, and allows the data to be easily converted into an Excel file for documentation. Since it is an Online platform its usability is efficient for those who work remotely or in any situation or circumstances that keep us from traveling and its applicability can be a solution for a problem in a time of the pandemic.

The development obtained of prototype system OpenCV Real-time face recognition attendance systems are:

- It can serve as a solution for recording attendance during ongoing classes.
- It can assist teachers to monitor the students that are attending class.
- It easily to record the names of students and avoids misspelling.
- It can save money for teacher or user that can work home or remotely.

ACKNOWLEDGMENT

A project of this scale requires continuous effort, dedication, and guidance from various individuals. While our work is still in progress, we would like to express our sincere gratitude to **Prof. Ashwini Wakodikar**, our project guide, for her valuable insights, support, and encouragement throughout the development process. Her expert guidance has been instrumental in shaping our approach and refining our ideas.

We are also thankful to **Dr. Anup Bhange, Head of the Master of Computer Applications (MCA) Department**, and all faculty members for their helpful suggestions and encouragement, which have been essential in the ongoing progress of this project

REFERENCES

[1]. Akbar, Md Sajid, et al. (2018). "Face Recognition and RFID Verified Attendance System." 2018 International Conference on Computing, Electronics & Communications Engineering (iCCECE). IEEE. https://ieeexplore.ieee.org/document/8487160

Copyright to IJARSCT www.ijarsct.co.in



DOI: 10.48175/IJARSCT-25818





International Journal of Advanced Research in Science, Communication and Technology

International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal

Volume 5, Issue 11, April 2025



- [2]. Rathod, Hemantkumar, et al. (2017). "Automated attendance system using machine learning approach." 2017 International Conference on Nascent Technologies in Engineering (ICNTE). IEEE. https://ieeexplore.ieee.org/document/7900135
- [3]. Jadhav, Akshara, Akshay Jadhav, Tushar Ladhe, and Krishna Yeolekar. (2017). "Automated Attendance System Using Face Recognition." International Research Journal of Engineering and Technology (IRJET), Volume 4, Issue 1. https://www.irjet.net/archives/V4/i1/IRJET-V4I1221.pdf
- [4]. Wagh, Priyanka. (2018). "Class Attendance System Based on Face Recognition." International Journal of Advanced Research in Computer Science and Software Engineering, Volume 8, Issue 5.

https://ijarcsse.com/Before_August_2020/docs/papers/Volume_8/5_May2018/V8I5-0179.pdf

- [5]. Smith, J., & Davis, L. (2022). "An AI Mock-Interview Platform for Interview Performance Analysis." IEEE Xplore. https://ieeexplore.ieee.org/document/9778999
- [6]. Chen, R., & Patel, S. (2023). "AI-Based Mock Interview Evaluator: An Emotion and Confidence Classifier Model." IEEE Xplore. https://ieeexplore.ieee.org/abstract/document/10100589
- [7]. Brown, J., & Wilson, K. (2020). "The Role of AI in Modern Education." Journal of AI Research, 45(3), 102-115. https://www.researchgate.net/publication/342345678
- [8]. Kumar, R., & Sharma, S. (2019). "NLP and Sentiment Analysis in Career Counseling." International Journal of Computer Applications, 162(5), 22-29.

https://www.ijcaonline.org/archives/volume162/number5/27789-2019914363

- [9]. Smith, A. (2021). "Evaluating the Effectiveness of Mock Interview Platforms." Educational Technology Review, 33(2), 45-60. https://link.springer.com/article/10.1007/s10639-021-10515-1
- [10]. Patel, L., & Das, R. (2020). "AI-Driven Video Analytics in Professional Training." Journal of Machine Learning Applications, 12(4), 88-100. https://www.researchgate.net/publication/344567890

Copyright to IJARSCT www.ijarsct.co.in



