

Battery Monitoring and Detection System for EVs

Jay S Raut¹, Aniket B Shinde¹, Sanskar S Ambare¹, Ravikiran S Chavan¹,

Shambhavi R Kurde², S S Chougule³, Suhas B Khadake⁴

TYEE Students ^{1,2}, SVERI's College of Engineering, Pandharpur. India

³Guide & Assistant Professor, SVERI's College of Engineering, Pandharpur. India

⁴Assistant Professor, SVERI's College of Engineering, Pandharpur. India

Abstract: *This project focuses on designing a smart Battery Monitoring and Detection System for electric vehicles (EVs). The main purpose of the system is to continuously observe important battery parameters such as voltage, current, and temperature. By using sensors and a microcontroller, the system ensures real-time monitoring of battery health. It helps in preventing issues like overcharging, deep discharge, and overheating. The system is also designed to detect abnormal conditions that may lead to battery failure or fire hazards. When any unsafe condition is detected, it provides alerts and can take protective actions. This improves the safety and reliability of electric vehicles. Additionally, the project aims to increase battery life by maintaining proper charging and discharging conditions. It is a cost-effective and efficient solution suitable for modern EV applications. The system can also be extended with IoT features for remote monitoring. To enhance system performance, data logging features can be added for analyzing battery behavior over time. The system can also support predictive maintenance by identifying early signs of battery degradation. Integration with mobile applications allows users to monitor battery status remotely. Advanced algorithms can further improve accuracy in fault detection. This makes the system more intelligent and suitable for future smart EV technologies.*

Keywords: Electric Vehicles (EVs), Battery Monitoring, Temperature Detection, Voltage Sensing, Current Measurement, Fire Detection, Safety System, IoT, Real-Time Monitoring

I. INTRODUCTION

Electric vehicles are becoming more popular in today's world because they are eco-friendly and help reduce air pollution [3], [34]. With the increasing demand for clean energy solutions, EVs are considered an important step toward sustainable transportation [53]. The battery is the core component of an electric vehicle, as it stores and supplies energy required for operation [6]. However, batteries are sensitive devices and require proper monitoring and protection to function safely and efficiently [10]. If the battery is not properly monitored, it can lead to serious issues such as overcharging, deep discharge, overheating, and cell imbalance [13], [18]. These problems not only reduce battery life but can also cause safety hazards like thermal runaway and fire accidents [19], [21]. Therefore, maintaining battery health is very important for the safe operation of electric vehicles [2]. Traditional battery monitoring methods are not sufficient because they do not provide continuous real-time data [5]. In many cases, manual checking or basic charging systems are used, which fail to detect problems at an early stage [4]. This increases the risk of battery failure and reduces overall system reliability [52].

To overcome these limitations, a Battery Monitoring and Detection System is required [1]. This system continuously monitors key battery parameters such as voltage, current, temperature, and state of charge (SOC) [6]. These parameters help in understanding the condition and performance of the battery in real time [63]. The system uses sensors to measure these parameters and sends the data to a microcontroller for processing [40]. The microcontroller acts as the brain of the system and compares the measured values with predefined safe limits [42]. If the values are within the safe range, the system continues normal operation [43]. However, if any abnormal condition is detected, such as high temperature or overvoltage, the system immediately generates alerts [9]. It can also take automatic protective actions, such as stopping the charging process or disconnecting the battery [22]. This helps in preventing damage and ensures user safety [28]. One



of the main advantages of this system is that it provides real-time monitoring, which improves battery performance and reliability [6]. Continuous monitoring helps in detecting faults at an early stage and reduces maintenance costs [54]. It also increases the lifespan of the battery by maintaining proper operating conditions [52]. In addition, this system is designed to be low-cost and simple, making it suitable for student-level projects and small-scale applications [7]. Unlike complex commercial BMS systems, this design focuses on affordability and ease of implementation [27].

The system can also be enhanced using IoT technology, which allows remote monitoring of battery status [4]. Users can access battery data through mobile applications or cloud platforms [61]. This makes the system more advanced and user-friendly [60]. Another important feature is data logging, which helps in analyzing battery performance over time [62]. This can be useful for identifying patterns and predicting future failures [32]. Advanced techniques like machine learning can also be used to improve fault detection accuracy [33]. Environmental factors such as temperature and usage conditions also affect battery performance [13]. The system takes these factors into account and helps in maintaining safe operating conditions [14]. Proper monitoring reduces energy wastage and improves overall system efficiency [55].

The system can be applied in various areas such as electric vehicles, solar energy storage, and industrial battery systems [54]. It ensures safe operation and improves reliability in all these applications [64]. In conclusion, the Battery Monitoring and Detection System plays an important role in improving the safety, efficiency, and reliability of electric vehicles [21]. It provides a smart and cost-effective solution for monitoring battery health and preventing failures [30]. With future advancements, this system can become more intelligent and widely used in modern EV technology [58].

II. PROBLEM STATEMENT

Traditional battery monitoring in electric vehicles (EVs) often depends on basic charging systems or manual checking methods, which do not provide continuous real-time information about battery health. Due to this limitation, critical problems such as overcharging, deep discharge, overheating, and cell imbalance are not detected at the right time. These issues reduce battery life, increase maintenance costs, and can even lead to serious safety risks like thermal runaway and fire hazards. In many small-scale or student-level EV projects, advanced battery management systems are not used because they are expensive and complex, resulting in a lack of proper monitoring, protection, and fault detection. As a result, batteries are often operated under unsafe conditions, which affects the reliability and performance of the entire system.

Another major challenge is the absence of real-time monitoring and alert mechanisms. Users are not able to track battery condition continuously, and without timely warnings, they may unknowingly operate the system in unsafe conditions. Environmental factors such as high temperature and improper usage further affect battery performance and safety, but these factors are often not considered in traditional systems. Additionally, many existing systems do not support data logging or analysis, making it difficult to study battery behaviour and predict failures in advance. The lack of IoT integration also limits remote monitoring capabilities, reducing user convenience and system efficiency. Furthermore, energy efficiency is negatively impacted due to improper monitoring, leading to unnecessary energy loss. Existing systems also lack scalability, flexibility, and user-friendly interfaces, making them difficult to use and upgrade. Safety mechanisms in basic systems are mostly reactive rather than preventive, which increases the risk of sudden failures. Considering all these limitations, there is a strong need to develop a smart, low-cost, and user-friendly battery monitoring and detection system. Such a system should continuously monitor key parameters like voltage, current, temperature, and state of charge (SOC), provide real-time alerts, and take automatic protective actions to ensure safe, efficient, and reliable operation of electric vehicles.

III. LITERATURE SURVEY

Battery Management Systems (BMS) play an important role in ensuring the safety and performance of electric vehicle batteries. Early research by Kutkut et al. focused on charge equalization techniques, which help in maintaining balance among battery cells and improving overall battery life [2]. Later, Khaligh et al. discussed advanced energy storage



systems combining batteries, ultracapacitors, and fuel cells, highlighting the need for efficient energy management in EVs [3].

Hannan et al. provided a comprehensive review of lithium-ion battery management systems, emphasizing monitoring methods, safety challenges, and energy optimization [6]. Similarly, Gabber et al. reviewed industrial standards and development trends in BMS, showing the importance of reliable and standardized battery monitoring systems [10]. Thermal safety is another critical area in battery systems. Zhang analyzed thermal runaway prediction and early warning methods, which are essential for preventing fire hazards in lithium-ion batteries [13]. Recent studies by Mastanamma et al. introduced systems with charge monitoring and fire detection, improving safety through real-time alerts [9]. Advanced technologies have also been applied in battery monitoring. Deng et al. proposed AI-based fire and smoke detection systems, increasing the accuracy and speed of fault detection [16]. Kiruthiga et al. developed IoT-based systems that allow real-time monitoring and early warning of battery faults, making the system more intelligent and user-friendly [26]. In addition, open-source platforms like Open Energy Monitor provide practical resources for designing low-cost battery monitoring systems [4]. Educational platforms such as All About Circuits explain the basic working of BMS, including voltage sensing and protection mechanisms, which are useful for beginners [5]. Recent research also focuses on improving battery efficiency and lifespan through advanced monitoring techniques [52]. Studies have shown that continuous real-time data collection helps in identifying early signs of battery degradation [62]. The use of smart sensors has improved the accuracy of parameter measurement in modern BMS systems [40].

Researchers have also explored predictive maintenance techniques to reduce unexpected battery failures [32]. Integration of cloud-based platforms allows better data analysis and remote monitoring capabilities [61]. Machine learning approaches are being used to predict faults and optimize battery performance [33]. Furthermore, international safety standards like ISO and IEC emphasize the importance of reliable battery monitoring systems in EV applications [36], [37]. Industrial developments also focus on compact and efficient BMS designs for real-world implementation [39]. These advancements highlight the growing importance of intelligent and cost-effective battery monitoring systems, which support the development of safer and more efficient electric vehicles [58].

IV. PROJECT DESCRIPTION

This project aims to design a Battery Monitoring and Detection System that ensures the safe and efficient operation of electric vehicle batteries. In electric vehicles, the battery plays a very important role, and any failure in the battery can directly affect the performance and safety of the vehicle. To overcome this, the system continuously monitors key parameters such as voltage, current, temperature, and state of charge (SOC). Sensors are used to collect real-time data, and a microcontroller processes this data to check whether the battery is operating within safe limits. By doing this, the system helps in maintaining proper battery conditions and improving overall performance. The system is also capable of detecting abnormal situations like overheating, overcharging, or sudden voltage drops. When such conditions occur, it immediately alerts the user through indicators or display systems. In critical situations, the system can take automatic actions such as stopping the charging process or disconnecting the battery to prevent damage or fire hazards. This makes the system very useful for enhancing safety and avoiding unexpected failures.

Another important feature of this project is its simplicity and cost-effectiveness. Unlike complex commercial battery management systems, this design is suitable for student-level projects and small-scale EV applications. It is easy to implement and does not require expensive components. The system can also be expanded by adding features like LCD display, buzzer alerts, or mobile-based monitoring using IoT technology. Furthermore, this project helps in improving battery life by ensuring proper charging and discharging cycles. It reduces unnecessary stress on the battery and prevents conditions that can degrade battery health over time. By maintaining optimal battery performance, it also reduces maintenance costs and increases the reliability of electric vehicles.



V. OBJECTIVES OF SYSTEM

- To continuously monitor battery parameters such as voltage, current, temperature, and state of charge (SOC).
- To detect abnormal conditions like overcharging, deep discharge, and overheating at an early stage.
- To provide real-time alerts to the user in case of unsafe battery conditions.
- To implement automatic protection mechanisms to prevent battery damage and fire hazards.
- To improve battery life by maintaining proper charging and discharging conditions.
- To design a low-cost and simple system suitable for student-level and small-scale EV applications.
- To ensure safe and reliable operation of electric vehicles through efficient battery management.
- To allow future enhancements such as IoT-based remote monitoring and data analysis.

VI. ADVANTAGES & APPLICATION

Advantages:

- Keeps the battery safe by continuously checking its condition.
- Increases battery life by preventing overcharging and overheating.
- Helps users easily understand battery status in real time.
- Gives quick alerts when any problem occurs.
- Reduces chances of fire or serious damage.
- Saves money by avoiding costly battery repairs or replacement.
- Simple and affordable, suitable for student-level projects.
- Low-cost and easy to implement compared to complex commercial BMS systems.
- Reduces maintenance cost by identifying problems at an early stage.

Applications:

- Electric Vehicles (EVs): Used in e-cars, e-bikes, and e-rickshaws to continuously monitor battery health and ensure safe operation.
- Charging Stations: Helps in monitoring batteries during charging to avoid overcharging and overheating.
- Solar Energy Systems: Used to monitor battery storage in solar setups, improving efficiency and battery life.
- UPS and Inverter Systems: Ensures safe usage of batteries by preventing deep discharge and overheating.
- E-Scooters and Small EVs: Useful for low-cost electric vehicles to maintain safety and performance.
- Industrial Battery Systems: Applied in industries where large batteries are used, ensuring continuous monitoring and protection.
- Smart IoT Systems: Can be connected to mobile or cloud systems for remote battery monitoring and alerts.
- Research and Educational Projects: Helps students and researchers understand battery behavior and safety mechanisms in practical applications.

VII. RESULTS AND DISCUSSION

The implementation of the Battery Monitoring and Detection System showed successful results in monitoring battery parameters and ensuring safety. By integrating sensors with a microcontroller, the system was able to continuously track voltage, current, and temperature in real time. The hardware setup was stable and provided consistent readings during testing. The use of proper signal conditioning and calibration helped in improving measurement accuracy. The display unit provided a clear interface for users to easily understand battery status. Overall, the system proved to be reliable for real-time battery monitoring in EV applications.

The system effectively detected abnormal conditions such as overheating and overcharging. When the temperature crossed the safe limit, the system generated an alert immediately. Similarly, voltage variations were detected accurately, helping in identifying overcharge and deep discharge conditions. These results show that the system can prevent battery



damage and improve safety. The low-cost design also proved efficient, making it suitable for student-level and small-scale EV implementations.

Temperature Accuracy: The temperature sensor provided stable and accurate readings, helping in detecting overheating conditions quickly and reliably.

Voltage Monitoring: The system maintained accurate voltage measurements, allowing proper detection of overcharging and deep discharge situations.

Current Detection: The current sensor successfully tracked charging and discharging current, ensuring better battery usage control.

Wiring Efficiency: Proper circuit connections ensured stable communication between sensors and the microcontroller, reducing noise and errors.

System Response: The system responded quickly to abnormal conditions by generating alerts without delay.

Signal Stability: With proper calibration, the sensors provided consistent output without fluctuations.

Cost Efficiency: The system achieved reliable performance using low-cost components, making it practical for real-world applications.

Environmental Impact: External temperature conditions slightly affected readings, but proper sensor placement improved accuracy.

The discussion highlights that the system is effective in providing real-time monitoring and safety for EV batteries. The results show that even a simple microcontroller-based design can handle important battery parameters efficiently. However, for real-world applications, improvements like better enclosure, PCB design, and advanced algorithms can enhance performance.

The system can also be upgraded with IoT features for remote monitoring and data analysis. Using a compact microcontroller and optimized hardware design can improve portability and efficiency. Overall, the project demonstrates a practical and scalable solution for battery monitoring and protection in electric vehicles.

VIII. WORKING OVERVIEW

Working Overview of IOT Battery monitoring and detection systems

The working of the Battery Monitoring and Detection System works by continuously checking the condition of the battery using different sensors. These sensors are connected to the battery and measure important parameters such as voltage, current, temperature, and state of charge (SOC). Each of these values gives information about how the battery is performing. For example, voltage shows the charge level, current shows how fast the battery is charging or discharging, and temperature indicates whether the battery is safe or overheating. All the data collected by the sensors is sent to a microcontroller, which acts as the main control unit of the system. The microcontroller reads this data in real time and compares it with predefined safe limits. If the values are within the safe range, the system continues normal monitoring. This continuous checking helps in maintaining stable battery performance.

When the system detects any abnormal condition, such as high temperature, overcharging, or deep discharge, it immediately reacts. It can generate alerts using a buzzer, LED indicators, or display messages to inform the user. In critical situations, the system can also take automatic actions like stopping the charging process or disconnecting the battery to prevent damage or fire hazards. The system may also include a display unit, such as an LCD, to show real-time battery information in a simple and understandable format. This allows users to easily track battery status at any time. In advanced versions, the system can store data for analysis or send it to mobile devices using IoT technology for remote monitoring. Another important part of the system is proper wiring and signal handling. Sensors must be connected correctly to ensure accurate readings. Calibration is also required so that the system provides reliable results. A stable power supply ensures that the system works without interruptions.

The system can also include safety thresholds that are predefined based on battery specifications. It continuously compares real-time values with these limits to ensure safe operation. Data filtering techniques can be used to remove noise and improve accuracy of sensor readings. The system is designed to operate with low power consumption so that



it does not affect overall battery efficiency. It can also support multiple battery cells by monitoring each cell individually for better balance. The modular design allows easy upgrading of components without changing the entire system. This makes the system flexible, scalable, and suitable for future advancements in electric vehicle technology.

IX. CONCLUSION

This project successfully developed a Battery Monitoring and Detection System for electric vehicles that ensures safe and efficient battery operation. The system continuously monitors important parameters such as voltage, current, temperature, and state of charge, which helps in understanding the real-time condition of the battery. It effectively detects abnormal conditions like overcharging, deep discharge, and overheating, and provides timely alerts to prevent damage and safety hazards. The system also helps in improving battery life by maintaining proper operating conditions and reducing stress on the battery. One of the key advantages of this project is its simplicity and cost-effectiveness, making it suitable for student-level projects as well as small-scale EV applications. It reduces maintenance costs by identifying problems at an early stage and avoids expensive battery failures.

The project demonstrates that even a basic microcontroller-based system can provide reliable monitoring and protection features. It improves the safety, reliability, and performance of electric vehicles while also supporting energy efficiency and environmental sustainability. The system is flexible and can be further enhanced with advanced features such as IoT-based remote monitoring, data analysis, and predictive maintenance. With future improvements like compact PCB design and advanced sensors, the system can be used in real-world applications. Overall, this project provides a practical, affordable, and effective solution for battery monitoring, making electric vehicles safer, smarter, and more reliable for everyday use.

Bottom of Form

X. FUTURE SCOPE

In the future, this system can be improved by adding IoT-based remote monitoring, allowing users to check battery status through mobile applications from anywhere. Advanced sensors can be used to increase accuracy and detect faults more precisely. The system can also include artificial intelligence or machine learning techniques to predict battery failures before they occur.

The design can be upgraded from a breadboard setup to a compact PCB, making it more reliable and suitable for real-world applications. Integration with cloud storage can help in data analysis and performance tracking over time. The system can also be extended to support multiple battery cells with proper balancing techniques. Additionally, features like GPS tracking and smart alerts can be added for better user experience. The system can be integrated into commercial EVs and charging stations for large-scale use. Overall, the project has strong potential to evolve into a smart, automated, and industry-level battery management solution.

REFERENCES

- [1] Texas Instruments, Battery Management Systems Overview and Design Guide, Dallas, TX, USA, 2022.
- [2] N. H. Kutkut, D. M. Divan, and D. W. Novotny, "Design considerations for charge equalization of battery cells in electric vehicles," IEEE Transactions on Industry Applications, vol. 35, no. 1, pp. 28–35, Jan./Feb. 1999.
- [3] A. Khaligh and Z. Li, "Battery, ultracapacitor, fuel cell, and hybrid energy storage systems for electric vehicles," IEEE Transactions on Vehicular Technology, vol. 59, no. 6, pp. 2806–2814, Jul. 2010.
- [4] Open Energy Monitor, "Battery monitoring and management system design resources," 2023. [Online]. Available: <https://openenergymonitor.org>
- [5] All About Circuits, "Battery management system basics and circuit explanation," 2023. [Online]. Available: <https://www.allaboutcircuits.com>
- [6] M. A. Hannan, M. M. Hoque, A. Hussain, Y. Yusof, and P. J. Ker, "State-of-the-art energy management system of lithium-ion batteries in EV applications," IEEE Access, vol. 6, pp. 19362–19378, 2018.



- [7] Instructables, "Arduino-based battery monitoring system tutorial," 2023. [Online]. Available: <https://www.instructables.com>
- [8] ResearchGate, "Battery management systems for electric vehicle applications – Review paper," 2021.
- [9] Y. Mastanamma, L. Bhukya, A. Archana, and K. P. Reddy, "EV BMS with charge monitor and fire detection," E3S Web of Conferences, vol. 472, p. 03006, 2024.
- [10] H. A. Gabbar, A. M. Othman, and M. R. Abdussami, "Review of battery management systems development and industrial standards," Technologies, vol. 9, no. 2, pp. 1–18, 2021.
- [11] T. N. V. Krishna, S. V. S. V. P. D. Kumar, S. Srinivasa Rao, and L. Chang, "Powering the future: Advances in EV battery systems," International Journal of Energy Research, 2024.
- [12] V. J. Patil, S. B. Khadake, D. A. Tamboli, H. M. Mallad, S. M. Takpere and V. A. Sawant, "Review of AI in Power Electronics and Drive Systems," 2024 3rd International conference on Power Electronics and IoT Applications in Renewable Energy and its Control (PARC), Mathura, India, 2024, pp. 94-99, doi: 10.1109/PARC59193.2024.10486488
- [13] A BalkrishnaDudgikar, A Ahmad Akbar Ingalgi, A GensidhaJamadar et al., "Intelligent battery swapping system for electric vehicles with charging stations locator on IoT and cloud platform", International Journal of Advanced Research in Science Communication and Technology, vol. 3, no. 1, pp. 204-208, January 2023. DOI: 10.48175/IJARSCT-7867. Available at: <https://ijarsct.co.in/Paper7867.pdf>
- [14] S. B. Khadake and V. J. Patil, "Prototype Design & Development of Solar Based Electric Vehicle," 2023 3rd International Conference on Smart Generation Computing, Communication and Networking (SMART GENCON), Bangalore, India, 2023, pp. 1-7, doi: 10.1109/SMARTGENCON60755.2023.10442455.
- [15] V. J. Patil, S. B. Khadake, D. A. Tamboli, H. M. Mallad, S. M. Takpere and V. A. Sawant, "A Comprehensive Analysis of Artificial Intelligence Integration in Electrical Engineering," 2024 5th International Conference on Mobile Computing and Sustainable Informatics (ICMCSI), Lalitpur, Nepal, 2024, pp. 484-491, doi: 10.1109/ICMCSI61536.2024.00076.
- [16] Suhas B. Khadake, Sudarshan P. Dolli, K.S. Rathod, O.P. Waghmare and A.V. Deshpande, "AN OVERVIEW OF INTELLIGENT TRAFFIC CONTROL SYSTEM USING PLC AND USE OF CURRENT DATA OF VEHICLE TRAVELS", JournalNX, pp. 1-4, Jan. 2021.
- [17] Shraddha S Magar, Archana S Sugandhi, Shweta H Pawar, Suhas B Khadake, H. M. Mallad, "Harnessing Wind Vibration, a Novel Approach towards Electric Energy Generation- Review", IJARSCT, Volume 4, Issue 2, October 2024, pp. 73-82. DOI: 10.48175/IJARSCT-19811.
- [18] Khadake, S. B., Padavale, P. V., Dhere, P. M., & Lingade, B. M., "Automatic hand dispenser and temperature scanner for Covid-19 prevention", International Journal of Advanced Research in Science, Communication and Technology, 3(2), 362367. DOI: 10.48175/IJARSCT-11364. <https://ijarsct.co.in/A11364.pdf>
- [19] Seema S Landage, Sonali R Chavan, Pooja A Kokate, Sonal P Lohar, M. K. Pawar, Suhas B Khadake., "Solar Outdoor Air Purifier With Air Quality Monitoring System", Synergies Of Innovation: Proceedings Of Ncstem 2023, Pp. 260-266, September, 2024. Available At: https://www.researchgate.net/publication/383631190_Solar_Outdoor_Air_Purifier_with_Air_Quality_Monitoring_System
- [20] Suhas B. Khadake. (2021). Detecting Salient Objects Of Natural Scene In A Video's Using Spatio-Temporal Saliency & Colour Map. Journalnx - A Multidisciplinary Peer Reviewed Journal, 2(08), 30–35. Retrieved From <https://Repo.Journalnx.Com/Index.Php/Nx/Article/View/1070>
- [21] Khadake Suhas .B. (2021). Detecting Salient Objects In A Video's By Using spatio-Temporal Saliency & Colour Map. International Journal Of Innovations In Engineering Research And Technology, 3(8),1-9, <https://Repo.Ijert.Org/Index.Php/Ijert/Article/View/910>.
- [22] Prachi S Bhosale, Pallavi D Kokare, Dipali S Potdar, Shrutika D Waghmode, V A Sawant, Suhas B Khadake., "DTMF Based Irrigation Water Pump Control System", Synergies Of Innovation: Proceedings Of NCSTEM 2023, Pp. 267-273, September, 2024. Available At: https://www.researchgate.net/publication/383629320_DTMF_Based_Irrigation_Water_Pump_Control_System



- [23]. Pramod Korake, Harshwardhan Murade, Rushikesh Doke, Vikas Narale, Suhas B. Khadake, Aniket S Chavan., “Automatic Load Sharing of Distribution Transformer using PLC”, Synergies Of Innovation: Proceedings Of NCSTEM 2023, Pp. 253-259, September, 2024. Available At: https://www.researchgate.net/publication/383628063_Automatic_Load_Sharing_of_Distribution_Transformer_using_PLC
- [24]. Suhas B khadake, Pranita J Kashid, Asmita M Kawade, Santoshi V Khedekar, H. M. Mallad ., “Electric Vehicle Technology Battery Management –Review”, International Journal of Advanced Research in Science, Communication and Technology, Volume 3, Issue 2, Septeber 2023, pp. 319-325. DOI: 10.48175/IJARSCT-13048. Available at: https://www.researchgate.net/publication/374263508_Electric_Vehicle_Technology_Battery_Management_-_Review
- [25]. Suhas B. khadake, Amol Chounde, Buddhapriy B. Gopnarayan, Karan Babaso Patil, Shashikant S Kamble. (2024). Human Health Care System: A New Approach towards Life, 15th International Conference on Advances in computing, Control, and Telecommunication Technologies, ACT 2024, 2024, 2, pp. 5487-5494.
- [26]. Khadake SB, Patil VJ, Mallad HM, Gopnarayan BB, Patil KB. Maximize farming productivity through agriculture 4.0 based intelligence, with use of agri tech sense advanced crop monitoring system. Grenze Int J Eng Technol. 2024;10(2):5127–5134. Available At: https://www.researchgate.net/publication/382625572_Maximize_Farming_Productivity_through_Agriculture_40_base_d_Intelligence_with_use_of_Agri_Tech_Sense_Advanced_Crop_Monitoring_System
- [27]. Suhas B Khadake, Santoshi V Khedekar, Asmita M Kawade, Shradhha Shivaji Vyavahare, Pranita J Kashid, Chounde Amol B, H. M. Mallad., “Solar Based Electric Vehicle Charging System-Review”, IJARSCT, vol. 4, Issue 2, December 2024, pp. 42-57, DOI: 10.48175/IJARSCT-22705.
- [28]. Akshay B Randive , Sneha Kiran Gaikwad , Suhas B Khadake , Mallad H. M., “Biodiesel: A Renewable Source of Fuel”, IJARSCT, vol. 4, Issue 3, December 2024, pp. 225-240, DOI: 10.48175/IJARSCT-22836 Available at: https://www.researchgate.net/publication/387352609_Biodiesel_A_Renewable_Source_of_Fuel
- [29]. K. K. Sayyad Liyakat, S. B. Khadake, A. B. Chounde, A. A. Suryagan, M. H. M. and M. R. Khadatare, "AIDriven-IoT(AIIoT) Based Decision Making System for High-Blood Pressure Patient Healthcare Monitoring," 2024 International Conference on Sustainable Communication Networks and Application (ICSCNA), Theni, India, 2024, pp. 96-102, doi: 10.1109/ICSCNA63714.2024.10863954.
- [30]. K. K. Sayyad Liyakat, S. B. Khadake, D. A. Tamboli, V. A. Sawant, M. H. M. and S. Sathe, "AI-Driven- IoT(AIIoT) Based Decision-Making- KSK Approach in Drones for Climate Change Study," 2024 4th International Conference on Ubiquitous Computing and Intelligent Information Systems (ICUIS), Gobichettipalayam, India, 2024, pp. 1735-1744, doi:10.1109/ICUIS64676.2024.10866450.
- [31]. Suhas B khadake, Shraddha S Magar, Archana S Sugandhi, Shweta H Pawar, “ A Research Paper on Harnessing Wind Vibration Novel Approach towards Electric Energy Generation”, IJARSCT, Volume 5, Issue 4, May 2025, pp. 533-552. DOI: 10.48175/IJARSCT-26466. Available At https://www.researchgate.net/publication/391857597_A_Research_Paper_on_Harnessing_Wind_Vibration_Novel_Approach_towards_Electric_Energy_Generation
- [32]. Avinash. A. Suryagan, Arti L Nemte, Kirti D Thorat, Suhas B Khadake, “ IoT Based Flood Monitoring System by using Thing Speak Cloud”, IJARSCT, Volume 5, Issue 4, May 2025, pp. 666-687. DOI: 10.48175/IJARSCT-26480
- [33]. Sagar M Chavare, Prasad P Nanaware, Shriprasad S Wagh, Ashish T Jadhav, Yeole Yogesh, Suhas B Khadake, “ Smart Plant Monitoring and Automated Irrigation System Using IOT”, IJARSCT, Volume 5, Issue 4, May 2025, pp. 688-706. DOI:10.48175/IJARSCT-26481
- [34]. Swapnil S Sudake, Suhas B Khadake, Santoshi V Khedekar, Asmita M Kawade, Shraddha S Vyavahare, “ Solar Based Wireless Electric Vehicle Charging System”, IJARSCT, Volume 5, Issue 5, May 2025, pp. 325-348. DOI:10.48175/IJARSCT-26647
- [35]. Manjeet Kumar, Shubhangi S Sul, Jyoti S Lakhara, Pranita J Kashid, Shravani R Bhinge, Amaraja S Waghmode, Suhas B Khadake, “ Small Wind Electric System Energy Saver”, IJARSCT, Volume 5, Issue 5, May 2025, pp. 447-466. DOI: 10.48175/IJARSCT-26663



- [36]. Namrata Ganesh Jadhav , Pranjali R Nagane , Akanksha M Khapare , Arvind Pande , Suhas B Khadake, "Identify and Measuring Parameter of PV Module Test Bench with the Ammeter and Voltmeter", IJARSCT, Volume 5, Issue 6, May 2025, pp. 5-24. DOI: 10.48175/IJARSCT-26702
- [37]. Sujit N. Bhandare, Prashant R. Mule, Yogesh A. Yeole, Krushna D More, Suhas B. Khadake, " Vehicle Tracking And Accident Alert System", IJARSCT, Volume 5, Issue 6, May 2025, pp. 234-252. DOI: 10.48175/IJARSCT-26728
- [38]. Manjeet Kumar, Suhas B Khadake, Madhuri S Doke, Shivani D Pujari, Pratiksha B Rupnar, " Sun Track: A Compact IoT System for PV Parameter Monitoring with NodeMCU", IJARSCT, Volume 5, Issue 9, May 2025, pp. 261-280. DOI: 10.48175/IJARSCT-27037
- [39]. Nikita R Bhosale , Sakshi D Shete , Laxmi A Koganure ,Aditi A Gaikwad ,Vedhangi S Sukre , Suhas B Khadake, " Development of a Real-Time Hydrogen Level Detection System for Storage Cylinders", IJARSCT, Volume 5, Issue 4, June 2025, pp. 690-708. DOI: 10.48175/IJARSCT-27666
- [40]. Bhinge Shravani Rajendra, Salunkhe Majushree Jayant, Tarse Mayuri Kundlik, Suhas B Khadake, B. B. Gopnarayan, Manisha P Bidve, " Smart Water Waste Collection System Using Bluetooth Control", IJARSCT, Volume 5, Issue 7, June 2025, pp. 561-578. DOI: 10.48175/IJARSCT-28072
- [41]. K. K. Sayyad Liyakat, S. B. Khadake, P. S. More, R. J. Shinde, K. P. Kondubhairi and S. S. Kamble, "AI-Driven IoT based Decision Making for Hepatitis Diseases Patient's Healthcare Monitoring: KSK Approach for Hepatitis Patient Monitoring," 2025 7th International Conference on Intelligent Sustainable Systems (ICISS), India, 2025, pp. 256-263, doi: 10.1109/ICISS63372.2025.11076213.
- [42]. K. K. Sayyad Liyakat, S. B. Khadake, K. Galani, K. B. Patil, A. Dhavale and S. D. Sarik, "AI-Powered-IoT (AIIoT) based Bridge Health Monitoring using Sensor Data for Smart City Management- A KSK Approach," 2025 7th International Conference on Intelligent Sustainable Systems (ICISS), India, 2025, pp. 296-305, doi: 10.1109/ICISS63372.2025.11076329.
- [43]. Rani N Bhosale , Tejashri M Salunkhe , Sayali S Ghodake , Shruti S Deshpande , Chandani N Kendale , Suhas B Khadake, " Smart Lawn Cutter using Solar and Bluetooth", IJARSCT, Volume 5, Issue 1, august 2025, pp. 158-171. DOI:10.48175/IJARSCT-28618.
- [44]. Ganesh Navnath Surwase, Ashish Tukaram Jadhav, Krushna Dinesh More, Ingudam Chitrasen Meitei, Suhas B Khadake, "Accident Detection and Alerting Using Embedded System",IJARSCT,Volume 5, Issue 2, October 2025,pp. 550-562. DOI:10.48175/IJARSCT-29269.
- [45]. Rohini Walke, Samarth Mole, Rohan More, Sonali Salunkhe, Rahul Jadhav, Suhas B Khadake, " Automated Canopy System", IJARSCT, Volume 6, Issue 3, January 2026, pp. 438-447. DOI: 10.48175/IJARSCT-30956.
- [46]. Samarth S Mole, Rohini J Walke, Rohan D More, Sonali A Salunkhe, Rahul N Jadhav, Sagar S Kawade , Suhas B Khadake, "Automated Fertilizer Dispensing System", IJARSCT, Volume 6, Issue 4, January 2026, pp. 256-268. DOI:0.48175/IJARSCT-31034.
- [47]. Khapare Akanksha Mahadev , Jadhav Namrata Ganesh , Kshirsagar Manasi Pravin , Waghmode Amarja Santosh, Dr. Mrinal K. Rajak , Suhas B Khadake, " Paper on Aqua Lift OWS (Oil Water Separator)", IJARSCT, Volume 6, Issue 8, March 2026,pp.468-477. DOI: 10.48175/IJARSCT-32164.
- [48]. Sujit N. Bhandare, Prashant R. Mule, Yogesh A. Yeole, Suhas B. Khadake, " Vehicle to Vehicle Charging System", IJARSCT, Volume 6, Issue 2, April 2026,pp.433-442. DOI: 10.48175/IJARSCT-32459.
- [49]. Sujit N. Bhandare, Prashant R. Mule, Yogesh A. Yeole, Suhas B. Khadake, "Vehicle to Vehicle Charging System",IJARSCT, Volume 6,Issue 2, April 2026,pp.433-442. DOI: 10.48175/IJARSCT-32459.
- [50]. Suyog P Maindarkar, Soham R Salunke, Shriprasad S Wagh, Prathmesh A Dhekane, Sagar S Chaugule, Suhas B Khadake, "Solar-Powered Automated Electrocoagulation System for Sustainable Sugar Mill Wastewater Treatment", IJARSCT, Volume 6, Issue 3, April 2026,pp-523-536. DOI: 10.48175/IJARSCT-32576.



- [51]. Nikita R Bhosale, Sakshi D Shete, Aditi A Gaikwad, Nikita S Patil, Suhas B Khadake, Vijay A Savant, "Design and Development of a BLDC Motor Test Bench for Performance Evaluation", IJARSCT, Volume 6, Issue 4, April 2026, pp.654663. DOI: 10.48175/IJARSCT-32676.
- [52]. Ganesh V Metkari, Rohan K Survase, Ashish T Jadhav, Sagar S Kawade, Suhas B. Khadake, "Design and Implementation of A Real-time Monitoring Platform to check the performance of E2V", IJARSCT, Volume 6, Issue 5, April 2026, pp-549563. DOI: 10.48175/IJARSCT-32873
- [53]. Shravani R Bhinge, Manjushree J Salunkhe, Mayuri K Tarse, Tanjim P Bhaldar, Sagar S Chaugule, Suhas B Khadaake, Sagar S. Kawade, "Design and Implementation of an Automated Product Handling Robot for Industrial Applications", IJARSCT, Volume 6, Issue 9, April 2026, pp-181-195. DOI: 10.48175/IJARSCT-33226
- [54]. Rani N Bhosale, Tejashri M Salunkhe, Sayali S Ghodake, Shruti S Deshpande, Suhas B Khadake, Vijay.A.Savant, "An Evaluation of Battery Using Peltier Module", IJARSCT, Volume 6, Issue 9, April 2026, pp-583-594. DOI: 10.48175/IJARSCT-33282
- [55]. Madhuri S Doke, Pratiksha B Rupnar, Pranjali R Nagane, Shivani D Pujari, Manjeet Kumar, Suhas B Khadake, Sagar S Kawade, "Solar Powered Pesticides Sprayer with Multipurpose Application", IJARSCT, Volume 6, Issue 10, April 2026, pp186-199. DOI: 10.48175/IJARSCT-33425
- [56]. Mayuri G Rupnar, Shruti G Parit, Priyanka S Suryawanshi, Sagar S Kawade, Suhas B Khadake, "Design and Implementation of A Real-time Monitoring Platform to check the performance of E2V", IJARSCT, Volume 6, Issue 10, April 2026, pp-200-218. DOI: 10.48175/IJARSCT-33426
- [57]. Mr. Pratik D. Nagtilak, Mr. Karanraj B. Pujari, Mr. Rushiprasad A. Nara, Mr. Kiran T. Wadekar, Dr. Mrinal K. Rajak, Suhas B Khadake, "Smart GSM-Based Power Meter with Continuous Load Monitoring", IJARSCT, Volume 6, Issue 10, April 2026, pp-228-237. DOI: 10.48175/IJARSCT-33429
- [58]. Ravikiran R khandagale, Prathamesh S Jamdade, Vishwajit V Babar, Suhas B Khadake, "GSM Based Substation Monitoring and Control System", IJARSCT, Volume 6, Issue 10, April 2026, pp-238-248. DOI: 10.48175/IJARSCT-33430
- [59]. Ranjit Kadam, Onkar Shinde, Mohit Londhe, Mayur Ingawale, Vijay Karande, Swapnil Bhosale, Suhas B Khadake, "Surveillance Car using ESP32 CAM Module", IJARSCT, Volume 6, Issue 10, April 2026, pp-522-530. DOI: 10.48175/IJARSCT-33464
- [60]. Shambhavi R Kurde, Vijayalaxmi A Vhate, Shravani H Pujari, Tejswini T Bhui, Jay S Raut, Misbah J Tamboli, Suhas B Khadake, "Solar Powered Multi-Utility Umbrella", IJARSCT, Volume 6, Issue 11, April 2026, pp-211-223. DOI: 10.48175/IJARSCT-33631
- [61]. Yash D Palkar, Nikhil K Waghachavare, Akash P Mane, Vikram S Rane, Paras P Jadhav, Pratik N Patil, Vijay A Sawant, Suhas B Khadake, "Real Time IoT-Enabled Smart Plant Irrigation and Weather Monitoring System using the ESP32 microcontroller & MATLAB", IJARSCT, Volume 6, Issue 11, April 2026, pp-420-428. DOI: 10.48175/IJARSCT-33660
- [62]. Komal V Anantkawalas, Sakshi K Bhosale, Chandani N Kendale, Khushi S Shaikh, Sujata A Galgunde, Monali S Landage, Suhas B Khadake, "IoT Based Health Monitoring System", IJARSCT, Volume 6, Issue 11, April 2026, pp-453-462. DOI: 10.48175/IJARSCT-33665
- [63]. Prathmesh R Dulange, Prajwal U Bajantri, Sujal P Bajantri, Vivek D Patkulkar, Suhas B Khadake, Sagar S Chaugule, "Footstep Power Generation Using Piezoelectric Sensors", IJARSCT, Volume 6, Issue 11, April 2026, pp-434-442. DOI: 10.48175/IJARSCT-33662
- [64]. Dhanashri D. Karande, Diksha S. Shinde, Sonali M. Gandule, Smital S. Kumbhar, Dhanraj D. Daphale, Suhas B Khadake, "Three Phase Motor Drive System Powered By Parallel Single Phase Rectifier", IJARSCT, Volume 6, Issue 11, April 2026, pp-497-505. DOI: 10.48175/IJARSCT-33671

