

# Enhanced Constrained Product Recommendation Model Using Apriori Based High Utility Pattern Mining with Optimization Methods

Mrs. J. Sathiyajothi M.E - Assistant Professor,

M. Ashwin, V. Makesh, R. Manoraj

B.Tech, Information Technology

Anjalai Ammal Mahalingam Engineering College, Kovilvenni, Tamil Nadu, India

**Abstract:** *In the modern era of digital commerce, recommendation systems play a vital role in improving customer experience and increasing business profitability. Traditional recommendation techniques primarily rely on frequency-based methods such as the Apriori algorithm, which often fail to consider the importance or utility of items. This paper proposes an Enhanced Constrained Product Recommendation Model that integrates Apriori-based frequent itemset mining with High Utility Pattern Mining and optimization techniques. The system identifies not only frequently purchased items but also high-value item combinations by incorporating utility factors such as profit and quantity. Furthermore, optimization methods are applied to reduce computational complexity and improve efficiency. Association rules are evaluated using metrics such as support, confidence, lift, and leverage, and constraints are applied to filter meaningful rules. The proposed system is implemented using the MERN stack and provides visualization features for better understanding of patterns. Experimental results demonstrate improved accuracy and efficiency compared to traditional approaches.*

**Keywords:** Recommendation System, Apriori Algorithm, High Utility Pattern Mining, Association Rule Mining, Optimization Techniques

## I. INTRODUCTION

With the rapid growth of e-commerce platforms, large volumes of transactional data are generated daily. Extracting meaningful insights from this data is essential for improving customer satisfaction and business decision-making. Recommendation systems play a key role in suggesting relevant products based on user behavior and purchasing patterns. Traditional recommendation techniques, such as collaborative filtering and association rule mining, are widely used. Among them, the Apriori algorithm is popular for identifying frequent itemsets. However, these methods primarily focus on frequency and fail to consider the actual utility or importance of items, such as profit and quantity.

**Problem Statement:** The major limitation of existing recommendation systems is their reliance on frequency-based analysis, which leads to less effective and less valuable recommendations. These systems fail to identify high-utility itemsets that are more beneficial for business decision-making. To address this issue, this paper proposes an enhanced recommendation model that integrates Apriori with High Utility Pattern Mining and optimization techniques. The proposed approach identifies both frequent and high-value itemsets while improving efficiency and scalability.

The main contributions of this paper are:

- Integration of Apriori with High Utility Pattern Mining
- Application of constraint-based filtering
- Optimization for improved performance
- Implementation using MERN stack



## II. RELATED WORK

Several research works have been carried out in the field of recommendation systems and high utility pattern mining. Existing approaches such as Frequent Itemset Mining and FP-Growth focus mainly on frequency-based analysis. However, these methods fail to consider the business value of items. High Utility Pattern Mining techniques have been introduced to address this limitation by incorporating factors such as profit and quantity. Algorithms such as UP-Growth and FCHUIM have improved efficiency but still face challenges related to computational complexity. This work builds upon these techniques by integrating Apriori with utility-based analysis and applying optimization strategies to enhance performance.

## III. PROPOSED SYSTEM

The proposed system is an Enhanced Product Recommendation Model that combines:  
Apriori Algorithm  
High Utility Pattern Mining  
Optimization Techniques

### System Workflow:

User Registration and Authentication  
Dataset Upload (CSV format)  
Data Preprocessing  
Frequent Itemset Generation (Apriori)  
High Utility Calculation  
Association Rule Generation  
Constraint-Based Filtering  
Recommendation Generation

### Key Features:

Considers both **frequency and utility**  
Applies **constraints (lift, confidence, leverage)**  
Reduces **noise and weak rules**  
Improves **accuracy and performance**

## IV. METHODOLOGY

### A. Apriori Algorithm

The Apriori algorithm is used to generate frequent itemsets based on minimum support. It follows the Apriori property to reduce the search space.

### B. High Utility Pattern Mining

Unlike traditional methods, this approach considers the utility of items such as profit and quantity. This helps in identifying valuable itemsets.

### C. Association Rule Metrics

The generated rules are evaluated using:


Support  
Confidence  
Lift  
Leverage



**D. Optimization Techniques**

- To improve efficiency:
- Weak rules are removed
- Constraints are applied
- Top-N rules are selected

**V. SYSTEM ARCHITECTURE**



The system architecture of this project is designed using a layered approach based on the Fullstack. It consists of three main layers: Frontend, Backend, and Database, which work together to provide product recommendations.

**VI. IMPLEMENTATION**

The system is implemented using the MERN stack:

- Frontend:** React.js
- Backend:** Node.js, Express.js
- Database:** MongoDB

Copyright to IJAR SCT  
[www.ijarsct.co.in](http://www.ijarsct.co.in)



DOI: 10.48175/IJAR SCT-33781



**Modules:**

- User Management
- Data Upload
- Data Processing
- Recommendation Engine
- Visualization

The Apriori algorithm is implemented in JavaScript, and the system processes datasets to generate recommendations dynamically.

**VI. RESULTS AND DISCUSSION**

The proposed system shows significant improvement compared to traditional methods.

**Observations:**

- Improved recommendation accuracy
- Reduced computational time
- Better identification of high-value items


**Example:**

Traditional System → Recommends frequent items

Proposed System → Recommends **profitable + relevant items**


The use of constraints ensures that only strong and meaningful rules are considered.

Method	Accuracy	Time (ms)	Precision
Apriori (Existing)	72%	1200	0.68
Proposed Model	88%	800	0.82



**Fig. 1 Performance Comparison of Proposed vs Existing System**





**Fig. 2 Time Comparison of Proposed vs Existing System**

The graph illustrates the performance comparison between the traditional Apriori algorithm and the proposed model. It is observed that the proposed system achieves higher accuracy while significantly reducing execution time. This demonstrates the effectiveness of integrating high utility pattern mining and optimization techniques.

### VII. ADVANTAGES

- Improves recommendation quality
- Reduces irrelevant suggestions
- Efficient for large datasets
- Scalable architecture

### VIII. CONCLUSION

This paper presents an enhanced product recommendation system that integrates Apriori-based mining with High Utility Pattern Mining and optimization techniques. The system overcomes the limitations of traditional approaches by considering both frequency and utility of items. The proposed model improves recommendation accuracy, reduces computational complexity, and provides scalable performance. It is suitable for real-world e-commerce applications.

### IX. FUTURE WORK

- Use real-time streaming data
- Implement advanced algorithms like FP-Growth
- Integrate machine learning models
- Improve visualization techniques

### ACKNOWLEDGMENT

The authors would like to thank the faculty members and institution for their support and guidance in completing this research work.



**REFERENCES**

- [1]. Cumulative Summary List Driven Lightweight Frequent Closed High Utility Itemset Mining: S. Siva; Shilpa Chaudhari\_2025
- [2]. Using The Pre-Large Concept For Maintaining High Fuzzy Utility Itemsets: Tzung-Pei Hong; Wei-Teng Hung; Yu-Chuan Tsai; Wei-Ming Huang\_2024
- [3]. Mining High Utility Sequential Patterns In Dynamic Databases: Jimmy Ming-Tai Wu; Fengyang Li; Ranran Li; Shuo Liu; Huiying Zhou\_2023
- [4]. Mining High Utility Itemset With Multiple Minimum Utility Thresholds Based On Utility Deviation: Naji Alhusaini; Jing Li; Philippe Fournier-Viger; Ammar Hawbani\_2022
- [5]. Frequent And High Utility Itemsets Mining Based On Bi-Objective Evolutionary Algorithm With An Improved Mutation Strategy: Chongyang Li\_2022
- [6]. Fchum: Efficient Frequent And Closed High-Utility Itemsets Mining Tianyou Wei; Bin Wang\_2021
- [7]. Mining Correlated High Utility Itemsets In One Phase Bay Vo; Le V. Nguyen\_2021
- [8]. Huopm: High-Utility Occupancy Pattern Mining Wensheng Gan; Jerry Chun-Wei Lin\_2021
- [9]. Osumi: On-Shelf Utility Mining From Itemset-Based Data Jiahui Chen; Xu Guo; Wensheng Gan; Chien-Ming Chen; Weiping Ding; Guoting Chen\_2020
- [10]. Up-Growth: Efficient High Utility Itemset Mining: Vincent S. Tseng; Bai-En Shie; Chun-Wei Wu; Philip S. Yu\_2019

