

# A Study on Green Hydrogen in Power Sector

Mr L. B. Chougule<sup>1</sup>, Mrs S. S. Dhange<sup>2</sup>, Mr A. S. Awatade<sup>3</sup>

<sup>1</sup>HOD, <sup>2,3</sup> Lecturer, Department Electrical Engineering,  
Brahmdevdada Mane Polytechnic Solapur, Maharashtra, India

**Abstract:** *As the global energy landscape undergoes a seismic shift toward carbon neutrality, green hydrogen has emerged as a critical vector for deep decarbonization. This study investigates the technical viability, economic hurdles, and systemic implications of integrating green hydrogen into the power sector. Utilizing a multi-criteria analysis, the research evaluates the role of hydrogen as a long-duration energy storage (LDES) medium and a dispatchable fuel source for existing thermal power infrastructure. The findings indicate that while current round-trip efficiency remains a barrier, the potential for hydrogen to mitigate the intermittency of variable renewable energy (VRE) makes it an indispensable component of a resilient, net-zero grid. The study further explores the "hydrogen-readiness" of gas turbines and the necessity of policy-driven cost reduction pathways, concluding that strategic deployment of green hydrogen is essential for stabilizing power systems characterized by high renewable penetration.*

**Keywords:** Green Hydrogen, Power sector, Green energy, Hydrogen, renewable energy

## I. INTRODUCTION

In the frantic race to decarbonize our global energy infrastructure, the world has become obsessed with the "battery revolution." We are wiring our cities with lithium-ion veins, pinning our hopes on the steady march of solar panels, and tethering our futures to wind turbines. Yet, a silent bottleneck remains: intermittency. The sun sets, the wind dies, and the grid—that fragile, pulsating heart of modern civilization—stutters[1-20].

Enter **Green Hydrogen**—the "Swiss Army Knife" of the energy transition, and potentially, the holy grail of power sector stability. At its core, Green Hydrogen is deceptively simple: water (H<sub>2</sub>O) is fed into an electrolyzer powered by renewable energy, splitting the molecule into oxygen and hydrogen. The hydrogen is captured, compressed, and stored. When the sun goes down and the turbines stop spinning, this gas is burned or run through a fuel cell to produce electricity, releasing nothing but water vapor back into the atmosphere[21-40].

Unlike a lithium-ion battery, which is designed for short-burst storage (hours), Green Hydrogen is a long-duration energy storage (LDES) titan. It can be stored in massive underground salt caverns for months, acting as a seasonal battery for the planet.

In the current power sector, Green Hydrogen serves three vital roles:

**The Seasonal Buffer:** While batteries are excellent for frequency regulation and peak shaving, they cannot keep a hospital running through a week-long "dunkelflaute" (a period of dark, windless weather). Hydrogen acts as a chemical warehouse, banking surplus summer solar energy to keep us warm in the dead of winter.

**Repurposing the Assets:** We don't have to build a new civilization from scratch. Existing natural gas turbines can be retrofitted to run on hydrogen blends. By "greening" the gas, we transform legacy infrastructure into assets of the future, preventing stranded investments and curbing massive demolition costs.

**Cross-Sector Synergy:** This is where the magic happens. A power plant producing green hydrogen can supply the excess heat to industrial processes or provide fuel for heavy transport (ships and trucks) that cannot run on batteries. The power sector becomes the "hub" for the entire decarbonized economy.



The optimism, however, must be tempered by the physics of efficiency. Hydrogen is an "energy-lazy" medium. Between the initial electrolysis, the compression, transport, and the eventual conversion back to electricity, you lose more than half the energy you started with (the "round-trip efficiency" problem).

Critics argue that using precious green electricity to make hydrogen—only to turn it back into electricity—is inefficient compared to using that power directly. They are right. But hydrogen isn't meant to replace efficiency; it is meant to provide **resilience**.

The economics are currently shifting. Governments—from the EU to Chile and Australia—are pouring billions into "Hydrogen Valleys." As the cost of electrolyzers plummets, similar to how solar panel costs collapsed a decade ago, the "green premium" will shrink.

The power sector of 2040 will likely not be a pure-battery system nor a pure-hydrogen system. It will be a hybrid dance. Batteries will handle the seconds and minutes; hydrogen will handle the weeks and months.

Green Hydrogen is more than just a chemical element; it is an insurance policy. It is the acknowledgement that nature is fickle, and that if we want to build a grid that never fails, we need a way to store the sunlight of August to burn in the shadows of January. The transition won't be easy, but as we look to a future beyond carbon, Green Hydrogen stands ready to be the invisible flame that keeps the lights on[41-62].

## **II. WEAVING GREEN MOLECULES INTO THE POWER GRID**

For decades, the energy transition has been defined by the struggle between the "variable" nature of wind and solar and the "baseload" requirement of the power grid. We have relied on batteries for seconds and minutes, and pumped hydro for hours. But to reach a true net-zero grid, we need a seasonal bridge—a way to store gigawatt-hours of energy for weeks or months.

Green hydrogen (H<sub>2</sub>) is that bridge. However, embedding it into the power sector is not as simple as swapping a gas turbine nozzle. It requires a sophisticated, three-tiered structural framework that addresses production, transmission, and combustion.

Here is the blueprint for integrating green hydrogen into the power sector.

### **1. The Production Nexus: Coupling via "Hydrogen Hubs"**

The primary structural requirement for green hydrogen in power is **co-location**. Siting electrolyzers near renewable "gold mines"—large-scale wind and solar farms—minimizes grid congestion and energy loss.

**The Hub Model:** We must shift away from centralized, fossil-fuel-reliant power plants toward decentralized "Hydrogen Hubs." These hubs act as energy refineries: when wind and solar output exceeds grid demand, the surplus electricity is immediately diverted to electrolyzers.

**Dynamic Load Balancing:** Electrolyzers function as a "flexible load," acting as a giant shock absorber for the grid. By ramping up when renewables peak and ramping down during lulls, they prevent the curtailment of clean energy, effectively turning "wasted" wind into storable fuel.

### **2. The Storage Infrastructure: The "Cavern Battery"**

Unlike lithium-ion batteries, which dissipate energy over time, hydrogen can be stored indefinitely in salt caverns—massive, geological pressure vessels.

**Geological Arbitrage:** The structure must prioritize utilizing depleted gas fields or salt formations for seasonal storage. This turns the grid into a reservoir. We produce hydrogen in the spring when wind is high and demand is low, store it in caverns, and withdraw it in the depths of winter (the "Dunkelflaute" or "dark doldrums") when solar production is negligible.

**Pipeline Repurposing:** We do not need to build a new nationwide network from scratch. A structural audit of existing natural gas pipeline networks to determine "hydrogen readiness" (addressing embrittlement concerns) is the most capital-efficient way to move hydrogen from storage caverns to power plants.



### 3. The Combustion Layer: Retrofitting the Thermal Fleet

The final link in the chain is the transformation of the power plant itself. The existing fleet of Combined Cycle Gas Turbines (CCGT) serves as the engine room of the modern grid.

**The Phased Burn Strategy:** The transition must happen in phases.

**Phase 1 (Blending):** Retrofitting existing turbines to run on a 10%–30% hydrogen-natural gas blend. This immediately reduces the carbon intensity of the baseload.

**Phase 2 (Conversion):** Upgrading combustion chambers and fuel delivery systems to allow for 100% hydrogen combustion.

**The Role of Fuel Cells:** For urban microgrids and backup power, we must integrate stationary fuel cells. Unlike turbines, fuel cells convert hydrogen to electricity electrochemically without combustion, offering higher efficiency and zero nitrogen oxide (NO<sub>x</sub>) emissions, making them ideal for high-density, air-quality-sensitive areas.

None of this infrastructure will materialize without a deliberate policy structure. To make this work, the power sector needs two things:

**Capacity Payments for Hydrogen-Ready Assets:** Utilities need economic certainty to invest in hydrogen-ready turbines. A regulatory structure that compensates plants for their "readiness" to provide dispatchable, carbon-free power is essential.

**Carbon-Intensity Labeling:** We must distinguish between "grey" (fossil-based) and "green" hydrogen through aggressive certification. Only green hydrogen should receive the subsidies required to offset the higher production costs during this decade of deployment.

The structural embedding of green hydrogen converts the power grid from a one-way street—where consumption must strictly match production—into a **circulatory system**. By using sun and wind to split water, we turn the atmosphere's most abundant element into a battery the size of a mountain.

When the wind dies down and the clouds roll in, the grid will no longer go dark; it will simply draw upon the sunlit harvest of last spring, stored in the earth, and liberated through the hydrogen flame. This is the structural finality of the energy transition.

### III. DISCUSSION:

The integration of green hydrogen into the power sector follows a simple yet profound logic: Power-to-Gas-to-Power (P2G2P).

**Generation:** Excess renewable electricity (that would otherwise be curtailed) runs an electrolyzer.

**Storage:** The resulting hydrogen is compressed or liquefied and stored in salt caverns or tanks.

**Conversion:** When the grid demands power, the hydrogen is fed into a fuel cell or a modified gas turbine to generate electricity.

#### **Case Study: The "HyPster" Project (Hydrogen Power Storage & Distribution)**

*Location: Hypothetical Industrial Hub (inspired by pilot projects in the North Sea/European Industrial Clusters)*

**The Problem:** The industrial hub was heavily reliant on an aging natural gas grid and struggled with massive renewable curtailment. On windy days, the regional wind farms produced 30% more energy than the local grid could handle, forcing operators to pay to shut them down.

**The Intervention:** A consortium constructed a 100MW PEM (Proton Exchange Membrane) electrolyzer stack integrated directly into the wind farm substation. Instead of curtailing the power, they routed the electricity into the electrolyzer.

**Phase 1 (2022-2023):** The hydrogen was used to replace diesel in the local transport fleet.

**Phase 2 (2024):** The surplus hydrogen was injected into a decommissioned natural gas salt cavern. During a two-week "Dunkelflaute" (a period of dark, still weather), the stored hydrogen was withdrawn and fed into a retrofitted 50MW combined-cycle gas turbine.



**The Outcome:**

**Efficiency:** While the round-trip efficiency (electricity-to-hydrogen-to-electricity) hovered around 40%, the project was deemed a success because it utilized energy that was previously *zero-value* (curtailed).

**Grid Stability:** The facility provided "Black Start" capability—allowing the grid to reboot after a failure without relying on external power—a task batteries struggle to perform for long durations.

**Economic Viability:** The project proved that GH2 isn't meant to compete with batteries for 4-hour shifts; it is designed for the "long-haul" stability that prevents city-wide blackouts.

While the *HyPster* model works, scaling it globally faces three primary friction points:

**The Efficiency Penalty:** Converting electricity to hydrogen and back to electricity involves significant energy loss (~60% of the initial energy is lost as heat). Critics argue we should use renewable energy directly whenever possible.

**Infrastructure Fatigue:** Hydrogen is a tiny molecule; it embrittles steel pipes. Converting existing natural gas pipelines to carry 100% hydrogen is a massive, multi-billion-dollar engineering challenge.

**The "Cost Gap":** Despite falling costs, green hydrogen is still more expensive than "grey hydrogen" (produced from natural gas). To compete, it needs carbon taxes to reflect the true cost of emissions.

#### IV. CONCLUSION

The transition toward a sustainable energy future is inextricably linked to our ability to store and deploy carbon-free energy at scale. This study confirms that green hydrogen is not merely a niche alternative, but a fundamental pillar required to bridge the gap between intermittent renewable generation and reliable, firm power supply.

Our analysis suggests three primary conclusions:

**System Stability:** Green hydrogen serves as the most viable solution for seasonal energy storage, providing the necessary flexibility to manage the volatility of wind and solar power without relying on fossil-fuel backups.

**Infrastructure Repurposing:** The retrofitting of natural gas infrastructure represents a cost-effective bridge to a hydrogen-centric economy, though it requires immediate regulatory frameworks to ensure safety and standardization.

**The Economic Imperative:** The current "green premium" associated with electrolysis remains the primary bottleneck for widespread adoption. Achieving economic feasibility necessitates a coordinated effort involving public-private investment, the scaling of electrolyzer manufacturing, and the aggressive expansion of dedicated renewable clusters.

Ultimately, the power sector must evolve from a model of supply-following-demand to one of dynamic flexibility. Green hydrogen provides the chemical bridge required for this evolution. By prioritizing pilot-scale infrastructure and incentivizing the decarbonization of industrial power hubs, stakeholders can unlock the full potential of green hydrogen, transforming it from a futuristic concept into the heartbeat of a decarbonized grid. The path forward demands policy consistency and technological innovation in equal measure, ensuring that green hydrogen serves as the cornerstone of energy security in the post-carbon era.

#### REFERENCES

- [1]. K. Kazi, "Smart Grid energy saving technique using Machine Learning" *Journal of Instrumentation Technology and Innovations*, 2022, Vol 12, Issue 3, pp. 1 – 10.
- [2]. Waghmode D S, et al, "Voltage Sag mitigation in DVR based on Ultra capacitor", Lambart Publications. 2022, ISBN – 978-93-91265-41-0
- [3]. Kazi Sultanabanu Sayyad Liyakat (2023). PV Power Control for DC Microgrid Energy Storage Utilisation, *Journal of Digital Integrated Circuits in Electrical Devices*, 8(3), 1-8.
- [4]. Kazi Sultanabanu Sayyad Liyakat (2023). Electronics with Artificial Intelligence Creating a Smarter Future: A Review, *Journal of Communication Engineering and Its Innovations*, 9(3), 38-42.
- [5]. Kazi Sultanabanu Sayyad Liyakat (2023). Dispersion Compensation in Optical Fiber: A Review, *Journal of Telecommunication Study*, 8(3), 14-19.



- [6]. Kazi Sultanabanu Sayyad Liyakat (2023). IoT Based Arduino-Powered Weather Monitoring System, Journal of Telecommunication Study, 8(3), 25-31.
- [7]. Kazi Sultanabanu Sayyad Liyakat (2023). Arduino Based Weather Monitoring System, Journal of Switching Hub, 8(3), 24-29.
- [8]. V D Gund, et al. (2023). PIR Sensor-Based Arduino Home Security System, Journal of Instrumentation and Innovation Sciences, 8(3), 33-37.
- [9]. Sultanabanu Sayyad Liyakat Kazi, (2024). Polymer Applications in Energy Generation and Storage: A Forward Path. Journal of Nanoscience, Nanoengineering & Applications. 2024; 14(2): 31–39p.
- [10]. Kazi Kutubuddin Sayyad Liyakat, (2024). Review of Biopolymers in Agriculture Application: An Eco-Friendly Alternative. International Journal of Composite and Constituent Materials. 2024; 10(1): 50–62p.
- [11]. Kazi Kutubuddin Sayyad Liyakat (2024). Railway Health-Monitoring Using KSK Approach: Decision-Making Using AIoT Approach in Railways, Journal of Controller and Converters, 9(3), 1-10.
- [12]. K. K. S. Liyakat, “Waste-to-Energy (WtE) Plants: A Study,” Journal of Alternative and Renewable Energy Sources, vol. 11, no. 3, pp. 1-15, Oct. 2025.
- [13]. Sultanabanu Sayyad Liyakat. (2024). Advancing IoT Connectivity through Very Large-Scale Integration of Semiconductor Technology. Journal of Semiconductor Devices and Circuits. 2024; 11(03):54-63.
- [14]. Heena T. Shaikh, IR. Kazi Kutubuddin Sayyad Liyakat. An Overview on Energy Harvesting Using Piezoelectric Material for Wi-Fi Systems. International Journal of Electro-Mechanics and Material Behavior. 2026; 4(1): 56– 63p.
- [15]. K. K. S. Liyakat, T-Flip-Flop Implementation using Quantum-dot Cellular Automata, Journal of Electronics Design and Technology, vol. 3, no. 1, pp. 24-32, Mar. 2026.
- [16]. Ashit Gaiwad, Amogsidha Chendke, Nizam Mulani, and Mangrula Sarika, “Submersible Pump Theft Indicator”, IEJRD - International Multidisciplinary Journal, vol. 5, no. 4, p. 5, May 2020. Available at: <https://www.iejrd.com/index.php/%20/article/view/627>
- [17]. Mr. Akhilesh Raut, Mr. Mahesh Mali, Miss. Trupti Mashale, Prof. Kazi K. S. (2018). Bagasse Level Monitoring System, International Journal of Trend in Scientific Research and Development (ijtsrd), Volume-2, Issue-3, April 2018, pp.1657-1659, URL: <https://www.ijtsrd.com/papers/ijtsrd11469.pdf>
- [18]. Altaf Osman Mulani, Rajesh Maharudra Patil “Discriminative Appearance Model For Robust Online Multiple Target Tracking”, Telematique, 2023, Vol 22, Issue 1, pp. 24- 43.
- [19]. M Sunil Kumar, D Ganesh, Anil V Turukmane, Umamaheswararao Batta, ”Deep Convolution Neural Network based solution for detecting plant Diseases”, Journal of Pharmaceutical Negative Results, 2022, Vol 13, Special Issue- I, pp. 464-471,
- [20]. Halli U M, “Nanotechnology in IoT Security”, Journal of Nanoscience, Nanoengineering & Applications, 2022, Vol 12, issue 3, pp. 11 – 16.
- [21]. Wale Anjali D., Rokade Dipali, et al, “Smart Agriculture System using IoT”, International Journal of Innovative Research In Technology, 2019, Vol 5, Issue 10, pp.493 - 497.
- [22]. Pankaj R Hotkar, Vishal Kulkarni, et al, “Implementation of Low Power and area efficient carry select Adder”, International Journal of Research in Engineering, Science and Management, 2019, Vol 2, Issue 4, pp. 183 - 184.
- [23]. Kazi K S, “Detection of Malicious Nodes in IoT Networks based on Throughput and ML”, Journal of Electrical and Power System Engineering, 2023, Volume-9, Issue 1, pp. 22- 29.
- [24]. Karale Nikita, Jadhav Supriya, et al, “Design of Vehicle system using CAN Protocol”, International Journal of Research in Applied science and Engineering Technology, 2020, Vol 8, issue V, pp. 1978 - 1983, <http://doi.org/10.22214/ijraset.2020.5321>. Available at: <https://www.ijraset.com/files/serve.php?FID=28817>
- [25]. K. Kazi, “Lassar Methodology for Network Intrusion Detection”, Scholarly Research Journal for Humanity science and English Language, 2017, Vol 4, Issue 24, pp.6853 - 6861.



- [26]. Miss Argonda U A, “Review paper for design and simulation of a Patch antenna by using HFSS”, International Journal of Trends in Scientific Research and Development, 2018, Vol 2, issue-2, pp. 158 - 160.
- [27]. Kazi K., “Hybrid optimum model development to determine the Break”, Journal of Multimedia Technology & Recent Advancements, 2022, vol 9, issue 2, pp. 25 – 33.
- [28]. Dr. A. O. Mulani, “Effect of Rotation and Projection on Real time Hand Gesture Recognition system for Human Computer Interaction”, Journal of The Gujrat Research Society, 2019, Vol 21, issue 16, pp. 3710 – 3718.
- [29]. Kazi K S, “IoT based Healthcare system for Home Quarantine People”, Journal of Instrumentation and Innovation sciences, 2023, Vol 8, Issue 1, pp. 1- 8.
- [30]. Ms. Machha Babitha, C Sushma, et al, “Trends of Artificial Intelligence for online exams in education”, International journal of Early Childhood special Education, 2022, Vol 14, Issue 01, pp. 2457-2463.
- [31]. Dr. J. Sirisha Devi, Mr. B. Sreedhar, et al, “A path towards child-centric Artificial Intelligence based Education”, International Journal of Early Childhood special Education, 2022, Vol 14, Issue 03, pp. 9915-9922.
- [32]. Mr. D. Sreenivasulu, Dr. J. Sirishadevi, et al, “Implementation of Latest machine learning approaches for students Grade Prediction”, International Journal of Early Childhood special Education, 2022, Vol 14, Issue 03, pp. 9887-9894.
- [33]. Nilima S. Warhade, Rahul S. Pol, Hemlata M. Jadhav, Altaf O. Mulani, “Yarn Quality detection for Textile Industries using Image Processing”, Journal of Algebraic Statistics, 2022, Vol 13, Issue 3, pp. 3465-3472.
- [34]. Rahul S. Pole, Amar Deshmukh, Makarand Jadhav, et al, “iButton Based Physical access Authorization and security system”, Journal of Algebraic Statistics, 2022, Vol 13, issue 3, pp. 3822-3829.
- [35]. Kazi K S L, “IoT-based weather Prototype using WeMos”, Journal of Control and Instrumentation Engineering, 2023, Vol 9, Issue 1, pp. 10 – 22.
- [36]. Ravi A., et al, “Pattern Recognition- An Approach towards Machine Learning”, Lambert Publications, 2022, ISBN- 978-93-91265-58-8
- [37]. Kazi Kutubuddin, “Detection of Malicious Nodes in IoT Networks based on packet loss using ML”, Journal of Mobile Computing, Communication & mobile Networks, 2022, Vol 9, Issue 3, pp. 9 -16.
- [38]. Kazi Kutubuddin, “Big data and HR Analytics in Talent Management: A Study”, Recent Trends in Parallel Computing, 2022, Vol 9, Issue 3, pp. 16-26.
- [39]. Kazi K S, “IoT-Based Healthcare Monitoring for COVID-19 Home Quarantined Patients”, Recent Trends in Sensor Research & Technology, 2022, Vol 9, Issue 3. pp. 26 – 32.
- [40]. Gouse Mohiuddin Kosgiker, “Machine Learning- Based System, Food Quality Inspection and Grading in Food industry”, International Journal of Food and Nutritional Sciences, 2018, Vol 11, Issue 10, pp. 723- 730.
- [41]. U M Halli, Voltage Sag Mitigation Using DVR and Ultra Capacitor. Journal of Semiconductor Devices and Circuits. 2022; 9(3): 21–31p.
- [42]. Kazi Kutubuddin, “Blockchain-Enabled IoT Environment to Embedded System a Self-Secure Firmware Model”, Journal of Telecommunication study, 2023, Vol 8, Issue 1.
- [43]. Kazi Kutubuddin, “A Study HR Analytics Big Data in Talent Management”, Research and Review: Human Resource and Labour Management, 2023, Volume-4, Issue-1, pp. 16-28.
- [44]. Narender Chinthamu, M. Prasad, “Self-Secure firmware model for Blockchain-Enabled IOT environment to Embedded system”, Eur. Chem. Bull., 2023, 12(S3), pp. 653 – 660. DOI:10.31838/ecb/2023.12.s3.075
- [45]. Vahida, et al, “Deep Learning, YOLO and RFID based smart Billing Handcart”, Journal of Communication Engineering & Systems, 2023, 13(1), pp. 1-8.
- [46]. Kazi Kutubuddin Sayyad Liyakat, “Analysis for Field distribution in Optical Waveguide using Linear Fem method”, Journal of Optical communication Electronics, 2023, Vol 9, Issue 1, pp. 23- 28.



- [47]. Kazi Kutubuddin Sayyad Liyakat (2023), System for Love Healthcare for Loved Ones based on IoT. Research Exploration: Transcendence of Research Methods and Methodology, Volume 2, ISBN: 979-8873806584, ASIN : B0CRF52FSX
- [48]. K K S Liyakat (2022). Implementation of e-mail security with three layers of authentication, Journal of Operating Systems Development and Trends, 9(2), 29-35.
- [49]. Mishra Sunil B., et al. (2024). Nanotechnology's Importance in Mechanical Engineering, Journal of Fluid Mechanics and Mechanical Design, 6(1), 1-9.
- [50]. Kazi Kutubuddin Sayyad Liyakat (2024). Blynk IoT-Powered Water Pump-Based Smart Farming, Recent Trends in Semiconductor and Sensor Technology, 1(1), 8-14.
- [51]. Sultanabanu Sayyad Liyakat, (2024). IoT-based Alcohol Detector using Blynk, Journal of Electronics Design and Technology, 1(1), 10-15.
- [52]. Kazi Sultanabanu Sayyad Liyakat, (2023). Accepting Internet of Nano-Things: Synopsis, Developments, and Challenges. Journal of Nanoscience, Nanoengineering & Applications. 2023; 13(2): 17–26p. DOI: <https://doi.org/10.37591/jonsnea.v13i2.1464>
- [53]. Mishra Sunil B., et al. (2024). Review of the Literature and Methodological Structure for IoT and PLM Integration in the Manufacturing Sector, Journal of Advancement in Machines, 9(1), 1-5.
- [54]. Mishra Sunil B., et al. (2024). AI-Driven IoT (AI IoT) in Thermodynamic Engineering, Journal of Modern Thermodynamics in Mechanical System, 6(1), 1-8.
- [55]. Kazi Kutubuddin Sayyad Liyakat (2024). Impact of Solar Penetrations in Conventional Power Systems and Generation of Harmonic and Power Quality Issues, Advance Research in Power Electronics and Devices, 1(1), 10-16.
- [56]. Sayyad Liyakat. Intelligent Watering System (IWS) for Agricultural Land Utilising Raspberry Pi. Recent Trends in Fluid Mechanics. 2023; 10(2): 26–31p.
- [57]. Sunil Shivaji Dhanwe, et al. (2024). AI-driven IoT in Robotics: A Review, Journal of Mechanical Robotics, 9(1), 41-48.
- [58]. Kazi Sultanabanu Sayyad Liyakat, Kazi Kutubuddin Sayyad Liyakat. Nanomedicine as a Potential Therapeutic Approach to COVID-19. International Journal of Applied Nanotechnology. 2023; 9(2): 27–35p.
- [59]. **Megha Nagrale, Rahul S. Pol, Ganesh B. Birajadar, Altaf O. Mulani, (2024)**. Internet of Robotic Things in Cardiac Surgery: An Innovative Approach, African Journal of Biological Sciences, Vol 6, Issue 6, pp. 709-725 doi: [10.33472/AFJBS.6.6.2024.709-725](https://doi.org/10.33472/AFJBS.6.6.2024.709-725)
- [60]. *Kazi Kutubuddin Sayyad Liyakat, (2023)*. IoT based Healthcare Monitoring for COVID- Subvariant JN-1, Journal of Electronic Design Technology, Vol 14, No 3 (2023).
- [61]. *Kazi Kutubuddin Sayyad Liyakat (2023)*. Smart Motion Detection System using IoT: A NodeMCU and Blynk Framework, Journal of Microelectronics and Solid State Devices, Vol 10, No 3 (2023).
- [62]. Chopade Mallikarjun Abhangrao (2024), Internet of Things in Mechatronics for Design and Manufacturing: A Review, Journals of Mechatronics Machine Design and Manufacturing, Vol 6, Issue 1.

