IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 4, May 2026
Impact Factor: 8.2

Gmail Automated Reply Framework

Varsha Garad[1], Dipak More[2], Datta Kale[3], Saurabh Bhanage[4] ,Vikas Pawar[5]

Professor, Department of Artificial Intelligence & Data Science[1]

Students, Department of Artificial Intelligence & Data Science[2]

Shree Ramchandra College of Engineering, Pune, India

Abstract: *This project automates Gmail replies using configurable rules. Incoming messages are scanned, matched against subject/sender/body conditions, and then converted into replies or drafts with optional attachments. The system stores runtime history in SQLite, exposes status through a dashboard, and uses processed labels and no-reply filtering to avoid duplicate or unsafe auto-replies.*

Keywords: Generative Artificial Intelligence (Gen AI), Natural Language, Machine Learning (ML), Email classification

I. INTRODUCTION

Artificial Intelligence (AI) is transforming the way organizations manage digital communication, particularly when facing large volumes of email. An AI-powered email auto-responder leverages Natural Language Processing (NLP) and automation to interpret incoming messages, determine their intent and urgency, and instantly generate polite, context-aware replies—all without human intervention. This technology streamlines workflows, ensures timely and professional responses, reduces manual workload, and significantly enhances overall communication efficiency for both businesses and individuals.

II. PPROBLEM STATEMENT

The main problem is to automate routine Gmail replies without losing control over what the system sends. A practical solution must support message filtering, duplicate suppression, safe testing, attachment delivery, and human review when needed. The project report shows that the framework handles unread inbox messages without the processed label, skips self-replies and obvious no-reply senders, and supports dry-run and draft modes to reduce operational risk.

III. OBJECTIVES

1. To automate email management using AI, NLP, and ML for efficient handling and response generation.
2. To accurately classify emails into categories like urgent, spam, and informational for better organization.
3. To generate intelligent, context-aware replies using advanced models such as BERT and GPT.
4. To enhance productivity and efficiency by reducing manual effort and ensuring faster, personalized communication.

IV. SCOPE

Here are **4 scope points** similar in style:

1. **The system can be integrated with email platforms** like Gmail and Outlook for real-time email processing and automated responses.
2. **It supports continuous learning and personalization**, adapting to user behavior and improving response quality over time.
3. **The framework can be extended to multiple communication channels** such as chat applications and customer support systems.

The core of the system is an AI-powered email handling framework designed to simplify and automate digital communication. Users can interact with the system through their existing email platforms without needing complex

DOI: 10.48175/IJARSCT-35121

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 4, May 2026
Impact Factor: 8.2

manual management. The system intelligently analyzes incoming emails using Natural Language Processing (NLP) and Machine Learning, allowing it to understand content, intent, and urgency in a human-like manner.

The platform also provides automated and context-aware responses, helping users reply quickly and efficiently. Additionally, it classifies emails into categories such as urgent, informational, and spam, ensuring better organization and prioritization. This reduces manual effort, saves time, and improves productivity while maintaining effective and personalized communication.

TABLE I: LITERATURE SURVEY

Sr. No.	Title	Author	Year	Methodology Used	Conclusion
1	Automated Response Suggestion for Email	Anjuli Kannan et al	2016	Used deep learning (sequence-to-sequence models) and semantic clustering to generate short email replies	The system successfully generated quick, relevant replies and improved email response efficiency at large scale.
2	Pre-training of Deep Bidirectional Transformers	Jacob Devlin et al.	2018	Used transformer-based deep learning with bidirectional context understanding for NLP tasks.	BERT achieved state-of-the-art performance in multiple NLP tasks, improving text understanding and classification accuracy.
3	LLM-based Smart Reply System (LSR)	Ashish Bastola et al.	2023	Used Large Language Models (LLMs) like ChatGPT for generating personalized and context-aware responses.	The system reduced workload and improved productivity by generating adaptive and intelligent replies.
4	AI-Powered Gmail Auto-Response Agent	Mayank Mishra et al	2026	Used LLMs with Retrieval-Augmented Generation (RAG) for intelligent email automation.	The model overcame limitations of rule-based systems and provided more accurate, context-aware responses.

VI. METHODOLOGY

The system uses Natural Language Processing (NLP) and Machine Learning models to preprocess and analyze email content. Emails are classified based on intent and priority using models like BERT. Finally, GPT-based models generate context-aware and human-like responses automatically..

The process involves:

• Email Collection

The system collects incoming emails from integrated platforms like Gmail or Outlook.

It ensures real-time access to new messages for further processing.

• Data Preprocessing

Emails are cleaned by removing noise such as stopwords, symbols, and unnecessary text.

The content is then converted into a structured format using NLP techniques.

• Email Classification

Machine learning models classify emails into categories like urgent, spam, or informational.

This helps in organizing and prioritizing emails effectively.

IJARSCT
International Journal of Advanced Research in Science, Communication and Technology
International Open-Access, Double-Blind, Peer-Reviewed, Refereed, Multidisciplinary Online Journal
ISSN: 2581-9429
Volume 6, Issue 4, May 2026
Impact Factor: 8.2

• Intent Detection
The system analyzes the purpose of the email, such as inquiry, complaint, or request.
It uses contextual understanding to identify user intent accurately.

• Response Generation
AI models like GPT generate human-like, context-aware replies automatically.
The responses are tailored based on email content and detected intent.

• Automated Action & Notification
The system sends replies or alerts based on priority and user preferences.
It ensures timely communication and reduces manual effort.



VII. MODELING ANALYSIS

The system incorporates several key analysis and modeling components to provide a responsive and intelligent user experience.

1. Data Preprocessing

• Data Collection: Emails are collected from various sources and datasets to ensure diversity and better model training.
• Noise Removal: Unnecessary elements like stopwords, punctuation, and duplicate data are removed to improve data quality.
• Text Normalization: Techniques like lowercasing, stemming, and lemmatization are applied to standardize the text.
• Tokenization & Vectorization: Email text is broken into tokens and converted into numerical form using methods like TF-IDF or embeddings.
• Handling Missing Data: Incomplete or missing values are identified and handled to maintain dataset consistency.

2. Email Classification Model

• Model Selection: Machine learning and deep learning models like Naive Bayes, SVM, and BERT are used for classification tasks.

• Feature Extraction: Important features are extracted from email content to help the model understand patterns.
• Category Classification: Emails are classified into categories such as urgent, spam, and informational for better management.
• Model Training & Testing: The model is trained on labeled data and tested to evaluate its performance.
• Performance Evaluation: Metrics like accuracy, precision, recall, and F1-score are used to measure effectiveness.

3. Intent Detection Module
• Intent Identification: The system identifies the purpose of emails such as inquiry, complaint, or request.
• Contextual Understanding: Advanced models like BERT help in understanding the context and meaning of the text.
• Semantic Analysis: The system analyzes relationships between words to improve intent detection accuracy.
• Multi-Class Classification: Multiple intent categories are handled using classification techniques.
• Continuous Learning: The system improves over time by learning from user interactions and feedback.

4. Response Generation System
• Model Implementation: Transformer-based models like GPT are used to generate responses.
• Context-Aware Replies: The system generates replies based on email content and detected intent.
• Fine-Tuning: Models are fine-tuned using email datasets to improve relevance and accuracy.
• Personalization: Responses are customized based on user preferences and previous interactions.
• Evaluation Metrics: Response quality is evaluated using metrics like BLEU score and user satisfaction.

VIII. SYSTEM DESIGN



IX. CONCLUSION

The Gmail Automated Reply Framework provides a structured way to automate repetitive email handling while keeping the system rule-based, observable, and controllable. Its combination of Gmail API integration, attachment-aware reply logic, logging, dashboard monitoring, and Windows deployment support makes it suitable as a self-hosted automation tool for routine communication workflows..

X. ACKNOWLEDGMENT

The authors acknowledge the use of the project design and template instructions provided in the attached documents.
If you want, I can next turn this into a full IJARSCT manuscript with references formatted, or expand it into a longer introduction and methodology section that reads more like a final submission. This is a first draft from the attached files, so a tighter revision could still sharpen the wording for your exact submission needs.

REFERENCES

1. Kannan, A., Kurach, K., Ravi, S., et al. (2016)
Smart Reply: Automated Response Suggestion for Email. Google Research.
This paper introduces a deep learning-based system that generates short, relevant email replies using sequence-to-sequence models and semantic clustering, improving response efficiency at scale.
2. Devlin, J., Chang, M. W., Lee, K., & Toutanova, K. (2018)
BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding. arXiv:1810.04805.
This research presents BERT, a transformer-based model that improves natural language understanding by considering bidirectional context, widely used for text classification and intent detection.
3. Vaswani, A., Shazeer, N., Parmar, N., et al. (2017)
Attention Is All You Need. NeurIPS.
This paper introduces the transformer architecture, which uses attention mechanisms instead of recurrent networks, forming the foundation for modern NLP models like BERT and GPT.
4. Brown, T. B., Mann, B., Ryder, N., et al. (2020)
Language Models are Few-Shot Learners. OpenAI.
This study presents GPT-3, a large language model capable of generating human-like text and performing various NLP tasks with minimal training data.
5. Venkatesh, V., Rathod, D., Lalitha, & Krishna, S. (2025)
Auto Email Responder Using AI. International Research Journal of Modernization in Engineering Technology and Science.
This paper discusses an AI-based email responder system that automates classification and response generation, improving communication efficiency.