

Study on Public Health Transportation Using Fuzzy Environment

Charles Rabinson G

Assistant Professor, Department of Mathematics

VELS Institute of Science, Technology and Advanced Studies (VISTAS), Pallavaram, Chennai

gicrm2024@gmail.com/charles.sbs@vistas.ac.in

*Corresponding Author.

Abstract: *Transportation is a very essential tool to transport the particles/products from one place (origin) to another place (destination) with minimum cost or minimum time. Nowadays we come across so many problems (unexpected situations) like traffic, breakdown, etc. when we transport our particles/products from one place (origin) to another place (destination). Our wish to rectify this kind of unexpected situations with help of Neutrosophic Fuzzy Concept. We are going to justify this idea with some numerical examples.*

Keywords: Transportation Problem, Neutrosophic Fuzzy number, Neutrosophic Fuzzy Transportation problem

I. INTRODUCTION

The Transportation Problem is a various type of the network problem in optimization Techniques. The transportation model plays a significant role in logistics and supply chain items. The motto is to schedule shipments from sources to destinations so that total transportation cost is minimized. The problem seeks a production and distribution plan that minimizes total transportation cost. The transportation problem itself was first developed by Hitchcock (1941), and was independently treated by Koopmans and Kantorovich however it could be solved for optimally as answers to complex business problem only in 1951, when George B. Dantzig delivered the new concept of Linear programming problem (LPP) in calculating the transportation technique. Dantzing (1951) insisted the standard LP-formulation for TP and applied the simplex method to determine it. Since then the transportation problem has become the classical common subject in almost every textbook on operation research and mathematical programming. [2] In current scenario, there is a necessity to transport the particles from different origin places to different places. In this paper, various methods have been proposed to find the optimal way of transporting the items i.e., to find the quantity of the items to be supplied from different places to different places so that the total transportation value is least. However, the general methods (Modified Distribution method or linear programming problems etc.) are proposed by assuming that the values of all the parameters (cost, capacity and requirement) are clearly and hence can be pointed as a real numbers. Transportation problems in which capacity and requirement are pointed as fuzzy numbers whereas money for transporting unit quantity of the product from a particular source to a particular destination is pointed by a real numbers, is named as fuzzy transportation problems of type – I. Transportation problems in which value for transporting unit quantity of the item from a particular place to a particular place is pointed by a fuzzy numbers whereas capacity and demand are pointed as real numbers, is named as fuzzy transportation problems of type – II. Transportation problems in which all the parameters i.e., cost for transporting unit quantity of the product from a particular origin to a particular destination, capacity and requirement, are pointed as fuzzy numbers, is called as fully fuzzy transportation problems. L.A.Zadeh has derived a set called Fuzzy sets to deal with the uncertainty or vagueness. The fuzzy sets have its own growth in the past decades and now the fuzzy concepts are making all decisions very easily. The fuzzy logic is applied almost in all fields of research and technology. In view of the distribution challenges (e.g. high distribution costs) encountered in the



medical sector and its output on the economy in general,” this study provides an optimize transportation modeling of medical goods to patients at lowest transportation cost.

PREMILARIES:

FUZZY SET: A Fuzzy set is characterized by a membership function mapping elements of a domain, space, or universe of discourse X to the unit interval [0,1].(i.e.) $A^F = \{(x, \mu_{AF}(x)); x \in X \}$, here $\mu_{AF} : \rightarrow [0,1]$ is a mapping called the degree of membership function of the fuzzy set and $\mu_{AF}(x)$ called the membership function value of $x \in X$ in the fuzzy set.

FUZZY TRANSPORTATION PROBLEMS

In Classical Transportation Problems (CTP) is assumed that decision maker about the precise values of transportation cost, availability and demand of the items. In real world applications, all these vlaues of the transportation problems may not be known clearly due to uncertainty factors. For example, In real life problems the following situations may arise:

Let a item is to be transported first time at a destination and no expert have knowledge about the transportation value then there exist uncertainty about the transportation value.

If a new item is entered in the market then there always exists vagueness about the demand of that particular item.

In daily life situation, it can be taken that whenever a demander enquiry to a supplier that the particular item is stock able or not, sometimes supplier answers yes it is stock able but after a few minutes supplier answers sorry at this moment this item is not stock able.

MATHEMATICAL MODEL FOR FUZZY TRANSPORTATION PROBLEM

Now the Mathematical Model for the problem

$$\text{Minimum } Z = \sum_{i=1}^m \sum_{j=1}^n X_{ij} C_{ij}$$

Subject to

$$\sum_{i=1}^m X_{ij} = a_i, j = 1 \text{ to } n$$

$$\sum_{j=1}^n X_{ij} = b_j, i = 1 \text{ to } m$$

$$X_{ij} \geq 0, i= 1 \text{ to } m \text{ and } j= 1 \text{ to } n.$$

MEMBERSHIP FUNCTIONS IN TRIANGULAR NEUTROSOPHIC FUZZY NUMBER

A Triangular Neutrosophic Fuzzy Number is specified as $A_N = (u_1, u_2, u_3; v_1, v_2, v_3; w_1, w_2, w_3)$ and whose True, Indeterminacy, and Falsity membership are specified as follows:

$$T_{AN}(x) = \begin{cases} \frac{(x-u_1)}{(u_2-u_1)}, & u_1 \leq x \leq u_2 \\ 1 & 1, & x = u_2 \\ \frac{(u_3-x)}{(u_3-u_2)}, & u_2 \leq x \leq u_3 \end{cases}$$



$$I_{AN}(x) = \begin{cases} \frac{(v_2-x)}{(v_2-v_1)} & , \quad v_1 \leq x \leq v_2 \\ 1 & , \quad x = v_2 \\ \frac{(x-v_2)}{(v_3-v_2)} & , \quad v_2 \leq x \leq v_3 \end{cases}$$

$$F_{AN}(x) = \begin{cases} \frac{(w_2-x)}{(w_2-w_1)} & , \quad w_1 \leq x \leq w_2 \\ 1 & , \quad x = w_2 \\ \frac{(x-w_2)}{(w_3-w_2)} & , \quad w_2 \leq x \leq w_3 \end{cases}$$

RANKING OF TRIANGULAR FUZZY NUMBER

$A_N = [u_1, v_1, w_1]$ the ranking function $\bar{R} : F(\bar{R}) \rightarrow \bar{R}$ by graded mean is defined as

$$\bar{R}(A_N) = \left(\frac{u_1 + 4v_1 + w_1}{6} \right)$$

TACKLING THE GROWING PROBLEM OF TRANSPORTING ORGANS

The current organ transportation system relies on organ procurement organizations (OPOs), which broker organ acceptance as well as the movement of organs and transplant teams of surgeons, per fusionists, coordinators and trainees sometimes traveling under unsafe circumstances. Organ transportation is significant for various reasons, one of which is that each additional hour of travel may shorten the life of the organs can provide to the transplanted patient. Unfortunately, this challenge is expected to expand as extreme weather events associated with climate change become more common. The logistical challenge of transporting organs can be looked at from three different perspectives: capacity, safety and cost.

CAPACITY , SAFETY and COST

THE TRUTH ABOUT ORGAN TRANSPORT AND TRANSPLANTATION IN INDIA

At least 9 hearts and 2 livers could not reach needy patients in time in 2016 in India. India lacks a robust organ transport system. Cost of organ transplant is at least Rs 15-20 lakh in India. At least nine hearts and two livers could not reach needy patients in time last year in different parts of the country, even as lakhs of people wait at top hospitals for life-saving transplants amid acute shortage of donors. Experts point to the lack of a robust system to transport organs to super-specialty hospitals in quick time. The National Organ & Tissue Transplant Organization (NOTTO), the country's apex organ donation agency, is now framing a proposal to airlift cadaver organs and will send a report to the Union health ministry. "Cadaver organs have a short life and so transplant should be done within a few golden hours," Dr Vimal Bhandari, director of NOTTO, told Mail Today. "Therefore, we are preparing a proposal for airlifting organs at any given moment."



UNCERTAINTY IN MEDICAL DIAGNOSIS

Inconsistent is a source which makes the decision-making technique more difficult in medical diagnosis. Everyone is different person from the other person at physical level as well as mental level, symptoms of a disease expressed by patients are linguistic in nature and vary person to person. Fuzzy set theory has several properties that make it suitable for formalizing the uncertain information upon which medical diagnosis and treatment is usually based. Medical knowledge consists of medical descriptions and assertions that are incomplete and uncertain. It may be said to comprise knowledge about causal relationships based on theory, statistical information, pure definitions, and personal judgment

NUMERICAL EXAMPLE

Consider a transportation problem with three organs like Heart, Liver, Eyes and five hospitals H_1, H_2, H_3, H_4 whose costs are considered to be Triangular Neutrosophic Fuzzy numbers in lakhs. The problem is to find the optimal transportation in an efficient way. [Real time application in GJC Pharmaceuticals - Lalgudi, Trichy].

Hospitals Organs	H_1	H_2	H_3	H_4	Availability (a_i)
Heart	(0.3,0.4,0.5)	(0.4,0.5,0.8)	(0.5,0.7,0.9)	(0.3,0.5,0.8)	(3,6,7)
Liver	(0.4,0.5,0.8)	(0.1,0.4,0.6)	(0.3,0.6,0.8)	(0.2,0.3,0.7)	(2,7,8)
Eyes	(0.1,0.7,0.9)	(0.2,0.3,0.6)	(0.3,0.4,0.5)	(0.4,0.6,0.9)	(4,6,9)
Requirement (b_j)	(1,3,6)	(3,6,9)	(2,5,7)	(1,4,6)	

Solution:

Step 1: Convert Triangular NTP into Crisp Number using ranking method

Hospitals Organs	H_1	H_2	H_3	H_4	Availability (a_i)
Heart	0.40	0.53	0.70	0.52	6
Liver	0.53	0.38	0.58	0.35	6
Eyes	0.63	0.33	0.40	0.62	6
Requirement (b_j)	3	6	5	4	

It is balanced transportation problem since the total availability is equal to the total requirement.

i.e) $\sum a_i = \sum b_j = 18$.

Step 2: Find the initial basic feasible solution using existing methods and also find Optimality test

IBFS = $(3 \times 0.40) + (3 \times 0.53) + (2 \times 0.38) + (1 \times 0.33) + (5 \times 0.40) + (4 \times 0.35) = 7.28$

After testing Optimality all $\Delta_{ij} \geq 0$ so we got optimal solution.



PROPOSED METHOD

- Step 1: Check the total availability and the total requirement are equal or not If they are equal go to step 3 otherwise go to step 2.
- Step 2: Make the unbalanced transportation problem in to balanced transportation problem.
- Step 3: Select the maximum value from row wise and subtract with other element in the respective rows and columns.
- Step 4: Apply VAM method to calculate IBFS

COMPARISON TABLE

S.No.	NWCM	LCM	VAM	Optimal Solution	Proposed Method	Optimal Solution
1	8.95	7.84	7.28	7.28	0.33	0.33

II. CONCLUSION

This research paper has proposed a new ranking for Triangular Neutrosophic fuzzy numbers. The proposed ranking is applied to expound Triangular Neutrosophic fuzzy transportation problem. Further, a numerical example has determined whose costs are taken as Triangular Neutrosophic fuzzy numbers .The proficiency of the proposed technique is shown in the comparison table. As a future extension, the proposed algorithm may be used to solve, Trapezoidal fuzzy Assignment problem (any number) and Pentagonal fuzzy interval valued fuzzy assignment and Pentagonal Neutrosophic fuzzy transportation problems with any number.

REFERENCES

- [1] Zadeh, L.A.,1965, “Fuzzy sets, Information and Control”, 8, PP: 338-353.
- [2] Rakesh Agarwal & Piyusha Somvanshi “Total Cost Minimization Transportation Problem A Case Study of Carl Star”, Volume-9 Issue-11 September 2020, IJIRG.2020, Page 98.
- [3] Digital Kidney & Liver Transplant Financial Boot camp, ASTS, 2021, <https://onlinelibrary.wiley.com/doi/full/10.1111/ajt.15410>.
- [4] The truth about organ transport and transplantation in India, <https://www.indiatoday.in/mail-today/story/organs-transplant-organ-transport- system-india-donating-organs-962150-2017-02-23>.
- [5] Kaur A, Kumar A, “A new method for solving fuzzy transportation problems using ranking function”, Appl Math Model 35:5652-5661, 2011.
- [6] A Thamaraiselvi and R Santhi, “A New Approach for Optimization of Real Life Transportation Problem in Neutrosophic Environment, Mathematical Problems in Engineering, Volume 2016, Article ID 5950747.
- [7] M Pachamuthu and G Charles Rabinson, “Neutrosophic Fuzzy Transportation Problem for finding optimal solution Using Nanogonal Number” Annals of R.S.C.B., ISSN:1583-6258, Vol. 25, Issue 6, 2021, Pages. 18672 - 18676 Received 25 April 2021; Accepted 08 May 2021.
- [8] R. M. Umamageswari, G.Uthra, “Generalized Single Valued Neutrosophic Trapezoidal Numbers and their Application to Solve Transportation Problem”, Studia Rosenthaliana (Journal for the Study of Research), Volume XII, Issue I, January-2020,Page No: 170.
- [9] Samira Rouhania*, Mir Saman Pishvaea and Naeme Zarrinpoorb, “A fuzzy optimization approach to strategic organ transplantation network design problem: A real case study”. Decision Science Letters 10 (2021) 195–216.
- [10] M. Abdel-Baseta,, Victor Changb, Abdullah Gamala, Florentin Smarandachec, “An integrated neutrosophic ANP and VIKOR method for achieving sustainable supplier selection: A case study in importing field”, Computers in Industry 106 (2019) 94–110.



- [11] G.Charles Rabinson and R.Chandrasekaran, “A Method for Solving a Pentagonal Fuzzy Transportation Problem via Ranking Technique and ATM”, Journal of Research in Engineering, IT and Social Sciences, Impact Factor: 6.565, Volume 09 Issue 04, Page 71-75, 2019.
- [12] D. Santhoshkumar and G.Charles Rabinson, “A New Proposed Method to Solve Fully Fuzzy Transportation Problem Using Least Allocation Method”, International Journal of Pure and Applied Mathematics, Volume 119 No. 15 2018, 159-166.
- [13] K. Nandhini and G. Charles Rabinson, “Socratic Technique to Solve the Bulk Hexadecagonal Fuzzy Transportation Problem Using Ranking Method”, Advances in Mathematics: Scientific Journal 10 (2021), no.1, 331–337.
- [14] D. Gurukumaresan, C. Duraisamy and R. Srinivasan, “Optimal Solution of Fuzzy Transportation Problem Using Octagonal Fuzzy Numbers”, Computer Systems Science & Engineering, 2021, vol.37, no.3, pages: 415-421.
- [15] G Charles Rabinson and K Rajendran, “Solving Transportation Problem using Decagonal Neutrosophic Numbers”, Neuroquantology | November 2022 | Volume 20 | Issue 15 | Page 4690-4696 |.
- [16] G Charles Rabinson and K Rajendran, “Tri Pythagorean Fuzzy Technique using in Transportation Problem for a felicitous solution”, Neuroquantology | November 2022 | Volume 20 | Issue 15 | Page: 4697-4703 |.

