

Grahani–Agni Relationship: An Ayurvedic Framework for Digestion and Systemic Health

Dr Anand V. Kalaskar¹, Dr Somesh G. Dalimkar², Dr. Pooja P Neel³

MD (Kayachikitsa Vikriti Vigyan BHU)¹

MD Scholar (Roganidana Vikriti Vijnana)^{2,3}

Sumitabhai Shah Ayurveda Mahavidyalaya Pune^{2,3}

Abstract: Background: Ayurveda places digestion at the centre of health, with Grahani and Agni playing a key role in digestion, assimilation and nourishment. Grahani is described as the functional site associated with retention and appropriate processing of food.

Objective: To explore the classical concept of Grahani and its relationship with digestion, assimilation, nutrition and systemic health from an Ayurvedic and contemporary perspective.

Discussion: Grahani is closely associated with Jatharagni, Pachaka Pitta and Samana Vayu. Balanced Agni supports proper digestion and formation of Ahara Rasa, contributing to Dhatu nourishment, strength and Ojas. Disturbance of Agni due to inappropriate diet, irregular eating habits and faulty lifestyle may impair Grahani function and contribute to Grahani Dosha. Such dysfunction may manifest as indigestion, altered bowel habits, abdominal discomfort, anorexia and weakness. Conceptually, impaired digestion may also contribute to the formation of Ama. From a contemporary perspective, the Grahani–Agni framework may provide a basis for exploring gastrointestinal function, nutrient assimilation, metabolism, intestinal microbiota and gut–body interactions.

Conclusion: Grahani represents an integrated Ayurvedic concept linking digestion, metabolism, nutrition and systemic homeostasis. Its study may provide a useful framework for interdisciplinary research in gastrointestinal and metabolic health.

Keywords: Grahani, Agni, Jatharagni, Pachaka Pitta, Samana Vayu, Ama, digestion, metabolism, systemic health.

I. INTRODUCTION

Digestion is a fundamental physiological process through which ingested food is transformed into forms that can be absorbed, utilized, and ultimately contribute to the maintenance of body tissues and physiological functions. From the contemporary biomedical perspective, gastrointestinal health depends upon the coordinated functioning of digestive secretions, gastrointestinal motility, mucosal integrity, nutrient absorption, immune mechanisms, endocrine signalling, and interactions with the intestinal microbiota. Thus, the gastrointestinal tract is increasingly recognized as an active physiological interface connecting nutrition with broader aspects of systemic health.

Ayurveda places similar importance on the proper transformation and utilization of food through the concept of *Agni*. *Agni* is regarded as an essential factor responsible for the digestion and transformation of ingested food and is also considered fundamental to nourishment, strength, vitality, and maintenance of health. The classical Ayurvedic understanding of health consequently emphasizes the preservation of normally functioning *Agni* as an important prerequisite for physiological equilibrium.

In this context, *Grahani* represents an important component of the Ayurvedic understanding of gastrointestinal function. The term Grahani is derived from the *Sanskrit root grah*, signifying the act of holding, retaining, or grasping. This etymological meaning corresponds with its classical functional description. *Charaka Samhita*, while discussing



Grahani Dosha, describes *Grahani* as being closely associated with *Agni* and as retaining food until it has undergone appropriate digestion. The classical statement,

अग्निधिष्ठानमन्नस्य ग्रहणाद्ग्रहणी मता।

highlights the association of *Grahani* with *Agni* and its role in the retention of food during the digestive process. Further descriptions in *Charaka Samhita* explain the functional relationship between *Grahani*, *Agni*, digestion, and the subsequent movement of the digested material.

The relationship between *Grahani* and *Agni* is therefore not merely anatomical but predominantly functional and physiological. *Agni* governs the process of transformation, whereas *Grahani* provides the functional setting in which food is retained and appropriately processed. When *Agni* functions normally, digestion and assimilation proceed in an orderly manner, facilitating the formation of properly processed nutritional material and subsequent nourishment of the body. Conversely, impairment of *Agni* may adversely affect the normal functioning of *Grahani* and may manifest through symptoms such as indigestion, altered bowel habits, abdominal discomfort, impaired appetite, and weakness.

Ayurveda further describes digestion as the initial stage of a broader process of nourishment. Properly digested food contributes to the formation of *Ahara Rasa*, which subsequently supports the nourishment of the *Dhatus* and maintenance of strength and vitality. Thus, the consequences of disturbed digestion are not considered to be restricted to the gastrointestinal tract; they may potentially influence the overall nutritional and functional status of the individual. The Ayurvedic concept of *Ama*, which is associated with impaired or incomplete digestion in the context of disturbed *Agni*, further extends this pathophysiological framework.

At the same time, *Grahani* should not be regarded as synonymous with a single anatomical structure in contemporary medicine, nor should *Agni* be directly equated with any one biochemical process. Rather, these concepts represent multidimensional Ayurvedic constructs that describe physiological functions from the perspective of Ayurvedic principles. Their relationship with contemporary concepts such as gastrointestinal motility, digestion, nutrient absorption, intestinal barrier function, microbial metabolism, and gut–body communication therefore warrants systematic investigation rather than assuming direct equivalence.

Accordingly, the *Grahani–Agni* relationship may be conceptualized as an integrated physiological sequence:

***Grahani–Agni* coordination → appropriate digestion and transformation → assimilation and formation of nutritional substrate → tissue nourishment → maintenance of systemic health.**

Understanding this relationship may provide a useful conceptual basis for examining the connection between gastrointestinal function and systemic physiology. An interdisciplinary exploration of *Grahani* and *Agni* may also contribute to the development of research models linking classical Ayurvedic physiology with contemporary investigations in gastroenterology, nutrition, metabolism, microbiome science, and gut–body interactions.

II. MATERIALS AND METHODS

The present study was conducted as a narrative conceptual review based on classical Ayurvedic texts and contemporary scientific literature. Classical references including *Charaka Samhita*, *Sushruta Samhita*, and *Ashtanga Hridaya* with relevant commentaries were reviewed for concepts related to *Grahani*, *Agni*, *JatharAgni*, *Pachaka Pitta*, *Samana Vayu*, *Ahara Rasa*, *Ama*, and *Dhatu* nourishment. Contemporary literature was searched through PubMed and Google Scholar using relevant keywords related to *Grahani*, *Agni*, digestion, nutrient absorption, gut microbiota, intestinal function, metabolism, and gut–body interactions. The identified literature was critically reviewed and synthesized to examine the relationship between *Grahani* and *Agni* to explore their possible functional correlations with contemporary gastrointestinal physiology. Ayurvedic concepts were interpreted within their classical framework, and direct equivalence with modern anatomical or biochemical entities was not assumed.

***Agni* – The Functional Basis of Digestion**

In Ayurveda, *Agni* is regarded as the fundamental physiological principle responsible for the digestion and transformation of food. *Charaka Samhita*, describes *Agni* as essential for longevity, strength, health, nourishment, complexion, vitality, and maintenance of *Ojas*. Food can adequately nourish the body tissues only when *Agni* functions



properly, as undigested food cannot contribute appropriately to the formation and nourishment of the *Dhatus*. Thus, *Agni* may be understood as the functional basis through which ingested food is transformed into nutritive material required for maintaining physiological equilibrium. *JatharAgni* is particularly important because it initiates the digestive process, while *BhutAgni* and *DhatvAgni* participate in subsequent stages of transformation and tissue metabolism.

Grahani–Agni Relationship

Grahani and *Agni* are described as closely interdependent functional entities in Ayurvedic physiology. *Charaka Samhita* describes *Grahani* as the site associated with *JatharAgni* and emphasizes its role in retaining food until appropriate digestion occurs. Normal *Grahani* function is therefore dependent upon properly functioning *Agni*, while disturbance of *Grahani* is associated with impairment or irregularity of *Agni*. The classical discussion of *Grahani Chikitsa* explains this reciprocal relationship and places digestive impairment at the centre of *Grahani* disorders. Consequently, the *Grahani–Agni* relationship may be understood as a functional process in which *Grahani* retains and supports the appropriate processing of food, while *Agni* performs its transformation and digestion.

Role of Pachaka Pitta

Pachaka Pitta has an important role in the Ayurvedic understanding of digestion and is functionally associated with the transformation of ingested food. During the digestive process, *Charaka Samhita* describes sequential stages of digestion in which the characteristics of *Kapha*, *Pitta*, and *Vata* become prominent. The text describes the emergence of *Pitta* during the intermediate stage of digestion as food undergoes further transformation after leaving the stomach. *Pachaka Pitta* can therefore be considered an important component of the digestive process, working in association with *Agni* to facilitate appropriate transformation of food. Its functional integrity is consequently relevant to the maintenance of normal digestive activity.

Role of Samana Vayu

Samana Vayu plays an important supportive role in digestion by facilitating the proper functioning of *Agni*. According to *Charaka Samhita* *Prana Vayu* brings ingested food into the gastrointestinal tract, while *Samana Vayu* stimulates the digestive fire and facilitates appropriate digestion of food taken in suitable quantity and at the appropriate time. The classical text compares the action of *Agni* in digestion with the cooking of rice in a vessel, illustrating the transformation of ingested food into nutritive and waste fractions. Thus, *Samana Vayu* may be understood as an important regulatory component that supports the activity and proper functioning of *Agni* during digestion.

Agni and Ahara Rasa

The proper functioning of *Agni* is essential for the formation of *Ahara Rasa*, the nutritive fraction resulting from the digestion of food. *Charaka Samhita* describes the action of *Agni* in transforming ingested food into *Rasa* and *Mala*. Subsequently, the Ayurvedic framework describes the participation of *Bhutagni* and *Dhatvagni* in further transformation and nourishment of the body tissues. The properly formed nutritive component ultimately supports the nourishment of the *Dhatus* and maintenance of strength and physiological function. Therefore, *Agni* serves as an important link between food intake and tissue nourishment, establishing a functional sequence of **Ahara → Agni-mediated digestion → Ahara Rasa → Dhatu nourishment → maintenance of health**.

Grahani and Dhatu Nourishment

Grahani plays an important functional role in the nourishment of the *Dhatus* through its close association with *Agni* and the proper digestion and transformation of *Ahara*. According to *Charaka Samhita*, food becomes capable of nourishing the body tissues, Ojas, strength, and complexion only when *Agni* functions normally; improperly digested food cannot adequately contribute to the formation and nourishment of the *Dhatus*. During digestion, *Jatharagni* transforms the ingested food into nutritive and waste portions, and the nutritive portion, described as *Ahara Rasa*, subsequently participates in tissue nourishment. At the tissue level, each *Dhatu* undergoes further transformation through its respective *Dhatvagni*, producing nutritive (*Prasada*) and waste (*Kitta*) components. Thus, *Grahani* may be understood as an important functional link between digestion and systemic nourishment: proper *Grahani–Agni* function facilitates appropriate processing of food, formation of *Ahara Rasa*, and subsequent nourishment of the *Dhatus*,



whereas impairment of *Agni* and *Grahani* may compromise this sequence and contribute to inadequate tissue nourishment.

III. POSSIBLE CONTEMPORARY CORRELATION

Ayurvedic concept	Possible contemporary research domain	Nature of relationship
<i>Grahani</i>	Gastrointestinal functional system	Conceptual
<i>Jatharagni</i>	Digestive/metabolic processes	Functional
<i>Pachaka Pitta</i>	Digestive secretions and enzymatic processes	Hypothetical
<i>Samana Vayu</i>	Motility and coordinated intestinal function	Hypothetical
<i>Ahara Rasa</i>	Absorbed nutrients/nutrient availability	Conceptual
<i>Dhatu nourishment</i>	Nutritional and metabolic utilization	Conceptual
<i>Ama</i>	Consequences of impaired processing	Hypothetical
<i>Agni imbalance</i>	Altered digestive/metabolic function	Research hypothesis

IV. RESULTS

The study identified a functional association between *Grahani*, *Agni*, and *Dhatu* nourishment. Proper functioning of *Grahani* and *Agni* was found to support effective digestion, formation of *Ahara Rasa*, and subsequent nourishment of the *Dhatu*s. Disturbance of *Agni* was associated with impaired digestion and inadequate tissue nourishment. Overall, the findings indicate that *Grahani–Agni* coordination plays an important role in maintaining nutritional status, tissue integrity, and systemic health.

V. DISCUSSION

The findings of the present study demonstrate a close functional relationship between *Grahani*, *Agni*, and *Dhatu* nourishment. The study results indicate that proper *Grahani–Agni* functioning supports effective digestion, formation of *Ahara Rasa*, and subsequent nourishment of the *Dhatu*s. Conversely, impaired *Agni* may disrupt digestion and compromise the nutritional supply to tissues. These findings support the Ayurvedic view that optimal digestive function is fundamental to tissue nourishment and maintenance of systemic health.

REFERENCES — VANCOUVER STYLE

- Sharma RK, Dash B, editors. Charaka Samhita of *Agnivesa*. Varanasi: Chowkhamba Sanskrit Series Office; 2009. Chikitsa Sthana, Grahani Dosha Chikitsa, Chapter 15.
- Shastri K, Chaturvedi G, editors. Charaka Samhita of *Agnivesa* with Vidyotini Hindi Commentary. Varanasi: Chaukhambha Bharati Academy; 2004.
- Shastri AD, editor. Sushruta Samhita with Ayurveda Tattva Sandipika Commentary. Varanasi: Chaukhambha Sanskrit Sansthan.
- Paradakara HS, editor. Ashtanga Hridaya of Vagbhata with Sarvangasundara Commentary. Varanasi: Krishnadas Academy; 2000.
- Singh A, Singh G, Patwardhan K, Gehlot S. Development, validation and verification of a self-assessment tool to estimate *Agnibala* (digestive strength). *J Evid Based Complement Altern Med*. 2017;22(1):134-140.
- Patil P, Patil A, Wale S. Sharir Kriyatmak aspect of Grahani. *J Ayurveda Integr Med Sci*. 2022.
- Dinan TG, Cryan JF. The microbiome-gut-brain axis in health and disease. *Gastroenterol Clin North Am*. 2017;46(1):77-89.
- Charaka. *Charaka Samhita*, Chikitsa Sthana, Grahani Dosha Chikitsa, Chapter 15, verses 3–5, 6–10, 15, 56.



9. Patwardhan K, Ojha SN, Upadhyaya W, Samant A, et al. Grahani Chikitsa. Charak Samhita Research, Training and Skill Development Centre; 2020.
10. *Charaka Samhita*, Chikitsa Sthana 15/6–10: description of the digestive process and role of Samana Vayu and Agni.
11. *Charaka Samhita*, Chikitsa Sthana 15/11–15: description of Ahara Rasa, BhutAgni and DhatvAgni in digestion and tissue nourishment.
12. Agnivesha. *Charaka Samhita*, revised by Charaka and Dridhabala, Chikitsa Sthana, Grahani Dosha Chikitsa, Chapter 15, verses 3–5, 13–15, 19. Varanasi: Chaukhambha Bharati Academy.
13. Charak Samhita Research, Training and Skill Development Centre. *Grahani Chikitsa—Charaka Samhita, Chikitsa Sthana 15*.
14. Rackaityte E, Lynch SV. The microbiota-gut-brain axis: from motility to mood. *Gastroenterology*. 2021.
15. Koh A, De Vadder F, Kovatcheva-Datchary P, Bäckhed F. From dietary fiber to host physiology: short-chain fatty acids as key bacterial metabolites. *Cell*. 2016;165(6):1332-1345.
16. Arrieta MC, Bistritz L, Meddings JB. Alterations in intestinal permeability. *Gut*. 2009;58(11):1512-1521.
17. Dalile B, Van Oudenhove L, Vervliet B, Verbeke K. The role of short-chain fatty acids in microbiota-gut-brain communication. *Nat Rev Gastroenterol Hepatol*. 2019;16:461-478.

