

International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

Volume 2, Issue 1, July 2022

Prediction of Liver Disease using Machine Learning

Latha C M

Student, Department of MCA JNN College of Engineering, Shimoga, Karnataka, India lathacm78@gmail.com

Abstract: Healthcare system is becoming a significant factor of every human being. So in this paper we are discussing about the vital organ of the human body i.e. Liver. Early analysis of liver disease prediction is highly challenging. As a result, liver disease has become more common which is gradually improved, enhancing people's troubles. To recognize the causes and the identification phases are more important. For this, we applied a machine learning technique that was highly promising for studies with regard to healthcare and health. To uncover hidden data for precise diagnosis and decision-making, ML can also be used. Any form of liver disease is hazardous to your health. Poisons, narcotics, and excessive drinking are the main causes of this condition. In this study, we will use several associated features and KNN technology to enhance liver disease prediction. The accuracy forecast is provided by this algorithm.

Keywords: Machine Learning, Liver Disease, K-Nearest Neighbor, ILPD

I. INTRODUCTION

Machine learning, a branch of artificial intelligence (AI), is extensively used in data science. A vital internal organ of the human body is the liver, carrying out several key tasks like digestion, metabolism, and vitamin preservation, among others. Liver ailment is one of the crucial/dangerous disease, nowadays liver disorders increased rapidly. Prediction of the disease in an early stage is an important thing, so that it would be increase the survival rate. Effective decision making in medical, ML algorithms plays an important role. For the purpose of predicting liver disease, there are numerous machine learning methods available. Every algorithm learns in a unique way.

Here we focuses on KNN algorithm for the better performance which optimises the model, it will developing the several models step by step. This KNN method was chosen because it classifies diseases by looking for a number of values that are close by. This improves our ability to analyse the various characteristics associated to the prediction process. In this research, we addressed how to analyse and forecast illnesses more precisely through a step-by-step procedure that includes dataset selection, pre-processing, and classification, after which a machine learning model is built using the available data. The analysis and validation of each feature distribution will be done as part of the pre-processing of the data. The dataset is first determined to be balanced or imbalanced, and then the proper techniques are employed to convert the data to a normal distribution and balance the dataset using a variety of techniques.

II. LITERATURE SURVEY

L.Aliceauxilia [1] presents Accuracy Prediction for Indian Patient Liver Using Machine Learning Techniques. Here, they employed the "Naive Bayes" Classification, which has an accuracy rate of 37%. The authors of Thirunavukkarasu K et al [2] discuss how to predict liver disease using classification algorithms. In this case, "Logistic Regression" was applied, achieving 73.97 percentage accuracy. In their study, Jagdeep Singha et al. [3] employed the "random forest regression technique". This achieved accuracy to the tune of 71.36 percent. Mehtaj Banu H [4] Presenting Liver Disease Prediction Using Machine-Learning. This analysis makes use of the "Support Vector Machine algorithm". Shobana, G et al [5] suggested a method of "feature reduction using Recursive Feature Elimination" and applying "Machine learning boosting methods" to increase prediction accuracy. Sateesh Ambesang et al [6] report the Liver Diseases Prediction Using KNN with Hyper Parameter Tuning Techniques. In this case, the suggested model with K- NN parameters that have been fine-tuned using grid search performs better with 91 percentage accuracy. The focus of this work is KNN algorithms, procedures to optimise the model's performance, and the gradual development of numerous models. Kanza Hamid et al. [7] is explained the Abstention-based Machine Learning for Automated Liver Disease Diagnosis. In this paper, an unique technique for automatically identifying liver anomalies in ultrasound images is described. Shivangi

Copyright to IJARSCT www.ijarsct.co.in



International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

Volume 2, Issue 1, July 2022

Gupta et al [8] present A Web-Based Framework Using Combined Machine Learning Models for Liver Disease Diagnosis. This study combines three optimised machine learning algorithms, including weighted K-Nearest Neighbors, decision trees, and artificial neural networks, to categorise the provided data and produce results. A.Sivasangari et al [9] Discuss Machine Learning Models for Liver Disease Diagnosis. In order to forecast liver sickness more correctly, precisely, and consistently, Random Forests, Decision Trees, and Support Vector Machines (RF) techniques are recommended. Golmei Shaheamlung et al [10] talk about a survey on the use of machine learning for diagnosing liver illness. In order to aid the medical community in the diagnosis and prognosis of liver disease, this study seeks to provide a thorough overview and comparative analysis of all machine learning methodologies.

III. PROPOSED METHODOLOGY

This initiative seeks to foresee the liver disease. For the classification of Indian Liver Patient Disease (ILPD), the suggested approach leverages the idea of a machine learning algorithm; in this case, the models are trained before being tested. After that the most accurate model will forecast the outcome.



Fig 1: Proposed work

KNN, or K-Nearest Neighbours, is a supervised machine learning method that can be applied to classification problems. It is a straightforward and easy-to-implement approach. The computer will be trained by this algorithm to predict the outcome for the testing dataset. After storing all the previous data, a new data point is categorised using the K-NN algorithm based on similarity.



International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

Volume 2, Issue 1, July 2022

IV. RESULT ANALYSIS

Output of the project is prediction of Indian Liver Patient Dataset (ILPD) in which accuracy will be predicted and the average of the accuracy will be printed.

[[-1.0, -0.5, 2.1, 15.0, 30.0, 2.2, 1]] predicted> 1
[[1.0, -0.5, 0.1, 20.0, 35.0, 2.0, 1]] predicted> 1
[[1.0, -0.5, 1.5, 102.0, 630.0, 3.3, 1]] predicted> 1
[[1.0, -0.5, 0.2, 72.0, 140.0, 2.5, 1]] predicted> 1
[[1.0, -0.5, 2.3, 32.0, 92.0, 2.6, 2]] predicted> 2
[[1.0, -0.5, 0.2, 53.0, 58.0, 3.4, 1]] predicted> 1
[[1.0, -0.5, 0.2, 15.0, 18.0, 4.7, 1]] predicted> 1
[[1.0, -0.5, 0.2, 24.0, 20.0, 3.2, 2]] predicted> 2
[[1.0, -0.5, 0.1, 28.0, 51.0, 4.2, 2]] predicted> 2
[[1.0, -0.5, 2.4, 126.0, 202.0, 2.9, 1]] predicted> 1
[[1.0, -0.5, 0.2, 30.0, 28.0, 1.8, 2]] predicted> 2
[[1.0, -0.5, 0.2, 28.0, 35.0, 3.4, 2]] predicted> 2
[[1.0, -0.5, 0.1, 26.0, 29.0, 4.2, 2]] predicted> 2
[[1.0, -0.5, 1.7, 950.0, 1500.0, 3.8, 1]] predicted> 1
[[1.0, -0.5, 0.1, 37.0, 29.0, 2.6, 1]] predicted> 1
[[1.0, -0.5, 1.2, 55.0, 95.0, 3.7, 1]] predicted> 1
[[1.0, -0.5, 8.8, 43.0, 185.0, 2.4, 1]] predicted> 1
[[1.0, -0.5, 0.4, 60.0, 103.0, 3.0, 2]] predicted> 2

Fig 2: Predicted values

This above fig showing the prediction result 1 or 2 along with dataset.

-	<pre>[[1:0] +0:2' 2:0' 02:0' 04:0' 5:2' 1] hienticen+ 1</pre>
	[[1.0, -0.5, 0.2, 24.0, 46.0, 3.1, 1]] predicted> 1
	[[1.0, -0.5, 0.2, 47.0, 67.0, 3.5, 2]] predicted> 2
	[[1.0, -0.5, 0.2, 15.0, 30.0, 2.1, 2]] predicted> 2
	[[-1.0, -0.5, 0.2, 24.0, 25.0, 4.0, 1]] predicted> 1
	[[-1.0, -0.5, 0.2, 35.0, 32.0, 3.9, 2]] predicted> 2
	[[-1.0, -0.5, 0.3, 26.0, 15.0, 3.8, 1]] predicted> 1
	[[1.0, -0.5, 1.3, 23.0, 29.0, 0.9, 1]] predicted> 1
	[[1.0, -0.5, 0.1, 25.0, 27.0, 3.1, 1]] predicted> 1
	[[1.0, -0.5, 0.7, 10.0, 21.0, 2.1, 2]] predicted> 2
	[[1.0, -0.5, 1.4, 48.0, 89.0, 3.0, 1]] predicted> 1
	[[1.0, -0.5, 0.5, 20.0, 30.0, 1.9, 2]] predicted> 2
	[[1.0, -0.5, 0.3, 28.0, 25.0, 3.0, 1]] predicted> 1
	[[1.0, -0.5, 0.7, 10.0, 21.0, 2.1, 2]] predicted> 2
	[[1.0, -0.5, 0.8, 53.0, 58.0, 3.8, 1]] predicted> 1
	[[1.0, -0.5, 4.9, 140.0, 350.0, 2.1, 1]] predicted> 1
	[[-1.0, -0.5, 0.8, 28.0, 44.0, 2.9, 2]] predicted> 2
	<pre>[[-1.0, -0.5, 0.2, 13.0, 21.0, 3.2, 2]] predicted> 2</pre>
	[[1.0, -0.5, 0.5, 30.0, 42.0, 3.8, 2]] predicted> 2
	93.63636363636364

Fig 3: Showing the first fold accuracy

The above figure shows the accuracy of the first fold

```
www. with the p
 [[1.0, -0.5, 0.8, 60.0, 84.0, 3.5, 2]] predicted --> 2
[[1.0, -0.5, 0.4, 41.0, 38.0, 2.1, 1]] predicted --> 1
[[1.0, -0.5, 0.2, 36.0, 32.0, 4.0, 2]] predicted --> 2
[[1.0, -0.5, 0.3, 16.0, 24.0, 3.0, 1]] predicted --> 1
[[1.0, -0.5, 0.2, 72.0, 140.0, 2.5, 1]] predicted --> 1
 [[1.0, -0.5, 0.3, 18.0, 21.0, 3.7, 2]] predicted --> 2
[[1.0, -0.5, 9.5, 46.0, 52.0, 2.0, 1]] predicted --> 1
[[1.0, -0.5, 2.0, 27.0, 59.0, 2.4, 1]] predicted --> 1
[[1.0, -0.5, 0.2, 33.0, 57.0, 3.5, 2]] predicted --> 2
[[-1.0, -0.5, 0.2, 166.0, 397.0, 3.0, 1]] predicted --> 1
[[1.0, -0.5, 0.2, 27.0, 28.0, 1.6, 2]] predicted --> 2
[[-1.0, -0.5, 0.2, 23.0, 28.0, 2.9, 2]] predicted --> 2
[[1.0, -0.5, 0.2, 18.0, 15.0, 4.2, 2]] predicted --> 2
[[1.0, -0.5, 3.6, 198.0, 143.0, 3.2, 1]] predicted --> 1
[[-1.0, -0.5, 11.4, 30.0, 37.0, 3.4, 1]] predicted --> 1
[[1.0, -0.5, 0.1, 26.0, 27.0, 3.6, 2]] predicted --> 2
[[-1.0, -0.5, 0.1, 95.0, 127.0, 2.1, 1]] predicted --> 1
[[-1.0, -0.5, 0.2, 15.0, 12.0, 4.7, 1]] predicted --> 1
92.95454545454545
```

Fig 4: Showing the second fold accuracy

Copyright to IJARSCT www.ijarsct.co.in DOI 10.48175/IJARSCT-5673



International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

Volume 2, Issue 1, July 2022

In this above figure which shows the accuracy of the second fold accuracy

[[1.0, -0.5, 2.3, 32.0, 92.0, 2.6, 2]] predicted --> 2 [[1.0, -0.5, 0.2, 24.0, 46.0, 3.1, 1]] predicted --> 1 [[1.0, -0.5, 0.2, 50.0, 28.0, 4.0, 1]] predicted --> 1 [[-1.0, -0.5, 0.2, 17.0, 24.0, 4.0, 1]] predicted --> 1 [[-1.0, -0.5, 0.1, 20.0, 33.0, 1.9, 1]] predicted --> 1 [[1.0, -0.5, 0.2, 28.0, 35.0, 3.4, 2]] predicted --> 2 [[1.0, -0.5, 1.5, 102.0, 630.0, 3.3, 1]] predicted --> 1 [[1.0, -0.5, 0.2, 19.0, 22.0, 3.6, 2]] predicted --> 2 [[1.0, -0.5, 4.3, 94.0, 92.0, 3.1, 1]] predicted --> 1 [[1.0, -0.5, 0.1, 25.0, 34.0, 2.8, 2]] predicted --> 2 [[1.0, -0.5, 9.0, 22.0, 79.0, 2.7, 1]] predicted --> 1 [[-1.0, -0.5, 0.1, 16.0, 18.0, 3.3, 1]] predicted --> 1 [[-1.0, -0.5, 0.2, 25.0, 18.0, 3.1, 1]] predicted --> 1 [[-1.0, -0.5, 0.2, 25.0, 58.0, 3.4, 1]] predicted --> 1 [[1.0, -0.5, 0.2, 46.0, 57.0, 4.3, 2]] predicted --> 2 [[-1.0, -0.5, 0.4, 22.0, 30.0, 4.1, 1]] predicted --> 1 92.9545454545454545 average= 93,1818181818181819

Fig 5: Showing the third fold accuracy and average of accuracy.

In this above figure it is showing the accuracy of the third fold accuracy and average of the accuracy

V. CONCLUSION

Liver illness is a condition that is on the rise right now. Future increases in these liver illnesses will be caused by ongoing technological developments. Even if everyone is enrolling in yoga and dancing courses and people are becoming more health conscious, Luxuries and a sedentary lifestyle are constantly being increased to and enhanced. With the dataset we used for this research, our project will be very beneficial to society in such a situation. Therefore, we have presented the technology that uses machine learning to forecast liver illness. The system is implemented by KNN algorithm which trains the machine. The machine is able to predict the outcome for the testing dataset.

REFERENCES

- [1]. L.Aliceauxilia ["Accuracy Prediction using Machine Learning Techniques for Indian Patient Liver"] in 2018
 2nd International Conference on Trends in Electronics and Informatics (ICOEI) doi: 10.1109/ICOEI.2018.8553682
- [2]. Thirunavukkarasu K, Ajay S. Singh et al ["Prediction of Liver Disease using Classification Algorithms"] in 2018 4th International Conference on Computing Communication and Automation (ICCCA) doi: 10.1109/CCAA.2018.8777655
- [3]. JagdeepSingha, SachinBaggab et al ["Software-Based prediction of Liver Disease with Feature Selection and Classification Techniques"] in (ICCIDS 2019) doi: 10.1016/j.procs.2020.03.226
- [4]. Mehtaj Banu H ["Liver Disease Prediction using Machine-Learning"] in Conference 2021 doi: 10.1007/978-981- 16-1338-8 12 (LNEE volume 789
- [5]. Shobana, G., & Umamaheswari, K ["Prediction of Liver Disease using Gradient Boost Machine Learning Techniques with Feature Scaling"], 2021 5th International Conference on Computing Methodologies and Communication (ICCMC) | 978-1-6654-0360-3/20/\$31.00 ©2021 IEEE | DOI: 10.1109/ICCMC51019.2021.9418333
- [6]. Sateesh Ambesange, S., et al ["Liver Diseases Prediction using KNN with Hyper Parameter Tuning Techniques"], Conference in 978-1-7281-6828-9/20/\$31.00 ©2020 IEEE
- [7]. Hamid, K., Asif, A et al ["Machine Learning with Abstention for Automated Liver Disease Diagnosis"],



International Journal of Advanced Research in Science, Communication and Technology (IJARSCT)

Volume 2, Issue 1, July 2022

- [8]. International Conference [2017] 0-7695-6347-3/17/\$31.00 ©2017 IEEE DOI 10.1109/FIT.2017.00070
- [9]. Shivangi Gupta et al ["A Web Based Framework for Liver Disease Diagnosis using Combined Machine Learning Models"] Proceedings of the International Conference on Smart Electronics and Communication (ICOSEC 2020) IEEE Xplore Part Number: CFP20V90-ART; ISBN: 978-1-7281-5461-9
- [10]. A.Sivasangari et al ["Diagnosis of Liver Disease using Machine Learning Models"] Proceedings of the Fourth International Conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud) (I-SMAC) IEEE Xplore Part Number:CFP20OSV-ART; ISBN: 978-1-7281-5464-0
- [11]. Golmei Shaheamlung et al ["A Survey on machine learning techniques for the diagnosis of liver disease"] 2020 International Conference on Intelligent Engineering and Management (ICIEM) 978-1-7281-4097-1/20/\$31.00 ©2020 IEEE